

Data Path : Z:\HPCHEM1\BNA F\DATA\BF122415\
 Data File : BF084127.D
 Acq On : 25 Dec 2015 14:02
 Operator : UM/SJ
 Sample : G4961-03
 Misc :
 ALS Vial : 50 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PJ-SB-8(21.0-21.5)

Quant Time: Dec 26 03:41:07 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF122415.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Dec 24 16:48:39 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.80	152	53476	20.00	ng	0.00
21) Naphthalene-d8	8.09	136	196439	20.00	ng	0.00
38) Acenaphthene-d10	9.84	164	99250	20.00	ng	0.00
63) Phenanthrene-d10	11.32	188	172269	20.00	ng	0.00
75) Chrysene-d12	13.95	240	126965	20.00	ng	-0.01
86) Perylene-d12	15.38	264	102582	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.42	112	450966	142.98	ng	0.01
7) Phenol-d6	6.45	99	502001	128.62	ng	0.00
23) Nitrobenzene-d5	7.37	82	358377	106.79	ng	0.00
41) 2,4,6-Tribromophenol	10.62	330	135793	128.30	ng	0.00
44) 2-Fluorobiphenyl	9.16	172	682240	94.05	ng	0.00
78) Terphenyl-d14	12.90	244	541405	77.16	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.55	163	114484	13.93	ng	Qvalue # 90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF122415\
Data File : BF084127.D
Acq On : 25 Dec 2015 14:02
Operator : UM/SJ
Sample : G4961-03
Misc :
ALS Vial : 50 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PJ-SB-8(21.0-21.5)

Quant Time: Dec 26 03:41:07 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF122415.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Dec 24 16:48:39 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.80 min Scan# 412
Delta R.T. -0.00 min
Lab File: BF084127.D
Acq: 25 Dec 2015 14:02

Instrument :
BNA_F
ClientSampleId :
PJ-SB-8(21.0-21.5)

Tot Ion:152 Resp: 53476
Ion Ratio Lower Upper
152 100
150 156.7 123.0 184.4
115 67.3 51.4 77.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 142.98 ng
RT: 5.42 min Scan# 292
Delta R.T. 0.01 min
Lab File: BF084127.D
Acq: 25 Dec 2015 14:02

Tgt Ion:112 Resp: 450966
Ion Ratio Lower Upper
112 100
64 48.5 36.6 55.0
63 27.4 19.4 29.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 128.62 ng

RT: 6.45 min Scan# 382

Delta R.T. -0.00 min

Lab File: BF084127.D

Acq: 25 Dec 2015 14:02

Instrument :

BNA_F

ClientSampleId :

PJ-SB-8(21.0-21.5)


Tot Ion: 99 Resp: 502001

Ion Ratio Lower Upper

99 100

42 17.0 12.8 19.2




71 41.0 30.9 46.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.09 min Scan# 525

Delta R.T. -0.00 min

Lab File: BF084127.D

Acq: 25 Dec 2015 14:02

Tgt Ion: 136 Resp: 196439


Ion Ratio Lower Upper

136 100

137 10.5 8.7 13.1

54 4.1 5.8 8.8#

68 3.3 4.2 6.2#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 106.79 ng
 RT: 7.37 min Scan# 462
 Delta R.T. -0.00 min
 Lab File: BF084127.D
 Acq: 25 Dec 2015 14:02




Instrument :
 BNA_F
 ClientSampleId :
 PJ-SB-8(21.0-21.5)


Tot Ion	82	Resp	358377
Ion Ratio	Lower	Upper	
82	100		
128	49.7	34.6	51.8
54	44.4	38.4	57.6



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.84 min Scan# 678
 Delta R.T. -0.00 min
 Lab File: BF084127.D
 Acq: 25 Dec 2015 14:02

Tgt Ion	164	Resp	99250
Ion Ratio	Lower	Upper	
164	100		
162	105.8	85.1	127.7
160	47.6	37.5	56.3









#41
 2,4,6-Tribromophenol
 Concen: 128.30 ng
 RT: 10.62 min Scan# 747
 Delta R.T. -0.00 min
 Lab File: BF084127.D
 Acq: 25 Dec 2015 14:02

Instrument :
 BNA_F
 ClientSampleId :
 PJ-SB-8(21.0-21.5)

Tot Ion:330 Resp: 135793
 Ion Ratio Lower Upper
 330 100
 332 96.8 76.6 114.8
 141 43.7 27.8 41.6#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 94.05 ng
 RT: 9.16 min Scan# 619
 Delta R.T. -0.00 min
 Lab File: BF084127.D
 Acq: 25 Dec 2015 14:02

Tgt Ion:172 Resp: 682240
 Ion Ratio Lower Upper
 172 100
 171 36.7 28.9 43.3
 170 23.9 18.6 27.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 13.93 ng

RT: 9.55 min Scan# 653

Delta R.T. -0.02 min

Lab File: BF084127.D

Acq: 25 Dec 2015 14:02

Instrument :

BNA_F

ClientSampleId :

PJ-SB-8(21.0-21.5)


Tot Ion:163 Resp: 114484

Ion Ratio Lower Upper

163 100

194 2.7 8.0 12.0#




164 10.3 8.0 12.0



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.32 min Scan# 808

Delta R.T. -0.00 min

Lab File: BF084127.D

Acq: 25 Dec 2015 14:02


Tgt Ion:188 Resp: 172269

Ion Ratio Lower Upper

188 100

94 6.1 9.0 13.4#



80 5.9 9.6 14.4#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0









#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 13.95 min Scan# 1038
 Delta R.T. -0.01 min
 Lab File: BF084127.D
 Acq: 25 Dec 2015 14:02




Instrument :
 BNA_F
 ClientSampleId :
 PJ-SB-8(21.0-21.5)




Tot Ion:240 Resp: 126965
 Ion Ratio Lower Upper
 240 100
 120 14.7 9.5 14.3#
 236 24.9 20.6 31.0



#78
 Terphenyl-d14
 Concen: 77.16 ng
 RT: 12.90 min Scan# 946
 Delta R.T. -0.00 min
 Lab File: BF084127.D
 Acq: 25 Dec 2015 14:02

Tgt Ion:244 Resp: 541405
 Ion Ratio Lower Upper
 244 100
 212 8.3 5.7 8.5
 122 14.5 7.4 11.0#





#86

Pervlene-d12

Concen: 20.00 ng

RT: 15.38 min Scan# 1163

Delta R.T. -0.00 min

Lab File: BF084127.D

Acq: 25 Dec 2015 14:02

Instrument :

BNA_F

ClientSampleId :

PJ-SB-8(21.0-21.5)

Tot Ion:264 Resp: 102582

Ion Ratio Lower Upper

264 100

260 24.2 19.4 29.2

265 21.3 17.8 26.6

