

Data Path : Z:\HPCHEM1\BNA F\DATA\BF122515\
 Data File : BF084141.D
 Acq On : 25 Dec 2015 21:09
 Operator : UM/SJ
 Sample : G4960-02
 Misc :
 ALS Vial : 58 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PJ-SB-6(1.5-2.0)

Quant Time: Dec 26 05:05:41 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF122415.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Dec 24 16:48:39 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.80	152	58317	20.00	ng	0.00
21) Naphthalene-d8	8.08	136	214784	20.00	ng	-0.01
38) Acenaphthene-d10	9.84	164	99360	20.00	ng	0.00
63) Phenanthrene-d10	11.32	188	159473	20.00	ng	0.00
75) Chrysene-d12	13.95	240	117347	20.00	ng	-0.01
86) Perylene-d12	15.38	264	111302	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.41	112	467061	135.79	ng	0.00
7) Phenol-d6	6.45	99	537791	126.35	ng	0.00
23) Nitrobenzene-d5	7.37	82	389148	106.05	ng	0.00
41) 2,4,6-Tribromophenol	10.62	330	132159	124.73	ng	0.00
44) 2-Fluorobiphenyl	9.16	172	693186	95.46	ng	0.00
78) Terphenyl-d14	12.90	244	451754	69.66	ng	0.00
Target Compounds						Qvalue
49) Dimethylphthalate	9.55	163	110714	13.45	ng	# 89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF122515\
Data File : BF084141.D
Acq On : 25 Dec 2015 21:09
Operator : UM/SJ
Sample : G4960-02
Misc :
ALS Vial : 58 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PJ-SB-6(1.5-2.0)

Quant Time: Dec 26 05:05:41 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF122415.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Dec 24 16:48:39 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.80 min Scan# 412

Delta R.T. 0.00 min

Lab File: BF084141.D

Acq: 25 Dec 2015 21:09

Instrument :

BNA_F

ClientSampleId :

PJ-SB-6(1.5-2.0)


Tot Ion:152 Resp: 58317

Ion Ratio Lower Upper

152 100

150 160.1 123.0 184.4




115 67.6 51.4 77.2



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 135.79 ng

RT: 5.41 min Scan# 291

Delta R.T. 0.00 min

Lab File: BF084141.D

Acq: 25 Dec 2015 21:09


Tgt Ion:112 Resp: 467061

Ion Ratio Lower Upper

112 100

64 58.6 36.6 55.0#



63 32.5 19.4 29.0#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 126.35 ng

RT: 6.45 min Scan# 382

Delta R.T. 0.00 min

Lab File: BF084141.D

Acq: 25 Dec 2015 21:09

Instrument :

BNA_F

ClientSampleId :

PJ-SB-6(1.5-2.0)


Tot Ion: 99 Resp: 537791

Ion Ratio Lower Upper

99 100

42 16.5 12.8 19.2




71 40.3 30.9 46.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.08 min Scan# 524

Delta R.T. -0.01 min

Lab File: BF084141.D

Acq: 25 Dec 2015 21:09

Tgt Ion: 136 Resp: 214784


Ion Ratio Lower Upper

136 100

137 11.1 8.7 13.1

54 8.1 5.8 8.8

68 5.6 4.2 6.2






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 106.05 ng
 RT: 7.37 min Scan# 462
 Delta R.T. 0.00 min
 Lab File: BF084141.D
 Acq: 25 Dec 2015 21:09




Instrument :
 BNA_F
 ClientSampleId :
 PJ-SB-6(1.5-2.0)


Tot Ion	82	Resp	389148
Ion Ratio	Lower	Upper	
82	100		
128	49.2	34.6	51.8
54	44.8	38.4	57.6



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.84 min Scan# 678
 Delta R.T. 0.00 min
 Lab File: BF084141.D
 Acq: 25 Dec 2015 21:09

Tgt Ion	164	Resp	99360
Ion Ratio	Lower	Upper	
164	100		
162	105.1	85.1	127.7
160	47.3	37.5	56.3









#41
 2,4,6-Tribromophenol
 Concen: 124.73 ng
 RT: 10.62 min Scan# 747
 Delta R.T. 0.00 min
 Lab File: BF084141.D
 Acq: 25 Dec 2015 21:09

Instrument :
 BNA_F
 ClientSampleId :
 PJ-SB-6(1.5-2.0)

Tot Ion	Ratio	Lower	Upper
330	100		
332	98.9	76.6	114.8
141	43.2	27.8	41.6#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 95.46 ng
 RT: 9.16 min Scan# 619
 Delta R.T. 0.00 min
 Lab File: BF084141.D
 Acq: 25 Dec 2015 21:09

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.7	28.9	43.3
170	24.4	18.6	27.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 13.45 ng

RT: 9.55 min Scan# 653

Delta R.T. -0.02 min

Lab File: BF084141.D

Acq: 25 Dec 2015 21:09

Instrument :

BNA_F

ClientSampleId :

PJ-SB-6(1.5-2.0)


Tot Ion:163 Resp: 110714

Ion Ratio Lower Upper

163 100

194 2.7 8.0 12.0#




164 10.6 8.0 12.0



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.32 min Scan# 808

Delta R.T. 0.00 min

Lab File: BF084141.D

Acq: 25 Dec 2015 21:09


Tgt Ion:188 Resp: 159473

Ion Ratio Lower Upper

188 100

94 5.7 9.0 13.4#



80 5.9 9.6 14.4#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0









#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 13.95 min Scan# 1038
 Delta R.T. -0.01 min
 Lab File: BF084141.D
 Acq: 25 Dec 2015 21:09




Instrument :
 BNA_F
 ClientSampleId :
 PJ-SB-6(1.5-2.0)




Tot Ion:240 Resp: 117347
 Ion Ratio Lower Upper
 240 100
 120 13.4 9.5 14.3
 236 25.3 20.6 31.0



#78
 Terphenyl-d14
 Concen: 69.66 ng
 RT: 12.90 min Scan# 946
 Delta R.T. 0.00 min
 Lab File: BF084141.D
 Acq: 25 Dec 2015 21:09

Tgt Ion:244 Resp: 451754
 Ion Ratio Lower Upper
 244 100
 212 7.6 5.7 8.5
 122 12.0 7.4 11.0#





#86
Pervlene-d12
Concen: 20.00 ng
RT: 15.38 min Scan# 1163
Delta R.T. 0.00 min
Lab File: BF084141.D
Acq: 25 Dec 2015 21:09

Instrument :
BNA_F
ClientSampleId :
PJ-SB-6(1.5-2.0)

Tot Ion:	264	Resp:	111302
Ion Ratio	Lower	Upper	
264	100		
260	23.9	19.4	29.2
265	19.8	17.8	26.6

