

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF122716\
 Data File : BF091968.D
 Acq On : 27 Dec 2016 15:26
 Operator : UM/SJ
 Sample : PB95629BL
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB95629BL

Quant Time: Dec 27 23:57:50 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF122116.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 21 16:17:51 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.73	152	234200	20.00	ng	-0.02
21) Naphthalene-d8	8.02	136	878345	20.00	ng	-0.02
38) Acenaphthene-d10	9.77	164	455020	20.00	ng	-0.02
63) Phenanthrene-d10	11.25	188	745894	20.00	ng	-0.01
75) Chrysene-d12	13.88	240	560344	20.00	ng	-0.02
86) Perylene-d12	15.28	264	444885	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.37	112	2032089	144.88	ng	0.02
7) Phenol-d6	6.41	99	2255081	131.69	ng	0.00
23) Nitrobenzene-d5	7.30	82	1334756	84.50	ng	-0.02
41) 2,4,6-Tribromophenol	10.57	330	480215	127.53	ng	-0.01
44) 2-Fluorobiphenyl	9.09	172	2119233	97.29	ng	-0.02
78) Terphenyl-d14	12.84	244	1887274	81.68	ng	-0.01
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.30	70	179507	15.76	ng	# 76
50) 2,6-Dinitrotoluene	9.77	165	58297	9.15	ng	# 30
56) 2,4-Dinitrotoluene	9.77	165	58297	7.29	ng	# 19
66) 4-Bromophenyl-phenylether	10.57	248	30136	3.88	ng	# 1
71) Anthracene	11.25	178	241	Below Cal		# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF122716\
Data File : BF091968.D
Acq On : 27 Dec 2016 15:26
Operator : UM/SJ
Sample : PB95629BL
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB95629BL

Quant Time: Dec 27 23:57:50 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF122116.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 21 16:17:51 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.73 min Scan# 406

Delta R.T. -0.02 min

Lab File: BF091968.D

Acq: 27 Dec 2016 15:26

Instrument :

BNA_F

ClientSampleId :

PB95629BL


Tgt Ion:152 Resp: 234200

Ion Ratio Lower Upper

152 100

150 155.6 124.9 187.3




115 60.1 46.0 69.0



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 144.88 ng

RT: 5.37 min Scan# 287

Delta R.T. 0.02 min

Lab File: BF091968.D

Acq: 27 Dec 2016 15:26


Tgt Ion:112 Resp: 2032089

Ion Ratio Lower Upper

112 100

64 54.8 46.1 69.1



63 27.9 23.8 35.6




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 131.69 ng

RT: 6.41 min Scan# 378

Delta R.T. -0.00 min

Lab File: BF091968.D

Acq: 27 Dec 2016 15:26

Instrument :

BNA_F

ClientSampleId :

PB95629BL





Tgt Ion: 99 Resp: 2255081

Ion Ratio Lower Upper

99 100

42 19.4 15.6 23.4

71 34.8 27.5 41.3



#19

n-Nitroso-di-n-propylamine

Concen: 15.76 ng

RT: 7.30 min Scan# 456

Delta R.T. 0.11 min

Lab File: BF091968.D

Acq: 27 Dec 2016 15:26

Tgt Ion: 70 Resp: 179507




Ion Ratio Lower Upper


70 100

42 46.4 49.4 74.0#

101 0.0 7.4 11.2#

130 2.1 14.2 21.4#









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.02 min Scan# 519
Delta R.T. -0.02 min
Lab File: BF091968.D
Acq: 27 Dec 2016 15:26

Instrument :
BNA_F
ClientSampleId :
PB95629BL

Tgt Ion:	136	Resp:	878345
Ion	Ratio	Lower	Upper
136	100		
137	10.8	8.4	12.6
54	5.9	4.5	6.7
68	4.6	3.6	5.4




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0






#23
Nitrobenzene-d5
Concen: 84.50 ng
RT: 7.30 min Scan# 456
Delta R.T. -0.02 min
Lab File: BF091968.D
Acq: 27 Dec 2016 15:26

Tgt Ion:	82	Resp:	1334756
Ion	Ratio	Lower	Upper
82	100		
128	41.5	34.6	52.0
54	50.6	39.5	59.3



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.77 min Scan# 672

Delta R.T. -0.02 min

Lab File: BF091968.D

Acq: 27 Dec 2016 15:26

Instrument :

BNA_F

ClientSampleId :

PB95629BL


Tgt Ion:164 Resp: 455020

Ion Ratio Lower Upper

164 100

162 100.6 80.2 120.2




160 45.3 36.9 55.3



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 127.53 ng

RT: 10.57 min Scan# 742

Delta R.T. -0.01 min

Lab File: BF091968.D

Acq: 27 Dec 2016 15:26


Tgt Ion:330 Resp: 480215

Ion Ratio Lower Upper

330 100

332 98.3 77.4 116.2



141 33.1 34.1 51.1#




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 97.29 ng
 RT: 9.09 min Scan# 613
 Delta R.T. -0.02 min
 Lab File: BF091968.D
 Acq: 27 Dec 2016 15:26

Instrument :
 BNA_F
 ClientSampleId :
 PB95629BL

Tgt Ion:172 Resp: 2119233
 Ion Ratio Lower Upper
 172 100
 171 35.6 29.4 44.0
 170 24.5 20.2 30.4




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E






#50
 2,6-Dinitrotoluene
 Concen: 9.15 ng
 RT: 9.77 min Scan# 672
 Delta R.T. 0.18 min
 Lab File: BF091968.D
 Acq: 27 Dec 2016 15:26

Tgt Ion:165 Resp: 58297
 Ion Ratio Lower Upper
 165 100
 63 0.7 36.2 54.4#
 89 1.0 40.2 60.4#



Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BF0
 Ion 89.00 (88.70 to 89.70): BF0









#56
 2,4-Dinitrotoluene
 Concen: 7.29 ng
 RT: 9.77 min Scan# 672
 Delta R.T. -0.22 min
 Lab File: BF091968.D
 Acq: 27 Dec 2016 15:26




Instrument :
 BNA_F
 ClientSampleId :
 PB95629BL


Tgt Ion:	165	Resp:	58297
Ion	Ratio	Lower	Upper
165	100		
63	0.7	40.2	60.4#
89	1.0	62.5	93.7#
182	0.0	1.8	2.8#



#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 11.25 min Scan# 802
 Delta R.T. -0.01 min
 Lab File: BF091968.D
 Acq: 27 Dec 2016 15:26

Tgt Ion:	188	Resp:	745894
Ion	Ratio	Lower	Upper
188	100		
94	7.3	10.0	15.0#
80	7.5	11.2	16.8#









#66
 4-Bromophenyl-phenylether
 Concen: 3.88 ng
 RT: 10.57 min Scan# 742
 Delta R.T. -0.25 min
 Lab File: BF091968.D
 Acq: 27 Dec 2016 15:26

Instrument :
 BNA_F
 ClientSampleId :
 PB95629BL

Tgt Ion:248 Resp: 30136
 Ion Ratio Lower Upper
 248 100
 250 191.4 76.9 115.3#
 141 313.0 68.2 102.4#




Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E






#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 13.88 min Scan# 1032
 Delta R.T. -0.02 min
 Lab File: BF091968.D
 Acq: 27 Dec 2016 15:26

Tgt Ion:240 Resp: 560344
 Ion Ratio Lower Upper
 240 100
 120 13.5 12.9 19.3
 236 25.9 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 81.68 ng
 RT: 12.84 min Scan# 941
 Delta R.T. -0.01 min
 Lab File: BF091968.D
 Acq: 27 Dec 2016 15:26

Instrument :
 BNA_F
 ClientSampleId :
 PB95629BL

Tgt Ion:244 Resp: 1887274
 Ion Ratio Lower Upper
 244 100
 212 7.5 6.2 9.2
 122 12.7 11.4 17.2



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.28 min Scan# 1154
 Delta R.T. -0.02 min
 Lab File: BF091968.D
 Acq: 27 Dec 2016 15:26

Tgt Ion:264 Resp: 444885
 Ion Ratio Lower Upper
 264 100
 260 24.0 19.2 28.8
 265 22.3 17.4 26.0

