

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF122822\
 Data File : BF131855.D
 Acq On : 28 Dec 2022 11:30
 Operator : CG\JU
 Sample : PB149838TB
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB149838TB

Quant Time: Dec 29 00:51:32 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF122422.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Dec 26 05:13:34 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.822	152	73985	20.000	ng	-0.01
21) Naphthalene-d8	8.116	136	271969	20.000	ng	-0.01
39) Acenaphthene-d10	9.880	164	156612	20.000	ng	-0.01
64) Phenanthrene-d10	11.374	188	314031	20.000	ng	-0.01
76) Chrysene-d12	14.027	240	245697	20.000	ng	-0.01
86) Perylene-d12	15.515	264	207797	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.451	112	691302	154.848	ng	0.01
7) Phenol-d6	6.463	99	892392	152.145	ng	0.00
23) Nitrobenzene-d5	7.398	82	631032	92.637	ng	-0.01
42) 2,4,6-Tribromophenol	10.674	330	267156	157.003	ng	-0.01
45) 2-Fluorobiphenyl	9.198	172	1092843	95.580	ng	-0.01
79) Terphenyl-d14	12.974	244	1425737	98.156	ng	0.00


Target Compounds	Qvalue
-----	-----


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF122822\
Data File : BF131855.D
Acq On : 28 Dec 2022 11:30
Operator : CG\JU
Sample : PB149838TB
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB149838TB

Quant Time: Dec 29 00:51:32 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF122422.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Dec 26 05:13:34 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.822 min Scan# 807
Delta R.T. -0.012 min
Lab File: BF131855.D
Acq: 28 Dec 2022 11:30




Instrument :
BNA_F
ClientSampleId :
PB149838TB


Tgt Ion:152 Resp: 73985
Ion Ratio Lower Upper
152 100
150 147.3 120.0 180.0
115 69.2 55.1 82.7



#5
2-Fluorophenol
Concen: 154.848 ng
RT: 5.451 min Scan# 572
Delta R.T. 0.012 min
Lab File: BF131855.D
Acq: 28 Dec 2022 11:30

Tgt Ion:112 Resp: 691302
Ion Ratio Lower Upper
112 100
64 60.8 49.2 73.8
63 34.2 27.5 41.3









#7
Phenol-d6
Concen: 152.145 ng
RT: 6.463 min Scan# 74
Delta R.T. -0.006 min
Lab File: BF131855.D
Acq: 28 Dec 2022 11:30




Instrument :
BNA_F
ClientSampleId :
PB149838TB


Tgt Ion: 99 Resp: 892392
Ion Ratio Lower Upper
99 100
42 19.1 15.3 22.9
71 42.1 33.5 50.3



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.116 min Scan# 1025
Delta R.T. -0.012 min
Lab File: BF131855.D
Acq: 28 Dec 2022 11:30

Tgt Ion: 136 Resp: 271969
Ion Ratio Lower Upper
136 100
137 10.8 8.6 12.8
54 7.2 6.7 10.1
68 5.3 4.8 7.2









#23
Nitrobenzene-d5
Concen: 92.637 ng
RT: 7.398 min Scan# 90
Delta R.T. -0.012 min
Lab File: BF131855.D
Acq: 28 Dec 2022 11:30




Instrument :
BNA_F
ClientSampleId :
PB149838TB


Tgt Ion: 82 Resp: 631032
Ion Ratio Lower Upper
82 100
128 36.8 27.1 40.7
54 46.9 37.0 55.6



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.880 min Scan# 1325
Delta R.T. -0.012 min
Lab File: BF131855.D
Acq: 28 Dec 2022 11:30

Tgt Ion:164 Resp: 156612
Ion Ratio Lower Upper
164 100
162 103.6 81.8 122.6
160 42.8 35.7 53.5





#42

2,4,6-Tribromophenol

Concen: 157.003 ng

RT: 10.674 min Scan# 1460

Delta R.T. -0.012 min

Lab File: BF131855.D

Acq: 28 Dec 2022 11:30

Instrument :

BNA_F

ClientSampleId :

PB149838TB





Tgt Ion:330 Resp: 267156

Ion Ratio Lower Upper

330 100

332 96.0 77.0 115.4

141 37.5 31.0 46.4



#45

2-Fluorobiphenyl

Concen: 95.580 ng

RT: 9.198 min Scan# 1209

Delta R.T. -0.012 min

Lab File: BF131855.D

Acq: 28 Dec 2022 11:30




Tgt Ion:172 Resp: 1092843


Ion Ratio Lower Upper

172 100

171 35.2 27.9 41.9

170 23.1 18.7 28.1









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.374 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF131855.D
Acq: 28 Dec 2022 11:30




Instrument :
BNA_F
ClientSampleId :
PB149838TB


Tgt Ion:188 Resp: 314031
Ion Ratio Lower Upper
188 100
94 7.9 5.8 8.6
80 8.5 6.7 10.1



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.027 min Scan# 2030
Delta R.T. -0.012 min
Lab File: BF131855.D
Acq: 28 Dec 2022 11:30

Tgt Ion:240 Resp: 245697
Ion Ratio Lower Upper
240 100
120 8.0 6.7 10.1
236 25.8 20.6 31.0









#79
 Terphenyl-d14
 Concen: 98.156 ng
 RT: 12.974 min Scan# 1851
 Delta R.T. -0.006 min
 Lab File: BF131855.D
 Acq: 28 Dec 2022 11:30

Instrument :
 BNA_F
 ClientSampleId :
 PB149838TB

Tgt Ion:244 Resp: 1425737
 Ion Ratio Lower Upper
 244 100
 212 7.9 6.3 9.5
 122 9.5 6.4 9.6



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.515 min Scan# 2283
 Delta R.T. -0.006 min
 Lab File: BF131855.D
 Acq: 28 Dec 2022 11:30

Tgt Ion:264 Resp: 207797
 Ion Ratio Lower Upper
 264 100
 260 23.7 18.6 28.0
 265 21.5 17.4 26.0

