

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF122923\
 Data File : BF136858.D
 Acq On : 30 Dec 2023 07:20
 Operator : CG\JU
 Sample : 05897-08
 Misc :
 ALS Vial : 40 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 GHL-SS-33

Quant Time: Jan 01 00:32:13 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF122023.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Dec 21 01:54:25 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.781	152	69010	20.000	ng	-0.01
21) Naphthalene-d8	8.057	136	267868	20.000	ng	-0.01
39) Acenaphthene-d10	9.810	164	137582	20.000	ng	-0.02
64) Phenanthrene-d10	11.304	188	252563	20.000	ng	-0.01
76) Chrysene-d12	13.963	240	138571	20.000	ng	# 0.00
86) Perylene-d12	15.439	264	137667	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.422	112	405266	91.629	ng	0.00
7) Phenol-d6	6.428	99	530175	92.510	ng	-0.01
23) Nitrobenzene-d5	7.339	82	331268	63.282	ng	-0.02
42) 2,4,6-Tribromophenol	10.604	330	59273	36.581	ng	-0.02
45) 2-Fluorobiphenyl	9.133	172	683705	66.838	ng	-0.02
79) Terphenyl-d14	12.904	244	665246	67.089	ng	-0.01


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF122923\
Data File : BF136858.D
Acq On : 30 Dec 2023 07:20
Operator : CG\JU
Sample : 05897-08
Misc :
ALS Vial : 40 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
GHL-SS-33

Quant Time: Jan 01 00:32:13 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF122023.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Dec 21 01:54:25 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.781 min Scan# 79
Delta R.T. -0.011 min
Lab File: BF136858.D
Acq: 30 Dec 2023 07:20




Instrument :
BNA_F
ClientSampleId :
GHL-SS-33


Tgt Ion:152 Resp: 69010
Ion Ratio Lower Upper
152 100
150 160.1 127.0 190.6
115 57.5 49.0 73.4



#5
2-Fluorophenol
Concen: 91.629 ng
RT: 5.422 min Scan# 567
Delta R.T. -0.006 min
Lab File: BF136858.D
Acq: 30 Dec 2023 07:20

Tgt Ion:112 Resp: 405266
Ion Ratio Lower Upper
112 100
64 61.0 51.1 76.7
63 30.7 26.1 39.1









#7
Phenol-d6
Concen: 92.510 ng
RT: 6.428 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF136858.D
Acq: 30 Dec 2023 07:20




Instrument :
BNA_F
ClientSampleId :
GHL-SS-33


Tgt Ion: 99 Resp: 530175
Ion Ratio Lower Upper
99 100
42 18.2 16.1 24.1
71 32.0 27.4 41.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.057 min Scan# 1015
Delta R.T. -0.012 min
Lab File: BF136858.D
Acq: 30 Dec 2023 07:20

Tgt Ion: 136 Resp: 267868
Ion Ratio Lower Upper
136 100
137 10.8 9.0 13.4
54 7.9 7.2 10.8
68 5.3 4.9 7.3





#23

Nitrobenzene-d5

Concen: 63.282 ng

RT: 7.339 min Scan# 89

Delta R.T. -0.018 min

Lab File: BF136858.D

Acq: 30 Dec 2023 07:20

Instrument :

BNA_F

ClientSampleId :

GHL-SS-33





Tgt Ion: 82 Resp: 331268

Ion Ratio Lower Upper

82 100

128 45.3 35.3 52.9

54 54.8 44.5 66.7



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.810 min Scan# 1313

Delta R.T. -0.018 min

Lab File: BF136858.D

Acq: 30 Dec 2023 07:20




Tgt Ion:164 Resp: 137582


Ion Ratio Lower Upper

164 100

162 100.6 81.6 122.4

160 45.0 34.9 52.3





#42

2,4,6-Tribromophenol

Concen: 36.581 ng

RT: 10.604 min Scan# 1451

Delta R.T. -0.018 min

Lab File: BF136858.D

Acq: 30 Dec 2023 07:20

Instrument :

BNA_F

ClientSampleId :

GHL-SS-33





Tgt Ion:330 Resp: 59273

Ion Ratio Lower Upper

330 100

332 99.7 77.4 116.0

141 27.7 23.4 35.2



#45

2-Fluorobiphenyl

Concen: 66.838 ng

RT: 9.133 min Scan# 1198

Delta R.T. -0.018 min

Lab File: BF136858.D

Acq: 30 Dec 2023 07:20




Tgt Ion:172 Resp: 683705


Ion Ratio Lower Upper

172 100

171 35.1 29.0 43.6

170 23.7 19.0 28.4





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.304 min Scan# 11

Delta R.T. -0.012 min

Lab File: BF136858.D

Acq: 30 Dec 2023 07:20

Instrument :

BNA_F

ClientSampleId :

GHL-SS-33





Tgt Ion:188 Resp: 252563

Ion Ratio Lower Upper

188 100

94 9.2 7.5 11.3

80 10.0 8.1 12.1



#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.963 min Scan# 2019

Delta R.T. -0.006 min

Lab File: BF136858.D

Acq: 30 Dec 2023 07:20




Tgt Ion:240 Resp: 138571


Ion Ratio Lower Upper

240 100

120 10.2 10.3 15.5#


236 25.0 19.4 29.2








#79
Terphenyl-d14
Concen: 67.089 ng
RT: 12.904 min Scan# 1839
Delta R.T. -0.012 min
Lab File: BF136858.D
Acq: 30 Dec 2023 07:20

Instrument :
BNA_F
ClientSampleId :
GHL-SS-33



Tgt Ion:244 Resp: 665246
Ion Ratio Lower Upper
244 100
212 5.9 5.0 7.4
122 10.7 9.0 13.4



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.439 min Scan# 2270
Delta R.T. -0.006 min
Lab File: BF136858.D
Acq: 30 Dec 2023 07:20

Tgt Ion:264 Resp: 137667
Ion Ratio Lower Upper
264 100
260 23.2 18.3 27.5
265 21.8 17.0 25.6

