

Data File : H:\VOL1\GCMSDATA\J\121003\BJ001154.D

Vial: 2

Acq On : 3 Oct 2012 13:05

Operator: HLM

Sample : CWA-CCV

Inst : BNA J

Misc : BNA J HLM

Multiplr: 1.00

MS Integration Params: rteint.p

Instrument :

BNA_J

LabSampleId :

CWA-CCV

Method : H:\VOL1\GCMSDATA\J\METHODS\BJ092412.M (RTE Integrator)

Title : CWA degradation products by GCMS

Last Update : Wed Oct 03 18:08:32 2012

Response via : Multiple Level Calibration

Min. RRF : 0.050 Min. Rel. Area : 50% Max. R.T. Dev 0.50min

Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	1,4-Dichlorobenzene-d4	2.000	2.000	0.0	95	0.00
2 T	Dimethyl Disulfide	6.250	6.557	-4.9	93	0.00
3 T	DMMP	2.500	2.688	-7.5	110	0.00
4 T	DIMP	2.500	2.696	-7.8	95	0.00
5 T	1,4-Oxathiane	6.250	5.495	12.1	86	0.00
6 I	Naphthalene-d8	2.000	2.000	0.0	93	0.00
7 T	1,4-Dithiane	6.250	6.303	-0.8	101	0.00
8 T	Thiodiglycol	50.000	43.315	13.4	85	0.00
9 T	Benzothiazole	12.500	12.259	1.9	92	0.00
10 S	Tripropylphosphate	2.500	2.622	-4.9	98	0.00
11 T	p-Chlorophenylmethylsulfide	12.500	12.288	1.7	93	0.00
12 S	2-Bromothioanisole	12.500	12.261	1.9	95	0.00
13 T	p-Chlorophenylmethylsulfoxi	12.500	10.375	17.0	84	0.00
14 T	p-Chlorophenylmethylsulfone	12.500	11.720	6.2	90	0.00