

Data Path : Z:\HPCHEM1\BNA_J\data\BJ120412\
Data File : BJ001312.D
Acq On : 4 Dec 2012 16:33
Operator : HLM
Sample : CWA-CCV
Misc : CWA CCV BNA_J HLM
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_J
LabSampleId :
CWA-CCV

Quant Time: Dec 08 03:24:45 2012
Quant Method : H:\VOL1\GCMSDATA\J\METHODS\BJ112712.M
Quant Title : CWA degradation products by GCMS
QLast Update : Wed Dec 05 11:26:13 2012
Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	81	0.02
2 T	Dimethyl Disulfide	0.923	0.795	13.9	72	-0.01
3 T	DMMP	0.864	0.987	-14.2	78	0.00
4 T	DIMP	2.050	2.165	-5.6	76	0.00
5 T	1,4-Oxathiane	1.207	1.067	11.6	69	0.00
6 I	Naphthalene-d8	1.000	1.000	0.0	83	0.02
7 T	1,4-Dithiane	0.242	0.222	8.3	74	0.00
8 T	Thiodiglycol	0.205	0.170	17.1	78	0.00
9 T	Benzothiazole	0.559	0.528	5.5	80	0.00
10 S	Tripropylphosphate	0.998	0.863	13.5	69	0.00
11 T	p-Chlorophenylmethysulfide	0.350	0.298	14.9	73	0.00
12 S	2-Bromothioanisole	0.166	0.150	9.6	77	0.00
13 T	p-Chlorophenylmethysulfoxi	0.236	0.210	11.0	73	0.00
14 T	p-Chlorophenylmethysulfone	0.343	0.285	16.9	72	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0