

## Response Factor Report BNA\_L

Method Path : Z:\HPCHEM1\BNA\_L\METHODS\  
 Method File : BL021512.M  
 Title : CWA degredation products by GCMS  
 Last Update : Fri Feb 17 10:16:01 2012  
 Response Via : Initial Calibration

## Calibration Files

L5 =BL000559.D L4 =BL000557.D L3 =BL000560.D L2 =BL000561.D  
 L1 =BL000562.D

	Compound	L6	L5	L4	L3	L2	L1	Avg	%RSD
<hr/>									
1) I	1,4-Dichlorobenzen...			-----ISTD-----					
2) T	Dimethyl Disul...	1.308	1.142	1.190	1.096	1.063	1.160	8.27	
3) T	DMMP	0.738	0.787	0.615	0.496	0.504	0.628	21.12	
4) T	DIMP	1.635	1.591	1.403	1.123	0.979	1.346	21.39	
5) T	1,4-Oxathiane	1.022	1.062	1.158	1.007	1.098	1.069	5.71	
6) I	Naphthalene-d8			-----ISTD-----					
7) T	1,4-Dithiane	0.171	0.196	0.203	0.187	0.190	0.189	6.43	
8) T	Thiodiglycol	0.168	0.159	0.115	0.090	0.067	0.120	36.32	
9) T	Benzothiazole	0.241	0.362	0.519	0.476	0.484	0.416	27.43	
10) S	Tripropylphosp...	0.568	0.625	0.506	0.429	0.393	0.504	19.01	
11) T	p-Chlorophenyl...	0.200	0.286	0.362	0.329	0.347	0.305	21.37	
12) S	2-Bromothioani...	0.115	0.122	0.137	0.130	0.137	0.128	7.60	
13) T	p-Chlorophenyl...	0.194	0.172	0.125	0.095	0.071	0.131	38.96	
14) T	p-Chlorophenyl...	0.195	0.211	0.197	0.181	0.173	0.191	7.82	

(#) = Out of Range