

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM010121\
 Data File : BM028313.D
 Acq On : 31 Dec 2020 19:51
 Operator : JU/CG
 Sample : PB133673BL
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB133673BL

Quant Time: Jan 01 00:00:38 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-SIM-BM010121.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Dec 31 16:18:03 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.135	152	586	0.40	ng	0.00
7) Naphthalene-d8	10.959	136	2310	0.40	ng	0.00
13) Acenaphthene-d10	14.764	164	1162	0.40	ng	0.00
19) Phenanthrene-d10	17.480	188	2239	0.40	ng	# 0.00
27) Chrysene-d12	21.601	240	2141	0.40	ng	#-0.01
34) Perylene-d12	23.934	264	2135	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.638	112	594	0.30	ng	0.00
5) Phenol-d6	7.281	99	747	0.28	ng	0.00
8) Nitrobenzene-d5	9.299	82	687	0.32	ng	0.00
11) 2-Methylnaphthalene-d10	12.535	152	1268	0.32	ng	0.00
14) 2,4,6-Tribromophenol	16.237	330	141	0.23	ng	0.00
15) 2-Fluorobiphenyl	13.390	172	1630	0.34	ng	0.00
25) Fluoranthene-d10	19.486	212	2118	0.31	ng	0.00
29) Terphenyl-d14	20.061	244	1422	0.27	ng	-0.01


Target Compounds	Qvalue
-----	-----


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM010121\
Data File : BM028313.D
Acq On : 31 Dec 2020 19:51
Operator : JU/CG
Sample : PB133673BL
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB133673BL

Quant Time: Jan 01 00:00:38 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-SIM-BM010121.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Dec 31 16:18:03 2020
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 0.40 ng
RT: 8.135 min Scan# 634
Delta R.T. -0.008 min
Lab File: BM028313.D
Acq: 31 Dec 2020 19:51




Instrument :
BNA_M
ClientSampleId :
PB133673BL


Tgt Ion:152 Resp: 586
Ion Ratio Lower Upper
152 100
150 152.8 116.6 174.8
115 70.9 52.9 79.3



#4
2-Fluorophenol
Concen: 0.30 ng
RT: 5.638 min Scan# 324
Delta R.T. -0.008 min
Lab File: BM028313.D
Acq: 31 Dec 2020 19:51

Tgt Ion:112 Resp: 594
Ion Ratio Lower Upper
112 100
64 65.0 49.5 74.3
63 36.2 32.0 48.0









#5
Phenol-d6
Concen: 0.28 ng
RT: 7.281 min Scan# 528
Delta R.T. 0.000 min
Lab File: BM028313.D
Acq: 31 Dec 2020 19:51




Instrument :
BNA_M
ClientSampleId :
PB133673BL


Tgt Ion:	99	Resp:	747
Ion	Ratio	Lower	Upper
99	100		
42	25.7	22.4	33.6
71	36.5	37.8	56.6#



#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.959 min Scan# 874
Delta R.T. 0.000 min
Lab File: BM028313.D
Acq: 31 Dec 2020 19:51

Tgt Ion:	136	Resp:	2310
Ion	Ratio	Lower	Upper
136	100		
137	14.1	10.6	15.8
54	10.0	8.6	12.8
68	7.4	5.7	8.5









#8
Nitrobenzene-d5
Concen: 0.32 ng
RT: 9.299 min Scan# 743
Delta R.T. 0.000 min
Lab File: BM028313.D
Acq: 31 Dec 2020 19:51




Instrument :
BNA_M
ClientSampleId :
PB133673BL


Tgt Ion:	82	Resp:	687
Ion	Ratio	Lower	Upper
82	100		
128	41.6	30.6	46.0
54	70.4	48.3	72.5



#11
2-Methylnaphthalene-d10
Concen: 0.32 ng
RT: 12.535 min Scan# 1147
Delta R.T. 0.000 min
Lab File: BM028313.D
Acq: 31 Dec 2020 19:51

Tgt Ion:	152	Resp:	1268
Ion	Ratio	Lower	Upper
152	100		
151	21.0	16.7	25.1









#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.764 min Scan# 1427
Delta R.T. 0.000 min
Lab File: BM028313.D
Acq: 31 Dec 2020 19:51




Instrument :
BNA_M
ClientSampleId :
PB133673BL


Tgt Ion:164 Resp: 1162
Ion Ratio Lower Upper
164 100
162 99.9 80.6 120.8
160 48.7 39.5 59.3



#14
2,4,6-Tribromophenol
Concen: 0.23 ng
RT: 16.237 min Scan# 1571
Delta R.T. 0.000 min
Lab File: BM028313.D
Acq: 31 Dec 2020 19:51

Tgt Ion:330 Resp: 141
Ion Ratio Lower Upper
330 100
332 99.3 0.0 0.0#
141 38.3 34.4 51.6









#15
2-Fluorobiphenyl
Concen: 0.34 ng
RT: 13.390 min Scan# 1291
Delta R.T. 0.000 min
Lab File: BM028313.D
Acq: 31 Dec 2020 19:51




Instrument :
BNA_M
ClientSampleId :
PB133673BL


Tgt Ion:	172	Resp:	1630
Ion Ratio	Lower	Upper	
172	100		
171	38.1	28.2	42.4
170	26.2	20.0	30.0



#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 17.480 min Scan# 1688
Delta R.T. 0.000 min
Lab File: BM028313.D
Acq: 31 Dec 2020 19:51

Tgt Ion:	188	Resp:	2239
Ion Ratio	Lower	Upper	
188	100		
94	0.0	0.0	0.0
80	12.9	5.0	7.4#









#25
Fluoranthene-d10
Concen: 0.31 ng
RT: 19.486 min Scan# 2035
Delta R.T. -0.005 min
Lab File: BM028313.D
Acq: 31 Dec 2020 19:51




Instrument :
BNA_M
ClientSampleId :
PB133673BL


Tgt Ion:212 Resp: 2118
Ion Ratio Lower Upper
212 100
106 12.0 6.8 10.2#
104 7.1 4.1 6.1#



#27
Chrysene-d12
Concen: 0.40 ng
RT: 21.601 min Scan# 2290
Delta R.T. -0.011 min
Lab File: BM028313.D
Acq: 31 Dec 2020 19:51

Tgt Ion:240 Resp: 2141
Ion Ratio Lower Upper
240 100
120 17.7 5.3 7.9#
236 28.6 21.8 32.8









#29
 Terphenyl-d14
 Concen: 0.27 ng
 RT: 20.061 min Scan# 2145
 Delta R.T. -0.011 min
 Lab File: BM028313.D
 Acq: 31 Dec 2020 19:51

Instrument :
 BNA_M
 ClientSampleId :
 PB133673BL

Tgt Ion:244	Resp:	1422
Ion Ratio	Lower	Upper
244	100	
212	11.3	7.3 10.9#
122	14.8	7.3 10.9#



#34
 Perylene-d12
 Concen: 0.40 ng
 RT: 23.934 min Scan# 2812
 Delta R.T. -0.003 min
 Lab File: BM028313.D
 Acq: 31 Dec 2020 19:51

Tgt Ion:264	Resp:	2135
Ion Ratio	Lower	Upper
264	100	
260	25.7	19.8 29.6
265	73.7	51.4 77.0

