

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM010919\
 Data File : BM018502.D
 Acq On : 10 Jan 2019 09:57
 Operator : JU/SJ
 Sample : K1082-13
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 CP-1-1

Quant Time: Jan 10 10:58:39 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM010919.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jan 10 05:57:41 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.76	152	659291	20.00	ng	0.00
21) Naphthalene-d8	10.55	136	2597087	20.00	ng	0.00
39) Acenaphthene-d10	14.41	164	1354466	20.00	ng	0.00
64) Phenanthrene-d10	17.16	188	2716699	20.00	ng	0.00
76) Chrysene-d12	21.35	240	2342805	20.00	ng	0.00
87) Perylene-d12	23.64	264	2450791	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.35	112	3146498	88.12	ng	0.00
7) Phenol-d6	6.94	99	4578740	100.97	ng	0.00
23) Nitrobenzene-d5	8.93	82	2938846	65.60	ng	0.00
42) 2,4,6-Tribromophenol	15.90	330	1420322	82.36	ng	0.00
45) 2-Fluorobiphenyl	13.03	172	7317179	70.49	ng	0.00
79) Terphenyl-d14	19.79	244	8295199	74.64	ng	0.00
Target Compounds						
50) Dimethylphthalate	13.87	163	366489	3.295	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM010919\
Data File : BM018502.D
Acq On : 10 Jan 2019 09:57
Operator : JU/SJ
Sample : K1082-13
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
CP-1-1

Quant Time: Jan 10 10:58:39 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM010919.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jan 10 05:57:41 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.76 min Scan# 795
 Delta R.T. 0.00 min
 Lab File: BM018502.D
 Acq: 10 Jan 2019 09:57

Instrument :
 BNA_M
 ClientSampleId :
 CP-1-1

Tot Ion	Ratio	Lower	Upper
152	100		
150	156.2	126.9	190.3
115	56.7	45.5	68.3






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
 Concen: 88.125 ng
 RT: 5.35 min Scan# 385
 Delta R.T. 0.00 min
 Lab File: BM018502.D
 Acq: 10 Jan 2019 09:57

Tgt Ion	Ratio	Lower	Upper
112	100		
64	54.3	46.5	69.7
63	29.3	25.2	37.8






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BM0

Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 100.965 ng

RT: 6.94 min Scan# 655

Delta R.T. 0.01 min

Lab File: BM018502.D

Acq: 10 Jan 2019 09:57

Instrument :


BNA_M

ClientSampleId :

CP-1-1

Tot Ion: 99 Resp: 4578740

Ion	Ratio	Lower	Upper
99	100		
42	19.6	17.3	25.9
71	36.3	28.0	42.0






Abundance

Ion 99.00 (98.70 to 99.70): BM018466.D (-646) (-)

Ion 42.00 (41.70 to 42.70): BM018466.D (-646) (-)

Ion 71.00 (70.70 to 71.70): BM018466.D (-646) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.55 min Scan# 1269


Delta R.T. 0.00 min

Lab File: BM018502.D

Acq: 10 Jan 2019 09:57

Tgt Ion: 136 Resp: 2597087

Ion	Ratio	Lower	Upper
136	100		
137	11.2	8.5	12.7
54	6.8	6.0	9.0
68	4.8	4.5	6.7





Abundance


Ion 136.00 (135.70 to 136.70): BM018466.D (-1261) (-)

Ion 137.00 (136.70 to 137.70): BM018466.D (-1261) (-)

Ion 54.00 (53.70 to 54.70): BM018466.D (-1261) (-)

Ion 68.00 (67.70 to 68.70): BM018466.D (-1261) (-)









#23
 Nitrobenzene-d5
 Concen: 65.600 ng
 RT: 8.93 min Scan# 993
 Delta R.T. 0.01 min
 Lab File: BM018502.D
 Acq: 10 Jan 2019 09:57




Instrument :
 BNA_M
 ClientSampled :
 CP-1-1


Tot Ion: 82 Resp: 2938846
 Ion Ratio Lower Upper
 82 100
 128 46.5 36.3 54.5
 54 49.1 41.7 62.5



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.41 min Scan# 1925
 Delta R.T. 0.00 min
 Lab File: BM018502.D
 Acq: 10 Jan 2019 09:57

Tgt Ion: 164 Resp: 1354466
 Ion Ratio Lower Upper
 164 100
 162 103.8 83.0 124.4
 160 45.3 37.1 55.7









#42
 2,4,6-Tribromophenol
 Concen: 82.356 ng
 RT: 15.90 min Scan# 2179
 Delta R.T. 0.00 min
 Lab File: BM018502.D
 Acq: 10 Jan 2019 09:57

Instrument :
 BNA_M
 ClientSampled :
 CP-1-1

Tot Ion:330 Resp: 1420322
 Ion Ratio Lower Upper
 330 100
 332 96.4 77.6 116.4
 141 38.4 31.7 47.5




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 70.492 ng
 RT: 13.03 min Scan# 1690
 Delta R.T. 0.01 min
 Lab File: BM018502.D
 Acq: 10 Jan 2019 09:57

Tgt Ion:172 Resp: 7317179
 Ion Ratio Lower Upper
 172 100
 171 35.7 28.2 42.4
 170 23.6 18.9 28.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 3.295 ng

RT: 13.87 min Scan# 1833

Delta R.T. 0.00 min

Lab File: BM018502.D

Acq: 10 Jan 2019 09:57

Instrument :

BNA_M

ClientSampleId :

CP-1-1


Tot Ion:163 Resp: 366489

Ion Ratio Lower Upper

163 100

194 4.2 3.0 4.6




164 10.7 7.8 11.8



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.16 min Scan# 2392

Delta R.T. 0.00 min

Lab File: BM018502.D

Acq: 10 Jan 2019 09:57


Tgt Ion:188 Resp: 2716699

Ion Ratio Lower Upper

188 100

94 7.6 7.1 10.7



80 8.7 7.6 11.4




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM0

Ion 80.00 (79.70 to 80.70): BM0









#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 21.35 min Scan# 3105
 Delta R.T. 0.00 min
 Lab File: BM018502.D
 Acq: 10 Jan 2019 09:57

Instrument :
 BNA_M
 ClientSampleID :
 CP-1-1

Tot Ion:240 Resp: 2342805
 Ion Ratio Lower Upper
 240 100
 120 10.0 8.4 12.6
 236 26.2 20.7 31.1




Abundance Ion 240.00 (239.70 to 240.70): E
 2500000 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E






#79
 Terphenyl-d14
 Concen: 74.639 ng
 RT: 19.79 min Scan# 2840
 Delta R.T. 0.01 min
 Lab File: BM018502.D
 Acq: 10 Jan 2019 09:57

Tgt Ion:244 Resp: 8295199
 Ion Ratio Lower Upper
 244 100
 212 7.7 5.9 8.9
 122 10.0 9.0 13.4



Abundance Ion 244.00 (243.70 to 244.70): E
 1e+07 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E





#87
Pervlene-d12
Concen: 20.000 ng
RT: 23.64 min Scan# 3494
Delta R.T. 0.01 min
Lab File: BM018502.D
Acq: 10 Jan 2019 09:57

Instrument :
BNA_M
ClientSampleId :
CP-1-1

Tot Ion:264 Resp: 2450791

Ion	Ratio	Lower	Upper
264	100		
260	23.1	18.9	28.3
265	22.0	16.8	25.2

