

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM010919\
 Data File : BM018506.D
 Acq On : 10 Jan 2019 12:21
 Operator : JU/SJ
 Sample : K1082-17
 Misc :
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 CP-1-5

Quant Time: Jan 10 13:51:06 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM010919.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jan 10 05:57:41 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.76	152	628138	20.00	ng	0.00
21) Naphthalene-d8	10.55	136	2518732	20.00	ng	0.00
39) Acenaphthene-d10	14.41	164	1381991	20.00	ng	0.00
64) Phenanthrene-d10	17.16	188	2830647	20.00	ng	0.00
76) Chrysene-d12	21.35	240	2265877	20.00	ng	0.00
87) Perylene-d12	23.64	264	2291229	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.35	112	4074237	119.77	ng	0.00
7) Phenol-d6	6.94	99	5592668	129.44	ng	0.00
23) Nitrobenzene-d5	8.93	82	3570890	82.19	ng	0.00
42) 2,4,6-Tribromophenol	15.90	330	1832738	104.15	ng	0.00
45) 2-Fluorobiphenyl	13.03	172	8949735	84.50	ng	0.00
79) Terphenyl-d14	19.79	244	10496091	97.65	ng	0.00
Target Compounds						
50) Dimethylphthalate	13.87	163	1344317	11.844	ng	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM010919\
Data File : BM018506.D
Acq On : 10 Jan 2019 12:21
Operator : JU/SJ
Sample : K1082-17
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
CP-1-5

Quant Time: Jan 10 13:51:06 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM010919.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jan 10 05:57:41 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.76 min Scan# 795
Delta R.T. 0.00 min
Lab File: BM018506.D
Acq: 10 Jan 2019 12:21

Instrument :
BNA_M
ClientSampleId :
CP-1-5

Tot Ion	Ratio	Lower	Upper
152	100		
150	157.1	126.9	190.3
115	58.5	45.5	68.3






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 119.767 ng
RT: 5.35 min Scan# 385
Delta R.T. 0.00 min
Lab File: BM018506.D
Acq: 10 Jan 2019 12:21

Tgt Ion	Ratio	Lower	Upper
112	100		
64	54.6	46.5	69.7
63	30.2	25.2	37.8






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BM0

Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 129.440 ng

RT: 6.94 min Scan# 655

Delta R.T. 0.01 min

Lab File: BM018506.D

Acq: 10 Jan 2019 12:21

Instrument :

BNA_M

ClientSampleId :

CP-1-5


Tot Ion: 99 Resp: 5592668

Ion Ratio Lower Upper

99 100

42 19.8 17.3 25.9




71 36.3 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BM018466.D (-646) (-)

Ion 42.00 (41.70 to 42.70): BM018466.D (-646) (-)

Ion 71.00 (70.70 to 71.70): BM018466.D (-646) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.55 min Scan# 1269

Delta R.T. 0.00 min

Lab File: BM018506.D

Acq: 10 Jan 2019 12:21

Tgt Ion: 136 Resp: 2518732


Ion Ratio Lower Upper

136 100

137 10.9 8.5 12.7

54 6.6 6.0 9.0

68 4.3 4.5 6.7#






Abundance Ion 136.00 (135.70 to 136.70): BM018466.D (-1261) (-)

Ion 137.00 (136.70 to 137.70): BM018466.D (-1261) (-)

Ion 54.00 (53.70 to 54.70): BM018466.D (-1261) (-)

Ion 68.00 (67.70 to 68.70): BM018466.D (-1261) (-)









#23
 Nitrobenzene-d5
 Concen: 82.187 ng
 RT: 8.93 min Scan# 993
 Delta R.T. 0.01 min
 Lab File: BM018506.D
 Acq: 10 Jan 2019 12:21

Instrument :
 BNA_M
 ClientSampleID :
 CP-1-5

Tot Ion: 82 Resp: 3570890




Ion	Ratio	Lower	Upper
82	100		
128	45.5	36.3	54.5
54	48.9	41.7	62.5




#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.41 min Scan# 1925
 Delta R.T. 0.00 min
 Lab File: BM018506.D
 Acq: 10 Jan 2019 12:21

Tgt Ion: 164 Resp: 1381991

Ion	Ratio	Lower	Upper
164	100		
162	105.3	83.0	124.4
160	45.2	37.1	55.7






#42
 2,4,6-Tribromophenol
 Concen: 104.153 ng
 RT: 15.90 min Scan# 2179
 Delta R.T. 0.00 min
 Lab File: BM018506.D
 Acq: 10 Jan 2019 12:21




Instrument :
 BNA_M
 ClientSampleId :
 CP-1-5

Tot Ion:330 Resp: 1832738

Ion	Ratio	Lower	Upper
330	100		
332	96.5	77.6	116.4
141	38.3	31.7	47.5




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#45
 2-Fluorobiphenyl
 Concen: 84.503 ng
 RT: 13.03 min Scan# 1690
 Delta R.T. 0.01 min
 Lab File: BM018506.D
 Acq: 10 Jan 2019 12:21


Tgt Ion:172 Resp: 8949735

Ion	Ratio	Lower	Upper
172	100		
171	36.5	28.2	42.4
170	23.9	18.9	28.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 11.844 ng

RT: 13.87 min Scan# 1833

Delta R.T. 0.00 min

Lab File: BM018506.D

Acq: 10 Jan 2019 12:21

Instrument :

BNA_M

ClientSampleId :

CP-1-5


Tot Ion:163 Resp: 1344317

Ion Ratio Lower Upper

163 100

194 4.0 3.0 4.6




164 9.9 7.8 11.8



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.16 min Scan# 2393

Delta R.T. 0.01 min

Lab File: BM018506.D

Acq: 10 Jan 2019 12:21


Tgt Ion:188 Resp: 2830647

Ion Ratio Lower Upper

188 100

94 7.1 7.1 10.7#



80 7.8 7.6 11.4




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM0

Ion 80.00 (79.70 to 80.70): BM0





#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.35 min Scan# 3105

Delta R.T. 0.00 min

Lab File: BM018506.D

Acq: 10 Jan 2019 12:21

Instrument :



BNA_M

ClientSampleId :

CP-1-5

Tot Ion:240 Resp: 2265877

Ion	Ratio	Lower	Upper
240	100		
120	9.8	8.4	12.6
236	25.8	20.7	31.1





Abundance

Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#79

Terphenyl-d14

Concen: 97.649 ng

RT: 19.79 min Scan# 2840



Delta R.T. 0.01 min

Lab File: BM018506.D

Acq: 10 Jan 2019 12:21

Tgt Ion:244 Resp:10496091

Ion	Ratio	Lower	Upper
244	100		
212	7.9	5.9	8.9
122	10.3	9.0	13.4





Abundance

Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87
Pervlene-d12
Concen: 20.000 ng
RT: 23.64 min Scan# 3494
Delta R.T. 0.01 min
Lab File: BM018506.D
Acq: 10 Jan 2019 12:21

Instrument :
BNA_M
ClientSampleId :
CP-1-5

Tot Ion:264 Resp: 2291229

Ion	Ratio	Lower	Upper
264	100		
260	23.1	18.9	28.3
265	21.5	16.8	25.2

