

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM011119\
 Data File : BM018547.D
 Acq On : 11 Jan 2019 22:44
 Operator : JU/SJ
 Sample : K1123-03
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 CPGP-03

Quant Time: Jan 12 00:15:52 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM010919.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jan 10 05:57:41 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.75	152	283567	20.00	ng	-0.01
21) Naphthalene-d8	10.55	136	1228267	20.00	ng	0.00
39) Acenaphthene-d10	14.40	164	774465	20.00	ng	0.00
64) Phenanthrene-d10	17.15	188	1918640	20.00	ng	0.00
76) Chrysene-d12	21.34	240	2538574	20.00	ng	0.00
87) Perylene-d12	23.63	264	3157811	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.35	112	1017473	66.25	ng	0.00
7) Phenol-d6	6.93	99	871266	44.67	ng	0.00
23) Nitrobenzene-d5	8.92	82	1745525	82.38	ng	0.00
42) 2,4,6-Tribromophenol	15.90	330	1460933	148.15	ng	0.00
45) 2-Fluorobiphenyl	13.02	172	4731795	79.72	ng	0.00
79) Terphenyl-d14	19.79	244	8867855	73.64	ng	0.00
Target Compounds						
10) Phenol	6.95	94	55545	2.802	ng	92
50) Dimethylphthalate	13.86	163	158177	2.487	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM011119\
Data File : BM018547.D
Acq On : 11 Jan 2019 22:44
Operator : JU/SJ
Sample : K1123-03
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
CPGP-03

Quant Time: Jan 12 00:15:52 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM010919.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jan 10 05:57:41 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.75 min Scan# 793
Delta R.T. -0.01 min
Lab File: BM018547.D
Acq: 11 Jan 2019 22:44

Instrument :
BNA_M
ClientSampleId :
CPGP-03

Tot Ion	Ratio	Lower	Upper
152	100		
150	152.0	126.9	190.3
115	58.5	45.5	68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 66.254 ng
RT: 5.35 min Scan# 384
Delta R.T. -0.01 min
Lab File: BM018547.D
Acq: 11 Jan 2019 22:44

Tgt Ion	Ratio	Lower	Upper
112	100		
64	52.4	46.5	69.7
63	28.7	25.2	37.8



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 44.668 ng

RT: 6.93 min Scan# 653

Delta R.T. -0.01 min

Lab File: BM018547.D

Acq: 11 Jan 2019 22:44

Instrument :

BNA_M

ClientSampleId :

CPGP-03


Tot Ion: 99 Resp: 871266

Ion Ratio Lower Upper

99 100

42 19.6 17.3 25.9




71 35.0 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BM018547.D (-637) (-)

Ion 42.00 (41.70 to 42.70): BM018547.D (-637) (-)

Ion 71.00 (70.70 to 71.70): BM018547.D (-637) (-)



#10

Phenol

Concen: 2.802 ng

RT: 6.95 min Scan# 657

Delta R.T. -0.01 min

Lab File: BM018547.D

Acq: 11 Jan 2019 22:44


Tgt Ion: 94 Resp: 55545

Ion Ratio Lower Upper

94 100

65 28.2 9.4 49.4



66 47.1 19.1 59.1




Abundance Ion 94.00 (93.70 to 94.70): BM018547.D (-642) (-)

Ion 65.00 (64.70 to 65.70): BM018547.D (-642) (-)

Ion 66.00 (65.70 to 66.70): BM018547.D (-642) (-)





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.55 min Scan# 1268

Delta R.T. -0.01 min

Lab File: BM018547.D

Acq: 11 Jan 2019 22:44

Instrument :

BNA_M

ClientSampled :

CPGP-03

Tot Ion:136 Resp: 1228267





Ion Ratio Lower Upper

136 100

137 11.1 8.5 12.7

54 6.2 6.0 9.0

68 4.3 4.5 6.7#



#23

Nitrobenzene-d5

Concen: 82.384 ng

RT: 8.92 min Scan# 992

Delta R.T. -0.00 min

Lab File: BM018547.D

Acq: 11 Jan 2019 22:44




Tgt Ion: 82 Resp: 1745525

Ion Ratio Lower Upper

82 100

128 47.3 36.3 54.5

54 49.3 41.7 62.5









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.40 min Scan# 1924
Delta R.T. -0.01 min
Lab File: BM018547.D
Acq: 11 Jan 2019 22:44

Instrument :
BNA_M
ClientSampleId :
CPGP-03

Tot Ion:164 Resp: 774465
Ion Ratio Lower Upper
164 100
162 106.0 83.0 124.4
160 44.8 37.1 55.7




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E






#42
2,4,6-Tribromophenol
Concen: 148.151 ng
RT: 15.90 min Scan# 2178
Delta R.T. -0.01 min
Lab File: BM018547.D
Acq: 11 Jan 2019 22:44

Tgt Ion:330 Resp: 1460933
Ion Ratio Lower Upper
330 100
332 96.9 77.6 116.4
141 38.2 31.7 47.5



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 79.724 ng
RT: 13.02 min Scan# 1689
Delta R.T. -0.00 min
Lab File: BM018547.D
Acq: 11 Jan 2019 22:44




Instrument :
BNA_M
ClientSampleId :
CPGP-03


Tot Ion:172 Resp: 4731795
Ion Ratio Lower Upper
172 100
171 35.6 28.2 42.4
170 23.6 18.9 28.3



#50
Dimethylphthalate
Concen: 2.487 ng
RT: 13.86 min Scan# 1832
Delta R.T. -0.01 min
Lab File: BM018547.D
Acq: 11 Jan 2019 22:44

Tgt Ion:163 Resp: 158177
Ion Ratio Lower Upper
163 100
194 3.4 3.0 4.6
164 10.1 7.8 11.8





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.15 min Scan# 2391

Delta R.T. -0.01 min

Lab File: BM018547.D

Acq: 11 Jan 2019 22:44

Instrument :

BNA_M

ClientSampleId :

CPGP-03


Tot Ion:188 Resp: 1918640

Ion Ratio Lower Upper

188 100

94 7.6 7.1 10.7




80 8.3 7.6 11.4



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM

Ion 80.00 (79.70 to 80.70): BM



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.34 min Scan# 3104

Delta R.T. -0.01 min

Lab File: BM018547.D

Acq: 11 Jan 2019 22:44


Tgt Ion:240 Resp: 2538574

Ion Ratio Lower Upper

240 100

120 9.8 8.4 12.6



236 25.7 20.7 31.1




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 73.639 ng

RT: 19.79 min Scan# 2839

Delta R.T. -0.00 min

Lab File: BM018547.D

Acq: 11 Jan 2019 22:44

Instrument :

BNA_M

ClientSampleId :

CPGP-03


Tot Ion:244 Resp: 8867855

Ion Ratio Lower Upper




244 100

212 7.7 5.9 8.9

122 9.6 9.0 13.4



Abundance Ion 244.00 (243.70 to 244.70): E
1e+07 Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.63 min Scan# 3493

Delta R.T. -0.00 min

Lab File: BM018547.D

Acq: 11 Jan 2019 22:44


Tgt Ion:264 Resp: 3157811

Ion Ratio Lower Upper

264 100

260 23.5 18.9 28.3

265 21.9 16.8 25.2



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

