

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM011419\
 Data File : BM018558.D
 Acq On : 14 Jan 2019 19:11
 Operator : JU/SJ
 Sample : K1131-01
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Jan 14 23:30:55 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM010919.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jan 10 05:57:41 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.75	152	188858	20.00	ng	-0.01
21) Naphthalene-d8	10.55	136	781470	20.00	ng	0.00
39) Acenaphthene-d10	14.40	164	487099	20.00	ng	-0.01
64) Phenanthrene-d10	17.15	188	1171925	20.00	ng	0.00
76) Chrysene-d12	21.34	240	1391385	20.00	ng	0.00
87) Perylene-d12	23.63	264	1523764	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.35	112	1660846	162.38	ng	0.00
7) Phenol-d6	6.93	99	2264850	174.34	ng	0.00
23) Nitrobenzene-d5	8.92	82	1342087	99.56	ng	0.00
42) 2,4,6-Tribromophenol	15.90	330	1099090	177.21	ng	0.00
45) 2-Fluorobiphenyl	13.02	172	3665234	98.19	ng	0.00
79) Terphenyl-d14	19.79	244	6480644	98.19	ng	0.00
Target Compounds						
10) Phenol	6.95	94	32941	2.495	ng	Qvalue # 61
50) Dimethylphthalate	13.86	163	585422	14.634	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM011419\
Data File : BM018558.D
Acq On : 14 Jan 2019 19:11
Operator : JU/SJ
Sample : K1131-01
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Jan 14 23:30:55 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM010919.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jan 10 05:57:41 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.75 min Scan# 793
Delta R.T. -0.01 min
Lab File: BM018558.D
Acq: 14 Jan 2019 19:11

Instrument :
BNA_M
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
152	100		
150	153.8	126.9	190.3
115	59.1	45.5	68.3






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 162.383 ng
RT: 5.35 min Scan# 384
Delta R.T. -0.01 min
Lab File: BM018558.D
Acq: 14 Jan 2019 19:11

Tgt Ion	Ratio	Lower	Upper
112	100		
64	53.5	46.5	69.7
63	29.7	25.2	37.8






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BM0

Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 174.344 ng

RT: 6.93 min Scan# 653

Delta R.T. -0.01 min

Lab File: BM018558.D

Acq: 14 Jan 2019 19:11


Instrument :

BNA_M

ClientSampled :

Tot Ion: 99 Resp: 2264850

Ion	Ratio	Lower	Upper
99	100		
42	19.5	17.3	25.9
71	36.2	28.0	42.0






Abundance

Ion 99.00 (98.70 to 99.70): BM018466.D (-646) (-)

Ion 42.00 (41.70 to 42.70): BM018466.D (-646) (-)

Ion 71.00 (70.70 to 71.70): BM018466.D (-646) (-)



#10

Phenol

Concen: 2.495 ng

RT: 6.95 min Scan# 657


Delta R.T. -0.01 min

Lab File: BM018558.D

Acq: 14 Jan 2019 19:11

Tgt Ion: 94 Resp: 32941

Ion	Ratio	Lower	Upper
94	100		
65	36.6	9.4	49.4
66	75.1	19.1	59.1






Abundance

Ion 94.00 (93.70 to 94.70): BM018466.D (-650) (-)

Ion 65.00 (64.70 to 65.70): BM018466.D (-650) (-)

Ion 66.00 (65.70 to 66.70): BM018466.D (-650) (-)





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.55 min Scan# 1268

Delta R.T. -0.01 min

Lab File: BM018558.D

Acq: 14 Jan 2019 19:11

Instrument :

BNA_M

ClientSampleId :

Tot Ion:136 Resp: 781470


Ion Ratio Lower Upper

136 100

137 11.2 8.5 12.7

54 6.8 6.0 9.0

68 4.6 4.5 6.7






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BM

Ion 68.00 (67.70 to 68.70): BM



#23

Nitrobenzene-d5

Concen: 99.559 ng

RT: 8.92 min Scan# 992

Delta R.T. -0.00 min

Lab File: BM018558.D

Acq: 14 Jan 2019 19:11


Tgt Ion: 82 Resp: 1342087

Ion Ratio Lower Upper

82 100

128 46.4 36.3 54.5



54 49.2 41.7 62.5



Abundance Ion 82.00 (81.70 to 82.70): BM

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BM









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.40 min Scan# 1923
Delta R.T. -0.01 min
Lab File: BM018558.D
Acq: 14 Jan 2019 19:11




Instrument :
BNA_M
ClientSampleId :


Tot Ion:164 Resp: 487099
Ion Ratio Lower Upper
164 100
162 105.4 83.0 124.4
160 45.9 37.1 55.7



#42
2,4,6-Tribromophenol
Concen: 177.212 ng
RT: 15.90 min Scan# 2178
Delta R.T. -0.01 min
Lab File: BM018558.D
Acq: 14 Jan 2019 19:11

Tgt Ion:330 Resp: 1099090
Ion Ratio Lower Upper
330 100
332 97.0 77.6 116.4
141 38.5 31.7 47.5









#45
2-Fluorobiphenyl
Concen: 98.186 ng
RT: 13.02 min Scan# 1688
Delta R.T. -0.01 min
Lab File: BM018558.D
Acq: 14 Jan 2019 19:11




Instrument :
BNA_M
ClientSampleId :


Tot Ion:172 Resp: 3665234
Ion Ratio Lower Upper
172 100
171 35.6 28.2 42.4
170 23.2 18.9 28.3



#50
Dimethylphthalate
Concen: 14.634 ng
RT: 13.86 min Scan# 1831
Delta R.T. -0.01 min
Lab File: BM018558.D
Acq: 14 Jan 2019 19:11

Tgt Ion:163 Resp: 585422
Ion Ratio Lower Upper
163 100
194 4.1 3.0 4.6
164 10.3 7.8 11.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.15 min Scan# 2391
Delta R.T. -0.01 min
Lab File: BM018558.D
Acq: 14 Jan 2019 19:11




Instrument :
BNA_M
ClientSampleID :


Tot Ion:188 Resp: 1171925
Ion Ratio Lower Upper
188 100
94 7.4 7.1 10.7
80 8.4 7.6 11.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.34 min Scan# 3104
Delta R.T. -0.01 min
Lab File: BM018558.D
Acq: 14 Jan 2019 19:11

Tgt Ion:240 Resp: 1391385
Ion Ratio Lower Upper
240 100
120 9.1 8.4 12.6
236 25.5 20.7 31.1









#79
 Terphenyl-d14
 Concen: 98.186 ng
 RT: 19.79 min Scan# 2839
 Delta R.T. -0.00 min
 Lab File: BM018558.D
 Acq: 14 Jan 2019 19:11

Instrument :
 BNA_M
 ClientSampleId :

Tot Ion:244 Resp: 6480644
 Ion Ratio Lower Upper
 244 100
 212 7.7 5.9 8.9
 122 9.3 9.0 13.4



#87
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.63 min Scan# 3492
 Delta R.T. -0.01 min
 Lab File: BM018558.D
 Acq: 14 Jan 2019 19:11

Tgt Ion:264 Resp: 1523764
 Ion Ratio Lower Upper
 264 100
 260 23.4 18.9 28.3
 265 21.6 16.8 25.2

