

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM011619\
 Data File : BM018605.D
 Acq On : 17 Jan 2019 05:35
 Operator : JU/SJ
 Sample : K1147-15
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 TP-5

Quant Time: Jan 17 07:21:51 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM010919.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jan 10 05:57:41 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.75	152	309469	20.00	ng	-0.02
21) Naphthalene-d8	10.53	136	1243119	20.00	ng	-0.02
39) Acenaphthene-d10	14.39	164	704551	20.00	ng	-0.02
64) Phenanthrene-d10	17.14	188	1618221	20.00	ng	-0.01
76) Chrysene-d12	21.33	240	1656417	20.00	ng	-0.02
87) Perylene-d12	23.61	264	1325414	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.34	112	1842518	109.94	ng	-0.01
7) Phenol-d6	6.92	99	2063509	96.94	ng	-0.01
23) Nitrobenzene-d5	8.91	82	1685544	78.60	ng	-0.01
42) 2,4,6-Tribromophenol	15.89	330	1122759	125.16	ng	-0.02
45) 2-Fluorobiphenyl	13.01	172	4262875	78.95	ng	-0.01
79) Terphenyl-d14	19.77	244	6938002	88.30	ng	-0.01
Target Compounds						
32) Benzoic acid	9.92	122	106	6.511	ng	Qvalue # 58


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM011619\
Data File : BM018605.D
Acq On : 17 Jan 2019 05:35
Operator : JU/SJ
Sample : K1147-15
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
TP-5

Quant Time: Jan 17 07:21:51 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM010919.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jan 10 05:57:41 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.75 min Scan# 792
Delta R.T. -0.02 min
Lab File: BM018605.D
Acq: 17 Jan 2019 05:35

Instrument :
BNA_M
ClientSampled :
TP-5

Tgt Ion:152 Resp: 309469
Ion Ratio Lower Upper
152 100
150 152.6 126.9 190.3
115 57.0 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 109.937 ng
RT: 5.34 min Scan# 383
Delta R.T. -0.01 min
Lab File: BM018605.D
Acq: 17 Jan 2019 05:35

Tgt Ion:112 Resp: 1842518
Ion Ratio Lower Upper
112 100
64 52.6 46.5 69.7
63 28.7 25.2 37.8



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 96.938 ng

RT: 6.92 min Scan# 652

Delta R.T. -0.01 min

Lab File: BM018605.D

Acq: 17 Jan 2019 05:35

Instrument :

BNA_M

ClientSampleId :

TP-5


Tgt Ion: 99 Resp: 2063509

Ion Ratio Lower Upper

99 100

42 19.7 17.3 25.9




71 35.9 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BM018466.D (-646) (-)

Ion 42.00 (41.70 to 42.70): BM018466.D (-646) (-)

Ion 71.00 (70.70 to 71.70): BM018466.D (-646) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.53 min Scan# 1266

Delta R.T. -0.02 min

Lab File: BM018605.D

Acq: 17 Jan 2019 05:35

Tgt Ion: 136 Resp: 1243119


Ion Ratio Lower Upper

136 100

137 11.1 8.5 12.7

54 6.2 6.0 9.0

68 4.3 4.5 6.7#






Abundance Ion 136.00 (135.70 to 136.70): BM018466.D (-1261) (-)

Ion 137.00 (136.70 to 137.70): BM018466.D (-1261) (-)

Ion 54.00 (53.70 to 54.70): BM018466.D (-1261) (-)

Ion 68.00 (67.70 to 68.70): BM018466.D (-1261) (-)









#23
 Nitrobenzene-d5
 Concen: 78.603 ng
 RT: 8.91 min Scan# 990
 Delta R.T. -0.01 min
 Lab File: BM018605.D
 Acq: 17 Jan 2019 05:35




Instrument :
 BNA_M
 ClientSampled :
 TP-5


Tgt Ion: 82 Resp: 1685544
 Ion Ratio Lower Upper
 82 100
 128 46.9 36.3 54.5
 54 50.2 41.7 62.5



#32
 Benzoic acid
 Concen: 6.511 ng
 RT: 9.92 min Scan# 1162
 Delta R.T. 0.02 min
 Lab File: BM018605.D
 Acq: 17 Jan 2019 05:35

Tgt Ion: 122 Resp: 106
 Ion Ratio Lower Upper
 122 100
 105 112.0 100.4 140.4
 77 175.7 71.7 111.7#





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.39 min Scan# 1922

Delta R.T. -0.02 min

Lab File: BM018605.D

Acq: 17 Jan 2019 05:35

Instrument :

BNA_M

ClientSampleId :

TP-5


Tgt Ion:164 Resp: 704551

Ion Ratio Lower Upper

164 100

162 103.2 83.0 124.4




160 46.7 37.1 55.7



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 125.156 ng

RT: 15.89 min Scan# 2176

Delta R.T. -0.02 min

Lab File: BM018605.D

Acq: 17 Jan 2019 05:35


Tgt Ion:330 Resp: 1122759

Ion Ratio Lower Upper

330 100

332 96.9 77.6 116.4



141 38.5 31.7 47.5




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 78.951 ng
RT: 13.01 min Scan# 1687
Delta R.T. -0.01 min
Lab File: BM018605.D
Acq: 17 Jan 2019 05:35




Instrument :
BNA_M
ClientSampleId :
TP-5


Tgt Ion:172 Resp: 4262875
Ion Ratio Lower Upper
172 100
171 35.2 28.2 42.4
170 23.3 18.9 28.3



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.14 min Scan# 2390
Delta R.T. -0.01 min
Lab File: BM018605.D
Acq: 17 Jan 2019 05:35

Tgt Ion:188 Resp: 1618221
Ion Ratio Lower Upper
188 100
94 7.4 7.1 10.7
80 7.8 7.6 11.4









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.33 min Scan# 3102
Delta R.T. -0.02 min
Lab File: BM018605.D
Acq: 17 Jan 2019 05:35




Instrument :
BNA_M
ClientSampleId :
TP-5


Tgt Ion:240 Resp: 1656417
Ion Ratio Lower Upper
240 100
120 9.6 8.4 12.6
236 25.8 20.7 31.1



#79
Terphenyl-d14
Concen: 88.296 ng
RT: 19.77 min Scan# 2837
Delta R.T. -0.01 min
Lab File: BM018605.D
Acq: 17 Jan 2019 05:35

Tgt Ion:244 Resp: 6938002
Ion Ratio Lower Upper
244 100
212 7.9 5.9 8.9
122 10.1 9.0 13.4





#87
Perylene-d12
Concen: 20.000 ng
RT: 23.61 min Scan# 3489
Delta R.T. -0.02 min
Lab File: BM018605.D
Acq: 17 Jan 2019 05:35

Instrument :
BNA_M
ClientSampleId :
TP-5

Tgt Ion: 264 Resp: 1325414

Ion	Ratio	Lower	Upper
264	100		
260	22.7	18.9	28.3
265	22.3	16.8	25.2

