

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM011722\
 Data File : BM033753.D
 Acq On : 17 Jan 2022 17:26
 Operator : CG/JU
 Sample : PB142009TB
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB142009TB

Quant Time: Jan 18 02:37:03 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM011722.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jan 17 16:30:56 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.954	152	154777	20.000	ng	0.00
21) Naphthalene-d8	10.766	136	640443	20.000	ng	0.00
39) Acenaphthene-d10	14.589	164	428668	20.000	ng	0.00
64) Phenanthrene-d10	17.324	188	909983	20.000	ng	0.00
76) Chrysene-d12	21.489	240	788564	20.000	ng	0.00
86) Perylene-d12	23.900	264	687413	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.501	112	1251517	135.869	ng	0.00
7) Phenol-d6	7.113	99	1593592	122.802	ng	0.00
23) Nitrobenzene-d5	9.119	82	1060603	81.497	ng	0.00
42) 2,4,6-Tribromophenol	16.071	330	690100	118.743	ng	0.00
45) 2-Fluorobiphenyl	13.224	172	2487235	81.628	ng	0.00
79) Terphenyl-d14	19.942	244	3851926	81.004	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM011722\
Data File : BM033753.D
Acq On : 17 Jan 2022 17:26
Operator : CG/JU
Sample : PB142009TB
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB142009TB

Quant Time: Jan 18 02:37:03 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM011722.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jan 17 16:30:56 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.954 min Scan# 802
Delta R.T. 0.000 min
Lab File: BM033753.D
Acq: 17 Jan 2022 17:26




Instrument :
BNA_M
ClientSampleId :
PB142009TB


Tgt Ion:152 Resp: 154777
Ion Ratio Lower Upper
152 100
150 153.4 128.9 193.3
115 64.2 53.0 79.6



#5
2-Fluorophenol
Concen: 135.869 ng
RT: 5.501 min Scan# 385
Delta R.T. 0.000 min
Lab File: BM033753.D
Acq: 17 Jan 2022 17:26

Tgt Ion:112 Resp: 1251517
Ion Ratio Lower Upper
112 100
64 61.9 55.5 83.3
63 33.6 31.3 46.9









#7
Phenol-d6
Concen: 122.802 ng
RT: 7.113 min Scan# 61
Delta R.T. -0.006 min
Lab File: BM033753.D
Acq: 17 Jan 2022 17:26




Instrument :
BNA_M
ClientSampleId :
PB142009TB


Tgt Ion: 99 Resp: 1593592
Ion Ratio Lower Upper
99 100
42 19.2 20.3 30.5#
71 39.5 34.5 51.7



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.766 min Scan# 1280
Delta R.T. -0.006 min
Lab File: BM033753.D
Acq: 17 Jan 2022 17:26

Tgt Ion: 136 Resp: 640443
Ion Ratio Lower Upper
136 100
137 11.4 8.6 13.0
54 8.7 8.3 12.5
68 5.6 5.0 7.6





#23

Nitrobenzene-d5

Concen: 81.497 ng

RT: 9.119 min Scan# 10

Delta R.T. -0.006 min

Lab File: BM033753.D

Acq: 17 Jan 2022 17:26

Instrument :





BNA_M

ClientSampleId :

PB142009TB

Tgt Ion: 82 Resp: 1060603

Ion	Ratio	Lower	Upper
82	100		
128	42.0	28.1	42.1
54	53.2	46.1	69.1



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.589 min Scan# 1930




Delta R.T. -0.006 min


Lab File: BM033753.D

Acq: 17 Jan 2022 17:26

Tgt Ion:164 Resp: 428668

Ion	Ratio	Lower	Upper
164	100		
162	99.5	79.7	119.5
160	44.1	34.2	51.4









#42
2,4,6-Tribromophenol
Concen: 118.743 ng
RT: 16.071 min Scan# 2183
Delta R.T. -0.006 min
Lab File: BM033753.D
Acq: 17 Jan 2022 17:26




Instrument :
BNA_M
ClientSampleId :
PB142009TB


Tgt Ion:330 Resp: 690100
Ion Ratio Lower Upper
330 100
332 97.2 76.5 114.7
141 39.2 35.9 53.9



#45
2-Fluorobiphenyl
Concen: 81.628 ng
RT: 13.224 min Scan# 1698
Delta R.T. 0.000 min
Lab File: BM033753.D
Acq: 17 Jan 2022 17:26

Tgt Ion:172 Resp: 2487235
Ion Ratio Lower Upper
172 100
171 35.7 27.2 40.8
170 23.3 18.7 28.1









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.324 min Scan# 21
Delta R.T. -0.006 min
Lab File: BM033753.D
Acq: 17 Jan 2022 17:26




Instrument :
BNA_M
ClientSampleId :
PB142009TB


Tgt Ion:188 Resp: 909983
Ion Ratio Lower Upper
188 100
94 9.0 7.5 11.3
80 10.7 8.9 13.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.489 min Scan# 3103
Delta R.T. -0.006 min
Lab File: BM033753.D
Acq: 17 Jan 2022 17:26

Tgt Ion:240 Resp: 788564
Ion Ratio Lower Upper
240 100
120 10.4 7.8 11.6
236 25.9 20.3 30.5









#79
Terphenyl-d14
Concen: 81.004 ng
RT: 19.942 min Scan# 21
Delta R.T. 0.000 min
Lab File: BM033753.D
Acq: 17 Jan 2022 17:26

Instrument :
BNA_M
ClientSampleId :
PB142009TB

Tgt Ion:244 Resp: 3851926
Ion Ratio Lower Upper
244 100
212 8.0 5.9 8.9
122 10.4 8.4 12.6



#86
Perylene-d12
Concen: 20.000 ng
RT: 23.900 min Scan# 3513
Delta R.T. -0.006 min
Lab File: BM033753.D
Acq: 17 Jan 2022 17:26

Tgt Ion:264 Resp: 687413
Ion Ratio Lower Upper
264 100
260 24.7 17.7 26.5
265 22.5 17.7 26.5

