

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM011819\
 Data File : BM018647.D
 Acq On : 18 Jan 2019 21:12
 Operator : JU/SJ
 Sample : K1189-03
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 RT3422

Quant Time: Jan 18 22:18:38 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM010919.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jan 18 22:01:30 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.73	152	225664	20.00	ng	0.00
21) Naphthalene-d8	10.53	136	831463	20.00	ng	0.00
39) Acenaphthene-d10	14.38	164	440358	20.00	ng	0.00
64) Phenanthrene-d10	17.13	188	984093	20.00	ng	0.00
76) Chrysene-d12	21.33	240	1065370	20.00	ng	0.00
87) Perylene-d12	23.60	264	1104617	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.33	112	1798109	147.13	ng	0.00
7) Phenol-d6	6.91	99	2207425	142.21	ng	0.00
23) Nitrobenzene-d5	8.90	82	1377177	96.02	ng	0.00
42) 2,4,6-Tribromophenol	15.88	330	847605	151.17	ng	0.00
45) 2-Fluorobiphenyl	13.00	172	2841130	84.19	ng	0.00
79) Terphenyl-d14	19.77	244	4303565	85.15	ng	0.00
Target Compounds						
10) Phenol	6.93	94	119161	7.555	ng	90
50) Dimethylphthalate	13.85	163	280420	7.754	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM011819\
Data File : BM018647.D
Acq On : 18 Jan 2019 21:12
Operator : JU/SJ
Sample : K1189-03
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
RT3422

Quant Time: Jan 18 22:18:38 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM010919.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jan 18 22:01:30 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.73 min Scan# 790
Delta R.T. -0.01 min
Lab File: BM018647.D
Acq: 18 Jan 2019 21:12

Instrument :
BNA_M
ClientSampleId :
RT3422

Tot Ion	Ratio	Lower	Upper
152	100		
150	152.5	126.9	190.3
115	57.9	45.5	68.3






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 147.130 ng
RT: 5.33 min Scan# 381
Delta R.T. 0.00 min
Lab File: BM018647.D
Acq: 18 Jan 2019 21:12

Tgt Ion	Ratio	Lower	Upper
112	100		
64	53.9	46.5	69.7
63	29.2	25.2	37.8






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BM0

Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 142.209 ng

RT: 6.91 min Scan# 650

Delta R.T. 0.00 min

Lab File: BM018647.D

Acq: 18 Jan 2019 21:12

Instrument :

BNA_M

ClientSampleId :

RT3422


Tot Ion: 99 Resp: 2207425

Ion Ratio Lower Upper

99 100

42 19.7 17.3 25.9




71 35.9 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BM018466.D (-646) (-)

Ion 42.00 (41.70 to 42.70): BM018466.D (-646) (-)

Ion 71.00 (70.70 to 71.70): BM018466.D (-646) (-)



#10

Phenol

Concen: 7.555 ng

RT: 6.93 min Scan# 654

Delta R.T. -0.01 min

Lab File: BM018647.D

Acq: 18 Jan 2019 21:12


Tgt Ion: 94 Resp: 119161

Ion Ratio Lower Upper

94 100

65 32.1 9.4 49.4



66 47.3 19.1 59.1




Abundance Ion 94.00 (93.70 to 94.70): BM018466.D (-650) (-)

Ion 65.00 (64.70 to 65.70): BM018466.D (-650) (-)

Ion 66.00 (65.70 to 66.70): BM018466.D (-650) (-)





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.53 min Scan# 1265

Delta R.T. 0.00 min

Lab File: BM018647.D

Acq: 18 Jan 2019 21:12

Instrument :

BNA_M

ClientSampleId :

RT3422

Tot Ion:136 Resp: 831463


Ion Ratio Lower Upper

136 100

137 11.0 8.5 12.7

54 6.2 6.0 9.0

68 4.7 4.5 6.7






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BM

Ion 68.00 (67.70 to 68.70): BM



#23

Nitrobenzene-d5

Concen: 96.019 ng

RT: 8.90 min Scan# 989

Delta R.T. 0.00 min

Lab File: BM018647.D

Acq: 18 Jan 2019 21:12


Tgt Ion: 82 Resp: 1377177

Ion Ratio Lower Upper

82 100

128 46.1 36.3 54.5



54 49.1 41.7 62.5




Abundance Ion 82.00 (81.70 to 82.70): BM

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BM









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.38 min Scan# 1920
Delta R.T. -0.01 min
Lab File: BM018647.D
Acq: 18 Jan 2019 21:12




Instrument :
BNA_M
ClientSampleId :
RT3422


Tot Ion	Ratio	Lower	Upper
164	100		
162	100.2	83.0	124.4
160	44.3	37.1	55.7



#42
2,4,6-Tribromophenol
Concen: 151.169 ng
RT: 15.88 min Scan# 2175
Delta R.T. -0.01 min
Lab File: BM018647.D
Acq: 18 Jan 2019 21:12

Tgt Ion	Ratio	Lower	Upper
330	100		
332	97.4	77.6	116.4
141	38.0	31.7	47.5









#45
2-Fluorobiphenyl
Concen: 84.188 ng
RT: 13.00 min Scan# 1685
Delta R.T. -0.01 min
Lab File: BM018647.D
Acq: 18 Jan 2019 21:12




Instrument :
BNA_M
ClientSampleId :
RT3422


Tot Ion:172 Resp: 2841130
Ion Ratio Lower Upper
172 100
171 35.5 28.2 42.4
170 23.3 18.9 28.3



#50
Dimethylphthalate
Concen: 7.754 ng
RT: 13.85 min Scan# 1829
Delta R.T. -0.01 min
Lab File: BM018647.D
Acq: 18 Jan 2019 21:12

Tgt Ion:163 Resp: 280420
Ion Ratio Lower Upper
163 100
194 3.7 3.0 4.6
164 9.6 7.8 11.8





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.13 min Scan# 2388

Delta R.T. -0.01 min

Lab File: BM018647.D

Acq: 18 Jan 2019 21:12

Instrument :

BNA_M

ClientSampleId :

RT3422


Tot Ion:188 Resp: 984093

Ion Ratio Lower Upper

188 100

94 7.2 7.1 10.7




80 7.9 7.6 11.4



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM

Ion 80.00 (79.70 to 80.70): BM



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.33 min Scan# 3101

Delta R.T. -0.01 min

Lab File: BM018647.D

Acq: 18 Jan 2019 21:12


Tgt Ion:240 Resp: 1065370

Ion Ratio Lower Upper

240 100

120 9.4 8.4 12.6



236 25.2 20.7 31.1




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#79
 Terphenyl-d14
 Concen: 85.154 ng
 RT: 19.77 min Scan# 2836
 Delta R.T. 0.00 min
 Lab File: BM018647.D
 Acq: 18 Jan 2019 21:12

Instrument :
 BNA_M
 ClientSampleId :
 RT3422

Tot Ion:244 Resp: 4303565

Ion	Ratio	Lower	Upper
244	100		
212	7.5	5.9	8.9
122	9.5	9.0	13.4



#87
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.60 min Scan# 3487
 Delta R.T. -0.01 min
 Lab File: BM018647.D
 Acq: 18 Jan 2019 21:12

Tgt Ion:264 Resp: 1104617

Ion	Ratio	Lower	Upper
264	100		
260	23.0	18.9	28.3
265	22.1	16.8	25.2

