

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM011821\
 Data File : BM028432.D
 Acq On : 18 Jan 2021 19:20
 Operator : CG/JU
 Sample : M1099-19
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 F1C15

Quant Time: Jan 18 23:44:01 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM011621MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Jan 18 23:34:50 2021
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.09	152	34736	20.00	ng/ul	0.00
18) Naphthalene-d8	10.91	136	134016	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.73	164	72141	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.45	188	136310	20.00	ng/ul	0.00
78) Chrysene-d12	21.57	240	118841	20.00	ng/ul	0.00
86) Perylene-d12	23.89	264	118396	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.33	96	5341	6.48	ng/uL	0.00
5) Phenol-d5	7.24	99	105600	35.61	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.40	67	65492	35.29	ng/ul	0.00
9) 2-Chlorophenol-d4	7.61	132	90359	35.14	ng/ul	0.00
13) 4-Methylphenol-d8	8.80	113	84685	35.36	ng/ul	0.00
19) Nitrobenzene-d5	9.26	128	41665	36.33	ng/ul	0.00
22) 2-Nitrophenol-d4	9.99	143	45582	36.40	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.52	165	79753	34.94	ng/ul	0.00
29) 4-Chloroaniline-d4	11.05	131	106322	40.02	ng/ul	0.00
44) Dimethylphthalate-d6	14.13	166	208529	36.40	ng/ul	0.00
47) Acenaphthylene-d8	14.42	160	269639	36.85	ng/ul	0.00
52) 4-Nitrophenol-d4	14.91	143	32721	30.49	ng/ul	0.00
58) Fluorene-d10	15.71	176	169688	34.27	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.83	200	24646	26.27	ng/ul	0.00
71) Anthracene-d10	17.55	188	243779	34.74	ng/ul	0.00
79) Pyrene-d10	19.82	212	245949	35.43	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.75	264	244239	36.35	ng/ul	0.01

Target Compounds


					Ovalue
6) Phenol	7.26	94	20356	6.898	ng/ul 99
15) N-Nitroso-di-n-propylamine	8.80	70	1976	1.099	ng/ul# 1
31) Hexachlorobutadiene	11.23	225	6409	4.480	ng/ul 93
45) Dimethylphthalate	14.17	163	31585	5.439	ng/ul 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM011821\
Data File : BM028432.D
Acq On : 18 Jan 2021 19:20
Operator : CG/JU
Sample : M1099-19
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
F1C15

Quant Time: Jan 18 23:44:01 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM011621MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jan 18 23:34:50 2021
Response via : Initial Calibration





#6

Phenol

Concen: 6.898 ng/ul

RT: 7.26 min Scan# 693

Delta R.T. 0.01 min

Lab File: BM028432.D

Acq: 18 Jan 2021 19:20

Instrument :

BNA_M

ClientSampleId :

F1C15


Tot Ion: 94 Resp: 20356

Ion Ratio Lower Upper

94 100

65 31.7 25.6 38.4




66 40.9 33.0 49.4



Abundance Ion 94.00 (93.70 to 94.70): BM028423.D (-688) (-)

Ion 65.00 (64.70 to 65.70): BM028423.D (-688) (-)

Ion 66.00 (65.70 to 66.70): BM028423.D (-688) (-)



#15

N-Nitroso-di-n-propylamine

Concen: 1.099 ng/ul

RT: 8.80 min Scan# 954

Delta R.T. -0.10 min

Lab File: BM028432.D

Acq: 18 Jan 2021 19:20

Tgt Ion: 70 Resp: 1976


Ion Ratio Lower Upper

70 100

42 479.4 58.2 87.4#

101 0.0 8.2 12.4#

130 0.0 17.8 26.6#






Abundance Ion 70.00 (69.70 to 70.70): BM028423.D (-966) (-)

Ion 42.00 (41.70 to 42.70): BM028423.D (-966) (-)

Ion 101.00 (100.70 to 101.70): BM028423.D (-966) (-)

Ion 130.00 (129.70 to 130.70): BM028423.D (-966) (-)





#31

Hexachlorobutadiene

Concen: 4.480 ng/ul

RT: 11.23 min Scan# 1368

Delta R.T. -0.00 min

Lab File: BM028432.D

Acq: 18 Jan 2021 19:20

Instrument :

BNA_M

ClientSampleId :

F1C15


Tot Ion:225 Resp: 6409

Ion Ratio Lower Upper

225 100

223 58.8 50.8 76.2




227 59.1 51.8 77.8



Abundance Ion 225.00 (224.70 to 225.70): E

Ion 223.00 (222.70 to 223.70): E

Ion 227.00 (226.70 to 227.70): E



#45

Dimethylphthalate

Concen: 5.439 ng/ul

RT: 14.17 min Scan# 1868

Delta R.T. -0.00 min

Lab File: BM028432.D

Acq: 18 Jan 2021 19:20


Tgt Ion:163 Resp: 31585

Ion Ratio Lower Upper

163 100

194 3.9 3.3 4.9

164 9.9 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

