

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM012919\
 Data File : BM018679.D
 Acq On : 29 Jan 2019 16:09
 Operator : JU/SJ
 Sample : K1266-11
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 012519-DBRI-F-D-M

Quant Time: Jan 29 17:28:26 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM010919.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jan 18 22:01:30 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.72	152	215482	20.00	ng	-0.02
21) Naphthalene-d8	10.52	136	786277	20.00	ng	-0.01
39) Acenaphthene-d10	14.37	164	423370	20.00	ng	-0.01
64) Phenanthrene-d10	17.13	188	930550	20.00	ng	-0.01
76) Chrysene-d12	21.32	240	975272	20.00	ng	-0.01
87) Perylene-d12	23.59	264	1003543	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.31	112	463795	39.74	ng	-0.02
7) Phenol-d6	6.89	99	348635	23.52	ng	-0.02
23) Nitrobenzene-d5	8.89	82	1415822	104.39	ng	-0.01
42) 2,4,6-Tribromophenol	15.87	330	494334	91.70	ng	-0.02
45) 2-Fluorobiphenyl	12.99	172	2923483	90.10	ng	-0.02
79) Terphenyl-d14	19.76	244	3881177	83.89	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM012919\
Data File : BM018679.D
Acq On : 29 Jan 2019 16:09
Operator : JU/SJ
Sample : K1266-11
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
012519-DBRI-F-D-M

Quant Time: Jan 29 17:28:26 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM010919.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jan 18 22:01:30 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.72 min Scan# 788
Delta R.T. -0.02 min
Lab File: BM018679.D
Acq: 29 Jan 2019 16:09

Instrument :
BNA_M
ClientSampleId :
012519-DBRI-F-D-M

Tot Ion:152 Resp: 215482
Ion Ratio Lower Upper
152 100
150 154.8 126.9 190.3
115 62.2 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 39.743 ng
RT: 5.31 min Scan# 378
Delta R.T. -0.02 min
Lab File: BM018679.D
Acq: 29 Jan 2019 16:09

Tgt Ion:112 Resp: 463795
Ion Ratio Lower Upper
112 100
64 57.8 46.5 69.7
63 31.9 25.2 37.8



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 23.521 ng

RT: 6.89 min Scan# 647

Delta R.T. -0.02 min

Lab File: BM018679.D

Acq: 29 Jan 2019 16:09

Instrument :

BNA_M

ClientSampleId :

012519-DBRI-F-D-M


Tot Ion: 99 Resp: 348635

Ion Ratio Lower Upper

99 100

42 14.6 17.3 25.9#




71 39.6 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BM018466.D (-646) (-)

Ion 42.00 (41.70 to 42.70): BM018466.D (-646) (-)

Ion 71.00 (70.70 to 71.70): BM018466.D (-646) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.52 min Scan# 1263

Delta R.T. -0.01 min

Lab File: BM018679.D

Acq: 29 Jan 2019 16:09

Tgt Ion: 136 Resp: 786277


Ion Ratio Lower Upper

136 100

137 10.5 8.5 12.7

54 5.4 6.0 9.0#

68 5.2 4.5 6.7






Abundance Ion 136.00 (135.70 to 136.70): BM018466.D (-1261) (-)

Ion 137.00 (136.70 to 137.70): BM018466.D (-1261) (-)

Ion 54.00 (53.70 to 54.70): BM018466.D (-1261) (-)

Ion 68.00 (67.70 to 68.70): BM018466.D (-1261) (-)









#23
Nitrobenzene-d5
Concen: 104.386 ng
RT: 8.89 min Scan# 987
Delta R.T. -0.01 min
Lab File: BM018679.D
Acq: 29 Jan 2019 16:09

Instrument :
BNA_M
ClientSampleId :
012519-DBRI-F-D-M

Tot Ion: 82 Resp: 1415822




Ion	Ratio	Lower	Upper
82	100		
128	40.4	36.3	54.5
54	39.0	41.7	62.5#




#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.37 min Scan# 1919
Delta R.T. -0.01 min
Lab File: BM018679.D
Acq: 29 Jan 2019 16:09

Tgt Ion: 164 Resp: 423370

Ion	Ratio	Lower	Upper
164	100		
162	106.1	83.0	124.4
160	46.7	37.1	55.7









#42
 2,4,6-Tribromophenol
 Concen: 91.702 ng
 RT: 15.87 min Scan# 2173
 Delta R.T. -0.02 min
 Lab File: BM018679.D
 Acq: 29 Jan 2019 16:09

Instrument :
 BNA_M
 ClientSampleId :
 012519-DBRI-F-D-M

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.5	77.6	116.4
141	38.8	31.7	47.5




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 90.104 ng
 RT: 12.99 min Scan# 1683
 Delta R.T. -0.02 min
 Lab File: BM018679.D
 Acq: 29 Jan 2019 16:09

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.8	28.2	42.4
170	23.0	18.9	28.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.13 min Scan# 2387
Delta R.T. -0.01 min
Lab File: BM018679.D
Acq: 29 Jan 2019 16:09




Instrument :
BNA_M
ClientSampleId :
012519-DBRI-F-D-M


Tot Ion:188 Resp: 930550
Ion Ratio Lower Upper
188 100
94 8.2 7.1 10.7
80 9.3 7.6 11.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.32 min Scan# 3100
Delta R.T. -0.01 min
Lab File: BM018679.D
Acq: 29 Jan 2019 16:09

Tgt Ion:240 Resp: 975272
Ion Ratio Lower Upper
240 100
120 10.0 8.4 12.6
236 26.5 20.7 31.1





#79

Terphenyl-d14

Concen: 83.891 ng

RT: 19.76 min Scan# 2834

Delta R.T. -0.01 min

Lab File: BM018679.D

Acq: 29 Jan 2019 16:09

Instrument :


BNA_M

ClientSampleId :

012519-DBRI-F-D-M

Tot Ion:244 Resp: 3881177

Ion	Ratio	Lower	Upper
244	100		
212	7.7	5.9	8.9
122	10.4	9.0	13.4






Abundance

Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.59 min Scan# 3485


Delta R.T. -0.02 min

Lab File: BM018679.D

Acq: 29 Jan 2019 16:09

Tgt Ion:264 Resp: 1003543

Ion	Ratio	Lower	Upper
264	100		
260	23.1	18.9	28.3
265	22.3	16.8	25.2



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

