

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM013019\
 Data File : BM018695.D
 Acq On : 30 Jan 2019 14:46
 Operator : JU/SJ
 Sample : K1281-02
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SB-15(33.5-34)

Quant Time: Jan 30 15:27:31 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM010919.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jan 18 22:01:30 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.72	152	261618	20.00	ng	-0.02
21) Naphthalene-d8	10.51	136	995912	20.00	ng	-0.02
39) Acenaphthene-d10	14.37	164	521025	20.00	ng	-0.02
64) Phenanthrene-d10	17.12	188	1063779	20.00	ng	-0.02
76) Chrysene-d12	21.32	240	948056	20.00	ng	-0.02
87) Perylene-d12	23.59	264	1024464	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.31	112	2220525	156.72	ng	-0.02
7) Phenol-d6	6.90	99	2823458	156.90	ng	-0.01
23) Nitrobenzene-d5	8.89	82	1686576	98.17	ng	-0.01
42) 2,4,6-Tribromophenol	15.87	330	1001119	150.90	ng	-0.02
45) 2-Fluorobiphenyl	12.99	172	3989426	99.91	ng	-0.02
79) Terphenyl-d14	19.76	244	4429970	98.50	ng	-0.01
Target Compounds						
10) Phenol	6.92	94	48241	2.638	ng	90
50) Dimethylphthalate	13.83	163	237972	5.561	ng	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM013019\
Data File : BM018695.D
Acq On : 30 Jan 2019 14:46
Operator : JU/SJ
Sample : K1281-02
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
SB-15(33.5-34)

Quant Time: Jan 30 15:27:31 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM010919.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jan 18 22:01:30 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.72 min Scan# 788
Delta R.T. -0.02 min
Lab File: BM018695.D
Acq: 30 Jan 2019 14:46

Instrument :
BNA_M
ClientSampleId :
SB-15(33.5-34)

Tot Ion	Ratio	Lower	Upper
152	100		
150	154.5	126.9	190.3
115	57.3	45.5	68.3






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 156.724 ng
RT: 5.31 min Scan# 378
Delta R.T. -0.02 min
Lab File: BM018695.D
Acq: 30 Jan 2019 14:46

Tgt Ion	Ratio	Lower	Upper
112	100		
64	55.1	46.5	69.7
63	30.2	25.2	37.8






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BM0

Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 156.898 ng

RT: 6.90 min Scan# 648

Delta R.T. -0.01 min

Lab File: BM018695.D

Acq: 30 Jan 2019 14:46

Instrument :

BNA_M

ClientSampleId :

SB-15(33.5-34)


Tot Ion: 99 Resp: 2823458

Ion Ratio Lower Upper

99 100

42 19.6 17.3 25.9




71 36.2 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BM018466.D (-646) (-)

Ion 42.00 (41.70 to 42.70): BM018466.D (-646) (-)

Ion 71.00 (70.70 to 71.70): BM018466.D (-646) (-)



#10

Phenol

Concen: 2.638 ng

RT: 6.92 min Scan# 652

Delta R.T. -0.02 min

Lab File: BM018695.D

Acq: 30 Jan 2019 14:46


Tgt Ion: 94 Resp: 48241

Ion Ratio Lower Upper

94 100

65 31.1 9.4 49.4



66 48.8 19.1 59.1




Abundance Ion 94.00 (93.70 to 94.70): BM018466.D (-650) (-)

Ion 65.00 (64.70 to 65.70): BM018466.D (-650) (-)

Ion 66.00 (65.70 to 66.70): BM018466.D (-650) (-)





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.51 min Scan# 1262

Delta R.T. -0.02 min

Lab File: BM018695.D

Acq: 30 Jan 2019 14:46

Instrument :

BNA_M

ClientSampleId :

SB-15(33.5-34)

Tot Ion:136 Resp: 995912



Ion Ratio Lower Upper

136 100

137 11.5 8.5 12.7

54 6.6 6.0 9.0

68 4.6 4.5 6.7





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BM

Ion 68.00 (67.70 to 68.70): BM



#23

Nitrobenzene-d5

Concen: 98.174 ng

RT: 8.89 min Scan# 987

Delta R.T. -0.01 min

Lab File: BM018695.D

Acq: 30 Jan 2019 14:46



Tgt Ion: 82 Resp: 1686576

Ion Ratio Lower Upper

82 100

128 46.8 36.3 54.5


54 49.7 41.7 62.5




Abundance Ion 82.00 (81.70 to 82.70): BM

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BM





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.37 min Scan# 1918

Delta R.T. -0.02 min

Lab File: BM018695.D

Acq: 30 Jan 2019 14:46

Instrument :

BNA_M

ClientSampleId :

SB-15(33.5-34)


Tot Ion:164 Resp: 521025

Ion Ratio Lower Upper

164 100

162 101.1 83.0 124.4

160 45.1 37.1 55.7






Abundance

Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 150.905 ng

RT: 15.87 min Scan# 2173

Delta R.T. -0.02 min

Lab File: BM018695.D

Acq: 30 Jan 2019 14:46


Tgt Ion:330 Resp: 1001119

Ion Ratio Lower Upper

330 100

332 96.6 77.6 116.4

141 38.3 31.7 47.5






Abundance

Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 99.912 ng
RT: 12.99 min Scan# 1683
Delta R.T. -0.02 min
Lab File: BM018695.D
Acq: 30 Jan 2019 14:46




Instrument :
BNA_M
ClientSampleId :
SB-15(33.5-34)


Tot Ion:172 Resp: 3989426
Ion Ratio Lower Upper
172 100
171 35.5 28.2 42.4
170 23.1 18.9 28.3



#50
Dimethylphthalate
Concen: 5.561 ng
RT: 13.83 min Scan# 1827
Delta R.T. -0.02 min
Lab File: BM018695.D
Acq: 30 Jan 2019 14:46

Tgt Ion:163 Resp: 237972
Ion Ratio Lower Upper
163 100
194 4.2 3.0 4.6
164 9.8 7.8 11.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.12 min Scan# 2386
Delta R.T. -0.02 min
Lab File: BM018695.D
Acq: 30 Jan 2019 14:46




Instrument :
BNA_M
ClientSampleId :
SB-15(33.5-34)


Tot Ion:188 Resp: 1063779
Ion Ratio Lower Upper
188 100
94 7.6 7.1 10.7
80 8.2 7.6 11.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.32 min Scan# 3099
Delta R.T. -0.02 min
Lab File: BM018695.D
Acq: 30 Jan 2019 14:46

Tgt Ion:240 Resp: 948056
Ion Ratio Lower Upper
240 100
120 11.2 8.4 12.6
236 25.3 20.7 31.1





#79

Terphenyl-d14

Concen: 98.502 ng

RT: 19.76 min Scan# 2834

Delta R.T. -0.01 min

Lab File: BM018695.D

Acq: 30 Jan 2019 14:46

Instrument :


BNA_M

ClientSampleId :

SB-15(33.5-34)

Tot Ion:244 Resp: 4429970

Ion	Ratio	Lower	Upper
244	100		
212	7.6	5.9	8.9
122	10.0	9.0	13.4






Abundance

Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.59 min Scan# 3485


Delta R.T. -0.02 min

Lab File: BM018695.D

Acq: 30 Jan 2019 14:46

Tgt Ion:264 Resp: 1024464

Ion	Ratio	Lower	Upper
264	100		
260	23.6	18.9	28.3
265	21.8	16.8	25.2



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

