

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM020223\
 Data File : BM038671.D
 Acq On : 02 Feb 2023 19:56
 Operator : CG/JU
 Sample : 01390-05
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 STOCKPILE-2

Quant Time: Feb 03 05:37:51 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM020123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 02 03:31:45 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.928	152	85450	20.000	ng	-0.01
21) Naphthalene-d8	10.739	136	264455	20.000	ng	-0.01
39) Acenaphthene-d10	14.568	164	172605	20.000	ng	0.00
64) Phenanthrene-d10	17.309	188	326727	20.000	ng	-0.01
76) Chrysene-d12	21.486	240	278862	20.000	ng	-0.01
86) Perylene-d12	23.885	264	390654	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.498	112	571338	130.977	ng	0.00
7) Phenol-d6	7.116	99	564154	113.395	ng	0.00
23) Nitrobenzene-d5	9.104	82	417049	89.575	ng	-0.01
42) 2,4,6-Tribromophenol	16.062	330	349414	148.935	ng	0.00
45) 2-Fluorobiphenyl	13.192	172	1285608	94.824	ng	-0.01
79) Terphenyl-d14	19.927	244	1730456	109.505	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM020223\
Data File : BM038671.D
Acq On : 02 Feb 2023 19:56
Operator : CG/JU
Sample : 01390-05
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
STOCKPILE-2

Quant Time: Feb 03 05:37:51 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM020123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 02 03:31:45 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.928 min Scan# 806
Delta R.T. -0.012 min
Lab File: BM038671.D
Acq: 02 Feb 2023 19:56




Instrument :
BNA_M
ClientSampleId :
STOCKPILE-2


Tgt Ion:152 Resp: 85450
Ion Ratio Lower Upper
152 100
150 149.0 119.5 179.3
115 46.8 37.6 56.4



#5
2-Fluorophenol
Concen: 130.977 ng
RT: 5.498 min Scan# 393
Delta R.T. 0.006 min
Lab File: BM038671.D
Acq: 02 Feb 2023 19:56

Tgt Ion:112 Resp: 571338
Ion Ratio Lower Upper
112 100
64 42.9 37.9 56.9
63 27.3 23.3 34.9









#7
Phenol-d6
Concen: 113.395 ng
RT: 7.116 min Scan# 60
Delta R.T. 0.006 min
Lab File: BM038671.D
Acq: 02 Feb 2023 19:56




Instrument :
BNA_M
ClientSampleId :
STOCKPILE-2


Tgt Ion: 99 Resp: 564154
Ion Ratio Lower Upper
99 100
42 15.8 14.6 22.0
71 38.7 31.0 46.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.739 min Scan# 1284
Delta R.T. -0.012 min
Lab File: BM038671.D
Acq: 02 Feb 2023 19:56

Tgt Ion: 136 Resp: 264455
Ion Ratio Lower Upper
136 100
137 11.1 8.8 13.2
54 5.0 4.2 6.4
68 3.2 2.9 4.3





#23

Nitrobenzene-d5

Concen: 89.575 ng

RT: 9.104 min Scan# 1006

Delta R.T. -0.012 min

Lab File: BM038671.D

Acq: 02 Feb 2023 19:56

Instrument :

BNA_M

ClientSampleId :

STOCKPILE-2





Tgt Ion: 82 Resp: 417049

Ion Ratio Lower Upper

82 100

128 48.8 36.0 54.0

54 43.2 36.8 55.2



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.568 min Scan# 1935

Delta R.T. -0.006 min

Lab File: BM038671.D

Acq: 02 Feb 2023 19:56




Tgt Ion: 164 Resp: 172605


Ion Ratio Lower Upper

164 100

162 104.4 81.4 122.0

160 46.7 36.5 54.7









#42
2,4,6-Tribromophenol
Concen: 148.935 ng
RT: 16.062 min Scan# 2190
Delta R.T. -0.006 min
Lab File: BM038671.D
Acq: 02 Feb 2023 19:56




Instrument :
BNA_M
ClientSampleId :
STOCKPILE-2


Tgt Ion:330 Resp: 349414
Ion Ratio Lower Upper
330 100
332 97.9 77.8 116.6
141 37.3 31.0 46.6



#45
2-Fluorobiphenyl
Concen: 94.824 ng
RT: 13.192 min Scan# 1701
Delta R.T. -0.012 min
Lab File: BM038671.D
Acq: 02 Feb 2023 19:56

Tgt Ion:172 Resp: 1285608
Ion Ratio Lower Upper
172 100
171 35.9 28.7 43.1
170 24.5 20.0 30.0









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.309 min Scan# 2403
Delta R.T. -0.012 min
Lab File: BM038671.D
Acq: 02 Feb 2023 19:56




Instrument :
BNA_M
ClientSampleId :
STOCKPILE-2


Tgt Ion:188 Resp: 326727
Ion Ratio Lower Upper
188 100
94 4.8 4.2 6.4
80 5.3 4.6 7.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.486 min Scan# 3111
Delta R.T. -0.012 min
Lab File: BM038671.D
Acq: 02 Feb 2023 19:56

Tgt Ion:240 Resp: 278862
Ion Ratio Lower Upper
240 100
120 8.6 7.0 10.4
236 26.6 20.9 31.3









#79
 Terphenyl-d14
 Concen: 109.505 ng
 RT: 19.927 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BM038671.D
 Acq: 02 Feb 2023 19:56

Instrument :
 BNA_M
 ClientSampleId :
 STOCKPILE-2

Tgt Ion:244 Resp: 1730456
 Ion Ratio Lower Upper
 244 100
 212 7.8 6.6 9.8
 122 8.0 7.8 11.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.885 min Scan# 3519
 Delta R.T. -0.006 min
 Lab File: BM038671.D
 Acq: 02 Feb 2023 19:56

Tgt Ion:264 Resp: 390654
 Ion Ratio Lower Upper
 264 100
 260 23.9 19.6 29.4
 265 21.5 17.9 26.9

