

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM020223\
 Data File : BM038674.D
 Acq On : 02 Feb 2023 21:47
 Operator : CG/JU
 Sample : 01348-06
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 S-H5(30.5-32)

Quant Time: Feb 03 05:38:38 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM020123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 02 03:31:45 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.928	152	78578	20.000	ng	-0.01
21) Naphthalene-d8	10.739	136	247410	20.000	ng	-0.01
39) Acenaphthene-d10	14.568	164	170726	20.000	ng	0.00
64) Phenanthrene-d10	17.309	188	347520	20.000	ng	-0.01
76) Chrysene-d12	21.486	240	300441	20.000	ng	-0.01
86) Perylene-d12	23.885	264	390101	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.493	112	417683	104.126	ng	0.00
7) Phenol-d6	7.110	99	464316	101.490	ng	0.00
23) Nitrobenzene-d5	9.104	82	275583	63.268	ng	-0.01
42) 2,4,6-Tribromophenol	16.057	330	245244	105.684	ng	-0.01
45) 2-Fluorobiphenyl	13.192	172	872142	65.035	ng	-0.01
79) Terphenyl-d14	19.927	244	1157411	67.982	ng	0.00
Target Compounds						
84) Bis(2-ethylhexyl)phtha...	21.386	149	54256	4.633	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM020223\
Data File : BM038674.D
Acq On : 02 Feb 2023 21:47
Operator : CG/JU
Sample : 01348-06
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
S-H5(30.5-32)

Quant Time: Feb 03 05:38:38 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM020123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 02 03:31:45 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.928 min Scan# 806
Delta R.T. -0.012 min
Lab File: BM038674.D
Acq: 02 Feb 2023 21:47




Instrument :
BNA_M
ClientSampleId :
S-H5(30.5-32)


Tgt Ion:152 Resp: 78578
Ion Ratio Lower Upper
152 100
150 152.0 119.5 179.3
115 46.5 37.6 56.4



#5
2-Fluorophenol
Concen: 104.126 ng
RT: 5.493 min Scan# 392
Delta R.T. -0.000 min
Lab File: BM038674.D
Acq: 02 Feb 2023 21:47


Tgt Ion:112 Resp: 417683
Ion Ratio Lower Upper
112 100
64 44.1 37.9 56.9
63 28.1 23.3 34.9








#7
Phenol-d6
Concen: 101.490 ng
RT: 7.110 min Scan# 60
Delta R.T. -0.000 min
Lab File: BM038674.D
Acq: 02 Feb 2023 21:47

Instrument :
BNA_M
ClientSampleId :
S-H5(30.5-32)



Tgt Ion: 99 Resp: 464316




Ion	Ratio	Lower	Upper
99	100		
42	16.7	14.6	22.0
71	38.9	31.0	46.4




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.739 min Scan# 1284
Delta R.T. -0.012 min
Lab File: BM038674.D
Acq: 02 Feb 2023 21:47

Tgt Ion: 136 Resp: 247410

Ion	Ratio	Lower	Upper
136	100		
137	11.1	8.8	13.2
54	4.7	4.2	6.4
68	3.2	2.9	4.3









#23
Nitrobenzene-d5
Concen: 63.268 ng
RT: 9.104 min Scan# 1006
Delta R.T. -0.012 min
Lab File: BM038674.D
Acq: 02 Feb 2023 21:47




Instrument :
BNA_M
ClientSampleId :
S-H5(30.5-32)


Tgt Ion: 82 Resp: 275583
Ion Ratio Lower Upper
82 100
128 47.2 36.0 54.0
54 43.7 36.8 55.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.568 min Scan# 1935
Delta R.T. -0.006 min
Lab File: BM038674.D
Acq: 02 Feb 2023 21:47


Tgt Ion:164 Resp: 170726
Ion Ratio Lower Upper
164 100
162 104.0 81.4 122.0
160 45.8 36.5 54.7








#42
2,4,6-Tribromophenol
Concen: 105.684 ng
RT: 16.057 min Scan# 21
Delta R.T. -0.011 min
Lab File: BM038674.D
Acq: 02 Feb 2023 21:47

Instrument :
BNA_M
ClientSampleId :
S-H5(30.5-32)







Tgt Ion:330 Resp: 245244
Ion Ratio Lower Upper
330 100
332 97.2 77.8 116.6
141 36.7 31.0 46.6



#45
2-Fluorobiphenyl
Concen: 65.035 ng
RT: 13.192 min Scan# 1701
Delta R.T. -0.012 min
Lab File: BM038674.D
Acq: 02 Feb 2023 21:47

Tgt Ion:172 Resp: 872142
Ion Ratio Lower Upper
172 100
171 35.4 28.7 43.1
170 25.0 20.0 30.0









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.309 min Scan# 2401
Delta R.T. -0.012 min
Lab File: BM038674.D
Acq: 02 Feb 2023 21:47




Instrument :
BNA_M
ClientSampleId :
S-H5(30.5-32)


Tgt Ion:188 Resp: 347520
Ion Ratio Lower Upper
188 100
94 5.0 4.2 6.4
80 5.7 4.6 7.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.486 min Scan# 3111
Delta R.T. -0.012 min
Lab File: BM038674.D
Acq: 02 Feb 2023 21:47

Tgt Ion:240 Resp: 300441
Ion Ratio Lower Upper
240 100
120 9.2 7.0 10.4
236 27.2 20.9 31.3









#79
 Terphenyl-d14
 Concen: 67.982 ng
 RT: 19.927 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BM038674.D
 Acq: 02 Feb 2023 21:47




Instrument :
 BNA_M
 ClientSampleId :
 S-H5(30.5-32)


Tgt Ion:244 Resp: 1157411
 Ion Ratio Lower Upper
 244 100
 212 7.9 6.6 9.8
 122 9.0 7.8 11.8



#84
 Bis(2-ethylhexyl)phthalate
 Concen: 4.633 ng
 RT: 21.386 min Scan# 3094
 Delta R.T. -0.006 min
 Lab File: BM038674.D
 Acq: 02 Feb 2023 21:47

Tgt Ion:149 Resp: 54256
 Ion Ratio Lower Upper
 149 100
 167 26.9 20.8 31.2
 279 2.8 2.5 3.7





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.885 min Scan# 31
 Delta R.T. -0.006 min
 Lab File: BM038674.D
 Acq: 02 Feb 2023 21:47

Instrument :
 BNA_M
 ClientSampleId :
 S-H5(30.5-32)

Tgt Ion:264 Resp: 390101

Ion	Ratio	Lower	Upper
264	100		
260	24.5	19.6	29.4
265	22.8	17.9	26.9

