

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM021319\
 Data File : BM018808.D
 Acq On : 13 Feb 2019 18:58
 Operator : JU/SJ
 Sample : K1343-30
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 JC-02-021119-O

Quant Time: Feb 14 01:11:17 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM021119.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Feb 11 16:02:12 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.71	152	313755	20.00	ng	0.00
21) Naphthalene-d8	10.50	136	1235652	20.00	ng	0.00
39) Acenaphthene-d10	14.36	164	687514	20.00	ng	0.00
64) Phenanthrene-d10	17.11	188	1629310	20.00	ng	0.00
76) Chrysene-d12	21.30	240	1704765	20.00	ng	0.00
87) Perylene-d12	23.56	264	1565354	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.30	112	2604801	136.03	ng	0.00
7) Phenol-d6	6.89	99	3168292	117.45	ng	0.00
23) Nitrobenzene-d5	8.88	82	2620730	98.07	ng	0.00
42) 2,4,6-Tribromophenol	15.86	330	1509325	152.30	ng	0.00
45) 2-Fluorobiphenyl	12.97	172	5087488	98.23	ng	0.00
79) Terphenyl-d14	19.75	244	8896512	107.65	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM021319\
Data File : BM018808.D
Acq On : 13 Feb 2019 18:58
Operator : JU/SJ
Sample : K1343-30
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
JC-02-021119-O

Quant Time: Feb 14 01:11:17 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM021119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Feb 11 16:02:12 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.71 min Scan# 786
Delta R.T. -0.01 min
Lab File: BM018808.D
Acq: 13 Feb 2019 18:58

Instrument :
BNA_M
ClientSampleId :
JC-02-021119-O

Tot Ion	Ratio	Lower	Upper
152	100		
150	153.4	127.3	190.9
115	65.1	50.8	76.2






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 136.026 ng
RT: 5.30 min Scan# 377
Delta R.T. -0.00 min
Lab File: BM018808.D
Acq: 13 Feb 2019 18:58

Tgt Ion	Ratio	Lower	Upper
112	100		
64	65.8	50.6	75.8
63	34.1	25.7	38.5






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BM0

Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 117.446 ng

RT: 6.89 min Scan# 646

Delta R.T. -0.00 min

Lab File: BM018808.D

Acq: 13 Feb 2019 18:58

Instrument :


BNA_M

ClientSampleId :

JC-02-021119-O

Tot Ion: 99 Resp: 3168292




Ion	Ratio	Lower	Upper
99	100		
42	14.4	11.0	16.6
71	39.9	31.3	46.9



Abundance Ion 99.00 (98.70 to 99.70): BM018755.D (-637) (-)

Ion 42.00 (41.70 to 42.70): BM018755.D (-637) (-)

Ion 71.00 (70.70 to 71.70): BM018755.D (-637) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.50 min Scan# 1260


Delta R.T. -0.01 min

Lab File: BM018808.D

Acq: 13 Feb 2019 18:58

Tgt Ion: 136 Resp: 1235652

Ion	Ratio	Lower	Upper
136	100		
137	10.6	8.8	13.2
54	6.8	5.0	7.6
68	7.2	5.5	8.3






Abundance Ion 136.00 (135.70 to 136.70): BM018755.D (-1252) (-)

Ion 137.00 (136.70 to 137.70): BM018755.D (-1252) (-)

Ion 54.00 (53.70 to 54.70): BM018755.D (-1252) (-)

Ion 68.00 (67.70 to 68.70): BM018755.D (-1252) (-)





#23

Nitrobenzene-d5

Concen: 98.069 ng

RT: 8.88 min Scan# 985

Delta R.T. -0.01 min

Lab File: BM018808.D

Acq: 13 Feb 2019 18:58

Instrument :

BNA_M

ClientSampleId :

JC-02-021119-O


Tot Ion: 82 Resp: 2620730

Ion Ratio Lower Upper

82 100

128 36.4 29.9 44.9




54 37.2 29.1 43.7



Abundance Ion 82.00 (81.70 to 82.70): BM018755.D (-976) (-)

Ion 128.00 (127.70 to 128.70): BM018755.D (-976) (-)

Ion 54.00 (53.70 to 54.70): BM018755.D (-976) (-)



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.36 min Scan# 1916

Delta R.T. -0.01 min

Lab File: BM018808.D

Acq: 13 Feb 2019 18:58


Tgt Ion:164 Resp: 687514

Ion Ratio Lower Upper

164 100

162 103.3 83.4 125.0



160 45.4 36.6 55.0




Abundance Ion 164.00 (163.70 to 164.70): BM018755.D (-1910) (-)

Ion 162.00 (161.70 to 162.70): BM018755.D (-1910) (-)

Ion 160.00 (159.70 to 160.70): BM018755.D (-1910) (-)









#42
 2,4,6-Tribromophenol
 Concen: 152.298 ng
 RT: 15.86 min Scan# 2171
 Delta R.T. -0.01 min
 Lab File: BM018808.D
 Acq: 13 Feb 2019 18:58

Instrument :
 BNA_M
 ClientSampleId :
 JC-02-021119-O

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.4	76.9	115.3
141	37.2	28.7	43.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 98.231 ng
 RT: 12.97 min Scan# 1681
 Delta R.T. -0.01 min
 Lab File: BM018808.D
 Acq: 13 Feb 2019 18:58

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.3	29.0	43.6
170	23.9	18.6	28.0



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.11 min Scan# 2384
Delta R.T. -0.01 min
Lab File: BM018808.D
Acq: 13 Feb 2019 18:58




Instrument :
BNA_M
ClientSampleId :
JC-02-021119-O


Tot Ion:188 Resp: 1629310
Ion Ratio Lower Upper
188 100
94 10.0 8.2 12.2
80 12.2 9.7 14.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.30 min Scan# 3097
Delta R.T. -0.01 min
Lab File: BM018808.D
Acq: 13 Feb 2019 18:58

Tgt Ion:240 Resp: 1704765
Ion Ratio Lower Upper
240 100
120 11.4 8.9 13.3
236 26.6 20.9 31.3









#79
 Terphenyl-d14
 Concen: 107.655 ng
 RT: 19.75 min Scan# 2833
 Delta R.T. 0.01 min
 Lab File: BM018808.D
 Acq: 13 Feb 2019 18:58

Instrument :
 BNA_M
 ClientSampleId :
 JC-02-021119-O

Tot Ion:244 Resp: 8896512
 Ion Ratio Lower Upper
 244 100
 212 7.1 5.6 8.4
 122 10.3 9.3 13.9




Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E



#87
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.56 min Scan# 3481
 Delta R.T. -0.01 min
 Lab File: BM018808.D
 Acq: 13 Feb 2019 18:58

Tgt Ion:264 Resp: 1565354
 Ion Ratio Lower Upper
 264 100
 260 24.1 18.9 28.3
 265 21.9 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

