

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM021519\
 Data File : BM018829.D
 Acq On : 15 Feb 2019 22:31
 Operator : JU/SJ
 Sample : K1490-04
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 TP-1-214

Quant Time: Feb 15 23:30:16 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM021119.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Feb 11 16:02:12 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.70	152	327608	20.00	ng	-0.01
21) Naphthalene-d8	10.49	136	1312529	20.00	ng	-0.01
39) Acenaphthene-d10	14.36	164	736374	20.00	ng	0.00
64) Phenanthrene-d10	17.11	188	1715989	20.00	ng	0.00
76) Chrysene-d12	21.30	240	1666268	20.00	ng	0.00
87) Perylene-d12	23.56	264	1389869	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.30	112	2496765	124.87	ng	0.00
7) Phenol-d6	6.89	99	3110998	110.45	ng	0.00
23) Nitrobenzene-d5	8.87	82	2506569	88.30	ng	-0.01
42) 2,4,6-Tribromophenol	15.86	330	1440447	135.70	ng	0.00
45) 2-Fluorobiphenyl	12.97	172	4660132	84.01	ng	0.00
79) Terphenyl-d14	19.74	244	8216957	101.73	ng	0.00
Target Compounds						
9) Benzaldehyde	6.89	77	6313	Below Cal	Qvalue #	7


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM021519\
Data File : BM018829.D
Acq On : 15 Feb 2019 22:31
Operator : JU/SJ
Sample : K1490-04
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
TP-1-214

Quant Time: Feb 15 23:30:16 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM021119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Feb 11 16:02:12 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.70 min Scan# 785
Delta R.T. -0.01 min
Lab File: BM018829.D
Acq: 15 Feb 2019 22:31

Instrument :
BNA_M
ClientSampleId :
TP-1-214

Tgt Ion:152 Resp: 327608
Ion Ratio Lower Upper
152 100
150 155.4 127.3 190.9
115 63.6 50.8 76.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 124.871 ng
RT: 5.30 min Scan# 377
Delta R.T. -0.00 min
Lab File: BM018829.D
Acq: 15 Feb 2019 22:31

Tgt Ion:112 Resp: 2496765
Ion Ratio Lower Upper
112 100
64 63.4 50.6 75.8
63 32.7 25.7 38.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 110.446 ng

RT: 6.89 min Scan# 646

Delta R.T. -0.00 min

Lab File: BM018829.D

Acq: 15 Feb 2019 22:31

Instrument :

BNA_M

ClientSampleId :

TP-1-214


Tgt Ion: 99 Resp: 3110998

Ion Ratio Lower Upper

99 100

42 14.1 11.0 16.6




71 39.0 31.3 46.9



Abundance Ion 99.00 (98.70 to 99.70): BM018829.D (-629) (-)

Ion 42.00 (41.70 to 42.70): BM018829.D (-629) (-)

Ion 71.00 (70.70 to 71.70): BM018829.D (-629) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.49 min Scan# 1259

Delta R.T. -0.01 min

Lab File: BM018829.D

Acq: 15 Feb 2019 22:31

Tgt Ion: 136 Resp: 1312529


Ion Ratio Lower Upper

136 100

137 11.1 8.8 13.2

54 6.9 5.0 7.6

68 7.1 5.5 8.3






Abundance Ion 136.00 (135.70 to 136.70): BM018829.D (-1244) (-)

Ion 137.00 (136.70 to 137.70): BM018829.D (-1244) (-)

Ion 54.00 (53.70 to 54.70): BM018829.D (-1244) (-)

Ion 68.00 (67.70 to 68.70): BM018829.D (-1244) (-)









#23
 Nitrobenzene-d5
 Concen: 88.303 ng
 RT: 8.87 min Scan# 984
 Delta R.T. -0.01 min
 Lab File: BM018829.D
 Acq: 15 Feb 2019 22:31




Instrument :
 BNA_M
 ClientSampleId :
 TP-1-214

Tgt Ion: 82 Resp: 2506569
 Ion Ratio Lower Upper
 82 100
 128 35.6 29.9 44.9
 54 37.3 29.1 43.7



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.36 min Scan# 1916
 Delta R.T. -0.01 min
 Lab File: BM018829.D
 Acq: 15 Feb 2019 22:31

Tgt Ion: 164 Resp: 736374
 Ion Ratio Lower Upper
 164 100
 162 102.8 83.4 125.0
 160 46.0 36.6 55.0





#42

2,4,6-Tribromophenol

Concen: 135.704 ng

RT: 15.86 min Scan# 2171

Delta R.T. -0.01 min

Lab File: BM018829.D

Acq: 15 Feb 2019 22:31

Instrument :

BNA_M

ClientSampleId :

TP-1-214


Tgt Ion:330 Resp: 1440447

Ion Ratio Lower Upper

330 100

332 96.4 76.9 115.3




141 37.0 28.7 43.1



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 84.009 ng

RT: 12.97 min Scan# 1681

Delta R.T. -0.01 min

Lab File: BM018829.D

Acq: 15 Feb 2019 22:31


Tgt Ion:172 Resp: 4660132

Ion Ratio Lower Upper

172 100

171 36.2 29.0 43.6



170 23.6 18.6 28.0



Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.11 min Scan# 2384

Delta R.T. -0.01 min

Lab File: BM018829.D

Acq: 15 Feb 2019 22:31

Instrument :

BNA_M

ClientSampleId :

TP-1-214


Tgt Ion:188 Resp: 1715989

Ion Ratio Lower Upper

188 100

94 9.7 8.2 12.2




80 12.0 9.7 14.5



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM

Ion 80.00 (79.70 to 80.70): BM



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.30 min Scan# 3097

Delta R.T. -0.01 min

Lab File: BM018829.D

Acq: 15 Feb 2019 22:31


Tgt Ion:240 Resp: 1666268

Ion Ratio Lower Upper

240 100

120 10.9 8.9 13.3



236 26.2 20.9 31.3




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#79
 Terphenyl-d14
 Concen: 101.729 ng
 RT: 19.74 min Scan# 2832
 Delta R.T. -0.00 min
 Lab File: BM018829.D
 Acq: 15 Feb 2019 22:31

Instrument :
 BNA_M
 ClientSampleId :
 TP-1-214

Tgt Ion:244 Resp: 8216957
 Ion Ratio Lower Upper
 244 100
 212 7.1 5.6 8.4
 122 10.9 9.3 13.9



#87
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.56 min Scan# 3480
 Delta R.T. -0.01 min
 Lab File: BM018829.D
 Acq: 15 Feb 2019 22:31

Tgt Ion:264 Resp: 1389869
 Ion Ratio Lower Upper
 264 100
 260 23.8 18.9 28.3
 265 22.1 17.3 25.9

