

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM021519\
 Data File : BM018831.D
 Acq On : 15 Feb 2019 23:43
 Operator : JU/SJ
 Sample : K1501-03
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 CH-021419

Quant Time: Feb 16 01:41:52 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM021119.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Feb 11 16:02:12 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.70	152	298613	20.00	ng	-0.01
21) Naphthalene-d8	10.49	136	1189477	20.00	ng	-0.01
39) Acenaphthene-d10	14.36	164	655102	20.00	ng	0.00
64) Phenanthrene-d10	17.11	188	1527960	20.00	ng	0.00
76) Chrysene-d12	21.30	240	1533403	20.00	ng	-0.01
87) Perylene-d12	23.56	264	1301483	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.30	112	2253249	123.63	ng	0.00
7) Phenol-d6	6.89	99	2822992	109.95	ng	0.00
23) Nitrobenzene-d5	8.87	82	2225473	86.51	ng	-0.01
42) 2,4,6-Tribromophenol	15.86	330	1252394	132.63	ng	0.00
45) 2-Fluorobiphenyl	12.97	172	4174663	84.59	ng	0.00
79) Terphenyl-d14	19.74	244	7355491	98.95	ng	0.00
Target Compounds						
9) Benzaldehyde	6.88	77	6578	Below Cal	Qvalue #	12


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM021519\
Data File : BM018831.D
Acq On : 15 Feb 2019 23:43
Operator : JU/SJ
Sample : K1501-03
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
CH-021419

Quant Time: Feb 16 01:41:52 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM021119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Feb 11 16:02:12 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.70 min Scan# 785
Delta R.T. -0.01 min
Lab File: BM018831.D
Acq: 15 Feb 2019 23:43

Instrument :
BNA_M
ClientSampleId :
CH-021419

Tgt Ion	Ratio	Lower	Upper
152	100		
150	156.4	127.3	190.9
115	65.3	50.8	76.2






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 123.635 ng
RT: 5.30 min Scan# 376
Delta R.T. -0.01 min
Lab File: BM018831.D
Acq: 15 Feb 2019 23:43

Tgt Ion	Ratio	Lower	Upper
112	100		
64	65.5	50.6	75.8
63	33.9	25.7	38.5






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BM0

Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 109.953 ng

RT: 6.89 min Scan# 646

Delta R.T. -0.00 min

Lab File: BM018831.D

Acq: 15 Feb 2019 23:43

Instrument :


BNA_M

ClientSampleId :

CH-021419

Tgt Ion: 99 Resp: 2822992

Ion	Ratio	Lower	Upper
99	100		
42	14.3	11.0	16.6
71	39.6	31.3	46.9






Abundance

Ion 99.00 (98.70 to 99.70): BM018755.D (-637) (-)

Ion 42.00 (41.70 to 42.70): BM018755.D (-637) (-)

Ion 71.00 (70.70 to 71.70): BM018755.D (-637) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.49 min Scan# 1259



Delta R.T. -0.01 min

Lab File: BM018831.D

Acq: 15 Feb 2019 23:43

Tgt Ion: 136 Resp: 1189477

Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.8	13.2
54	6.9	5.0	7.6
68	7.4	5.5	8.3




Abundance


Ion 136.00 (135.70 to 136.70): BM018755.D (-1252) (-)

Ion 137.00 (136.70 to 137.70): BM018755.D (-1252) (-)

Ion 54.00 (53.70 to 54.70): BM018755.D (-1252) (-)

Ion 68.00 (67.70 to 68.70): BM018755.D (-1252) (-)





#23

Nitrobenzene-d5

Concen: 86.511 ng

RT: 8.87 min Scan# 984

Delta R.T. -0.01 min

Lab File: BM018831.D

Acq: 15 Feb 2019 23:43

Instrument :

BNA_M

ClientSampled :

CH-021419


Tgt Ion: 82 Resp: 2225473

Ion Ratio Lower Upper

82 100

128 36.3 29.9 44.9




54 37.5 29.1 43.7



Abundance Ion 82.00 (81.70 to 82.70): BM018831.D (-969) (-)

Ion 128.00 (127.70 to 128.70): BM018831.D (-969) (-)

Ion 54.00 (53.70 to 54.70): BM018831.D (-969) (-)



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.36 min Scan# 1916

Delta R.T. -0.01 min

Lab File: BM018831.D

Acq: 15 Feb 2019 23:43


Tgt Ion: 164 Resp: 655102

Ion Ratio Lower Upper

164 100

162 104.1 83.4 125.0



160 46.6 36.6 55.0




Abundance Ion 164.00 (163.70 to 164.70): BM018831.D (-1900) (-)

Ion 162.00 (161.70 to 162.70): BM018831.D (-1900) (-)

Ion 160.00 (159.70 to 160.70): BM018831.D (-1900) (-)









#42
 2,4,6-Tribromophenol
 Concen: 132.625 ng
 RT: 15.86 min Scan# 2171
 Delta R.T. -0.01 min
 Lab File: BM018831.D
 Acq: 15 Feb 2019 23:43

Instrument :
 BNA_M
 ClientSampleId :
 CH-021419

Tgt Ion:330 Resp: 1252394
 Ion Ratio Lower Upper
 330 100
 332 96.6 76.9 115.3
 141 36.8 28.7 43.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 84.594 ng
 RT: 12.97 min Scan# 1681
 Delta R.T. -0.01 min
 Lab File: BM018831.D
 Acq: 15 Feb 2019 23:43

Tgt Ion:172 Resp: 4174663
 Ion Ratio Lower Upper
 172 100
 171 36.0 29.0 43.6
 170 23.8 18.6 28.0



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.11 min Scan# 2384

Delta R.T. -0.01 min

Lab File: BM018831.D

Acq: 15 Feb 2019 23:43

Instrument :

BNA_M

ClientSampled :

CH-021419


Tgt Ion:188 Resp: 1527960

Ion Ratio Lower Upper

188 100

94 9.5 8.2 12.2




80 12.2 9.7 14.5



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM

Ion 80.00 (79.70 to 80.70): BM



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.30 min Scan# 3096

Delta R.T. -0.01 min

Lab File: BM018831.D

Acq: 15 Feb 2019 23:43


Tgt Ion:240 Resp: 1533403

Ion Ratio Lower Upper

240 100

120 12.0 8.9 13.3



236 26.4 20.9 31.3




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 98.954 ng

RT: 19.74 min Scan# 2832

Delta R.T. -0.00 min

Lab File: BM018831.D

Acq: 15 Feb 2019 23:43

Instrument :

BNA_M

ClientSampleId :

CH-021419


Tgt Ion:244 Resp: 7355491

Ion Ratio Lower Upper




244 100

212 7.2 5.6 8.4

122 11.0 9.3 13.9



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.56 min Scan# 3480

Delta R.T. -0.01 min

Lab File: BM018831.D

Acq: 15 Feb 2019 23:43


Tgt Ion:264 Resp: 1301483

Ion Ratio Lower Upper

264 100

260 24.3 18.9 28.3

265 21.7 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

