

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM021919\
 Data File : BM018871.D
 Acq On : 20 Feb 2019 01:48
 Operator : JU/SJ
 Sample : K1518-18
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 CABLE-BRIDGE-FOUNDATION-B-10

Quant Time: Feb 20 04:50:38 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM021119.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Feb 11 16:02:12 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.70	152	214635	20.00	ng	-0.01
21) Naphthalene-d8	10.49	136	843595	20.00	ng	-0.01
39) Acenaphthene-d10	14.35	164	474833	20.00	ng	-0.01
64) Phenanthrene-d10	17.10	188	1189205	20.00	ng	-0.01
76) Chrysene-d12	21.29	240	1308405	20.00	ng	-0.02
87) Perylene-d12	23.54	264	1163346	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.30	112	1693816	129.30	ng	0.00
7) Phenol-d6	6.87	99	2013724	109.12	ng	-0.01
23) Nitrobenzene-d5	8.87	82	1736130	95.16	ng	-0.02
42) 2,4,6-Tribromophenol	15.85	330	1013298	148.04	ng	-0.01
45) 2-Fluorobiphenyl	12.97	172	3357648	93.87	ng	-0.01
79) Terphenyl-d14	19.74	244	6646080	104.79	ng	0.00
Target Compounds						
9) Benzaldehyde	6.88	77	6339	Below Cal	Qvalue #	25

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM021919\
Data File : BM018871.D
Acq On : 20 Feb 2019 01:48
Operator : JU/SJ
Sample : K1518-18
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
CABLE-BRIDGE-FOUNDATION-B-10

Quant Time: Feb 20 04:50:38 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM021119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Feb 11 16:02:12 2019
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.70 min Scan# 785
Delta R.T. -0.01 min
Lab File: BM018871.D
Acq: 20 Feb 2019 01:48

Instrument :
BNA_M
ClientSampleId :
CABLE-BRIDGE-FOUNDATION-B-10




Tgt Ion:152 Resp: 214635
Ion Ratio Lower Upper
152 100
150 151.6 127.3 190.9
115 60.9 50.8 76.2




#5

2-Fluorophenol
Concen: 129.302 ng
RT: 5.30 min Scan# 376
Delta R.T. -0.01 min
Lab File: BM018871.D
Acq: 20 Feb 2019 01:48

Tgt Ion:112 Resp: 1693816
Ion Ratio Lower Upper
112 100
64 62.4 50.6 75.8
63 32.9 25.7 38.5





#7

Phenol-d6

Concen: 109.120 ng

RT: 6.87 min Scan# 644

Delta R.T. -0.01 min

Lab File: BM018871.D

Acq: 20 Feb 2019 01:48

Instrument :


BNA_M

ClientSampleId :

CABLE-BRIDGE-FOUNDATION-B-10

Tgt Ion: 99 Resp: 2013724

Ion	Ratio	Lower	Upper
99	100		
42	14.6	11.0	16.6
71	40.0	31.3	46.9






Abundance

Ion 99.00 (98.70 to 99.70): BM018871.D (-629) (-)

Ion 42.00 (41.70 to 42.70): BM018871.D (-629) (-)

Ion 71.00 (70.70 to 71.70): BM018871.D (-629) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.49 min Scan# 1259


Delta R.T. -0.01 min

Lab File: BM018871.D

Acq: 20 Feb 2019 01:48

Tgt Ion: 136 Resp: 843595

Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.8	13.2
54	6.7	5.0	7.6
68	7.5	5.5	8.3





Abundance

Ion 136.00 (135.70 to 136.70): BM018871.D (-1244) (-)

Ion 137.00 (136.70 to 137.70): BM018871.D (-1244) (-)

Ion 54.00 (53.70 to 54.70): BM018871.D (-1244) (-)

Ion 68.00 (67.70 to 68.70): BM018871.D (-1244) (-)





#23

Nitrobenzene-d5

Concen: 95.160 ng

RT: 8.87 min Scan# 983

Delta R.T. -0.02 min

Lab File: BM018871.D

Acq: 20 Feb 2019 01:48

Instrument :

BNA_M

ClientSampleId :

CABLE-BRIDGE-FOUNDATION-B-10


Tgt Ion: 82 Resp: 1736130

Ion Ratio Lower Upper

82 100

128 35.8 29.9 44.9




54 37.4 29.1 43.7



Abundance Ion 82.00 (81.70 to 82.70): BM018871.D (-969) (-)

Ion 128.00 (127.70 to 128.70): BM018871.D (-969) (-)

Ion 54.00 (53.70 to 54.70): BM018871.D (-969) (-)



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.35 min Scan# 1915

Delta R.T. -0.01 min

Lab File: BM018871.D

Acq: 20 Feb 2019 01:48


Tgt Ion: 164 Resp: 474833

Ion Ratio Lower Upper

164 100

162 105.6 83.4 125.0



160 47.0 36.6 55.0



Abundance Ion 164.00 (163.70 to 164.70): BM018871.D (-1900) (-)

Ion 162.00 (161.70 to 162.70): BM018871.D (-1900) (-)

Ion 160.00 (159.70 to 160.70): BM018871.D (-1900) (-)









#42
 2,4,6-Tribromophenol
 Concen: 148.044 ng
 RT: 15.85 min Scan# 2170
 Delta R.T. -0.01 min
 Lab File: BM018871.D
 Acq: 20 Feb 2019 01:48

Instrument :
 BNA_M
 ClientSampleId :
 CABLE-BRIDGE-FOUNDATION-B-10

Tgt Ion:330 Resp: 1013298
 Ion Ratio Lower Upper
 330 100
 332 96.5 76.9 115.3
 141 38.0 28.7 43.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#45
 2-Fluorobiphenyl
 Concen: 93.869 ng
 RT: 12.97 min Scan# 1680
 Delta R.T. -0.01 min
 Lab File: BM018871.D
 Acq: 20 Feb 2019 01:48

Tgt Ion:172 Resp: 3357648
 Ion Ratio Lower Upper
 172 100
 171 35.3 29.0 43.6
 170 23.7 18.6 28.0



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.10 min Scan# 2383

Delta R.T. -0.01 min

Lab File: BM018871.D

Acq: 20 Feb 2019 01:48

Instrument :

BNA_M

ClientSampleId :

CABLE-BRIDGE-FOUNDATION-B-10


Tgt Ion:188 Resp: 1189205

Ion Ratio Lower Upper

188 100

94 10.4 8.2 12.2




80 12.4 9.7 14.5



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM

Ion 80.00 (79.70 to 80.70): BM



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.29 min Scan# 3095

Delta R.T. -0.02 min

Lab File: BM018871.D

Acq: 20 Feb 2019 01:48


Tgt Ion:240 Resp: 1308405

Ion Ratio Lower Upper

240 100

120 11.8 8.9 13.3



236 26.3 20.9 31.3




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 104.785 ng

RT: 19.74 min Scan# 2831

Delta R.T. -0.01 min

Lab File: BM018871.D

Acq: 20 Feb 2019 01:48

Instrument :

BNA_M

ClientSampleId :

CABLE-BRIDGE-FOUNDATION-B-10


Tgt Ion:244 Resp: 6646080

Ion Ratio Lower Upper

244 100

212 7.0 5.6 8.4




122 10.4 9.3 13.9



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.54 min Scan# 3478

Delta R.T. -0.02 min

Lab File: BM018871.D

Acq: 20 Feb 2019 01:48


Tgt Ion:264 Resp: 1163346

Ion Ratio Lower Upper

264 100

260 23.3 18.9 28.3

265 22.0 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

