

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM022023\
 Data File : BM038787.D
 Acq On : 20 Feb 2023 15:04
 Operator : CG/JU
 Sample : PB150932BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB150932BL

Quant Time: Feb 21 02:07:37 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM020123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Feb 21 02:04:34 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.881	152	66914	20.000	ng	0.00
21) Naphthalene-d8	10.692	136	248793	20.000	ng	0.00
39) Acenaphthene-d10	14.533	164	151016	20.000	ng	0.00
64) Phenanthrene-d10	17.286	188	267424	20.000	ng	# 0.00
76) Chrysene-d12	21.468	240	191217	20.000	ng	0.00
86) Perylene-d12	23.845	264	226312	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.434	112	531256	155.525	ng	0.00
7) Phenol-d6	7.063	99	617280	158.443	ng	0.00
23) Nitrobenzene-d5	9.057	82	354147	80.853	ng	0.00
42) 2,4,6-Tribromophenol	16.033	330	263584	128.412	ng	0.00
45) 2-Fluorobiphenyl	13.157	172	1002163	84.485	ng	0.00
79) Terphenyl-d14	19.909	244	1230196	113.530	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM022023\
Data File : BM038787.D
Acq On : 20 Feb 2023 15:04
Operator : CG/JU
Sample : PB150932BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB150932BL

Quant Time: Feb 21 02:07:37 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM020123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Feb 21 02:04:34 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.881 min Scan# 79
Delta R.T. -0.000 min
Lab File: BM038787.D
Acq: 20 Feb 2023 15:04




Instrument :
BNA_M
ClientSampleId :
PB150932BL


Tgt Ion:152 Resp: 66914
Ion Ratio Lower Upper
152 100
150 153.4 119.5 179.3
115 49.8 37.6 56.4



#5
2-Fluorophenol
Concen: 155.525 ng
RT: 5.434 min Scan# 382
Delta R.T. 0.000 min
Lab File: BM038787.D
Acq: 20 Feb 2023 15:04

Tgt Ion:112 Resp: 531256
Ion Ratio Lower Upper
112 100
64 42.4 37.9 56.9
63 26.4 23.3 34.9









#7
Phenol-d6
Concen: 158.443 ng
RT: 7.063 min Scan# 61
Delta R.T. 0.006 min
Lab File: BM038787.D
Acq: 20 Feb 2023 15:04




Instrument :
BNA_M
ClientSampleId :
PB150932BL


Tgt Ion: 99 Resp: 617280
Ion Ratio Lower Upper
99 100
42 14.7 14.6 22.0
71 35.2 31.0 46.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.692 min Scan# 1276
Delta R.T. 0.000 min
Lab File: BM038787.D
Acq: 20 Feb 2023 15:04

Tgt Ion: 136 Resp: 248793
Ion Ratio Lower Upper
136 100
137 11.8 8.8 13.2
54 4.6 4.2 6.4
68 3.6 2.9 4.3





#23

Nitrobenzene-d5

Concen: 80.853 ng

RT: 9.057 min Scan# 998

Delta R.T. 0.000 min

Lab File: BM038787.D

Acq: 20 Feb 2023 15:04

Instrument :

BNA_M

ClientSampleId :

PB150932BL





Tgt Ion: 82 Resp: 354147

Ion Ratio Lower Upper

82 100

128 49.0 36.0 54.0

54 41.1 36.8 55.2



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.533 min Scan# 1929

Delta R.T. -0.006 min

Lab File: BM038787.D

Acq: 20 Feb 2023 15:04




Tgt Ion: 164 Resp: 151016


Ion Ratio Lower Upper

164 100

162 101.7 81.4 122.0


160 47.2 36.5 54.7








#42
2,4,6-Tribromophenol
Concen: 128.412 ng
RT: 16.033 min Scan# 21
Delta R.T. 0.000 min
Lab File: BM038787.D
Acq: 20 Feb 2023 15:04

Instrument :
BNA_M
ClientSampleId :
PB150932BL







Tgt Ion:330 Resp: 263584
Ion Ratio Lower Upper
330 100
332 96.9 77.8 116.6
141 43.4 31.0 46.6



#45
2-Fluorobiphenyl
Concen: 84.485 ng
RT: 13.157 min Scan# 1695
Delta R.T. 0.000 min
Lab File: BM038787.D
Acq: 20 Feb 2023 15:04

Tgt Ion:172 Resp: 1002163
Ion Ratio Lower Upper
172 100
171 35.5 28.7 43.1
170 24.8 20.0 30.0





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.286 min Scan# 2397

Delta R.T. 0.000 min

Lab File: BM038787.D

Acq: 20 Feb 2023 15:04

Instrument :

BNA_M

ClientSampleId :

PB150932BL





Tgt Ion:188 Resp: 267424

Ion Ratio Lower Upper

188 100

94 6.8 4.2 6.4#

80 7.1 4.6 7.0#



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.468 min Scan# 3108

Delta R.T. 0.000 min

Lab File: BM038787.D

Acq: 20 Feb 2023 15:04




Tgt Ion:240 Resp: 191217


Ion Ratio Lower Upper

240 100

120 8.9 7.0 10.4

236 26.3 20.9 31.3









#79
 Terphenyl-d14
 Concen: 113.530 ng
 RT: 19.909 min Scan# 2843
 Delta R.T. 0.000 min
 Lab File: BM038787.D
 Acq: 20 Feb 2023 15:04

Instrument :
 BNA_M
 ClientSampleId :
 PB150932BL

Tgt Ion:244 Resp: 1230196
 Ion Ratio Lower Upper
 244 100
 212 7.7 6.6 9.8
 122 6.8 7.8 11.8#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.845 min Scan# 3512
 Delta R.T. -0.006 min
 Lab File: BM038787.D
 Acq: 20 Feb 2023 15:04

Tgt Ion:264 Resp: 226312
 Ion Ratio Lower Upper
 264 100
 260 23.5 19.6 29.4
 265 22.2 17.9 26.9

