

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM022520\
 Data File : BM025044.D
 Acq On : 25 Feb 2020 15:14
 Operator : CG/JU
 Sample : L1486-10
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 DBCW0

Manual Integrations
 APPROVED

mohammad
 2/26/2020 6:48:40 AM

Quant Time: Feb 25 15:54:35 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\SOM-EPA-SIM-BM022420.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Feb 25 11:03:43 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.70	152	2861	0.40	ng/ul	0.00
2) Naphthalene-d8	10.47	136	11763	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.32	164	7729	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.07	188	17319m	0.40	ng/ul	0.00
16) Chrysene-d12	21.25	240	18324	0.40	ng/ul	0.00
20) Perylene-d12	23.45	264	20909	0.40	ng/ul	0.00
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.06	152	5570	0.25	ng/ul	0.00
14) Fluoranthene-d10	19.09	212	15495	0.26	ng/ul	0.00
Target Compounds				Ovalue		
3) Naphthalene	10.52	128	32860	0.918	ng/ul#	83
7) Acenaphthylene	14.04	152	2702	0.061	ng/ul#	77
8) Acenaphthene	14.39	153	520498	17.384	ng/ul	97
9) Fluorene	15.38	166	591817	15.752	ng/ul#	95
12) Phenanthrene	17.11	178	32968	0.541	ng/ul	96
13) Anthracene	17.20	178	2382	0.040	ng/ul#	86
15) Fluoranthene	19.13	202	2102	0.024	ng/ul	85

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM022520\
Data File : BM025044.D
Acq On : 25 Feb 2020 15:14
Operator : CG/JU
Sample : L1486-10
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DBCW0

Quant Time: Feb 25 15:54:35 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\SOM-EPA-SIM-BM022420.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Feb 25 11:03:43 2020
Response via : Initial Calibration

Manual Integrations
APPROVED

mohammad
2/26/2020 6:48:40 AM

