

Quantitation Report (QT Reviewed)


Data Path : Z:\svoasrv\HPCHEM1\BNA M\Data\BM022520\
 Data File : BM025088.D
 Acq On : 26 Feb 2020 21:05
 Operator : CG/JU
 Sample : L1506-08
 Misc :
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 DBCY6

Manual Integrations
 APPROVED

mohammad
 2/27/2020 5:01:07 PM

Quant Time: Feb 27 05:36:43 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\SOM-EPA-SIM-BM022420.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 27 05:28:30 2020
 Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\svoasrv\HPCHEM1\BNA M\Data\BM022520\
 Data File : BM025088.D
 Acq On : 26 Feb 2020 21:05
 Operator : CG/JU
 Sample : L1506-08
 Misc :
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 DBCY6

Manual Integrations
 APPROVED

mohammad
 2/27/2020 5:01:07 PM

Quant Time: Feb 27 05:35:35 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\SOM-EPA-SIM-BM022420.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 27 05:28:30 2020
 Response via : Initial Calibration



TIC: BM025088.D

(10) Phenanthrene-d10 (I)

17.068min (-17.068) 0.00ng/ul

response 0

Ion	Exp%	Act%
188.00	100	0.00
94.00	26.60	0.00#
80.00	22.60	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\svoasrv\HPCHEM1\BNA M\Data\BM022520\
Data File : BM025088.D
Acq On : 26 Feb 2020 21:05
Operator : CG/JU
Sample : L1506-08
Misc :
ALS Vial : 52 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DBCY6

Manual Integrations
APPROVED

mohammad
2/27/2020 5:01:07 PM

Quant Time: Feb 27 05:35:35 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\SOM-EPA-SIM-BM022420.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 27 05:28:30 2020
Response via : Initial Calibration



TIC: BM025088.D

(10) Phenanthrene-d10 (I)

17.060min (-0.008) 0.40ng/ul m

JU 03/02/20

response 15752

Ion	Exp%	Act%
188.00	100	100
94.00	26.60	8.89#
80.00	22.60	10.51#
0.00	0.00	0.00

Quantitation Report (QT Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA M\Data\BM022520\
Data File : BM025088.D
Acq On : 26 Feb 2020 21:05
Operator : CG/JU
Sample : L1506-08
Misc :
ALS Vial : 52 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DBCY6

Manual Integrations
APPROVED

mohammad
2/27/2020 5:01:07 PM

Quant Time: Feb 27 05:36:43 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\SOM-EPA-SIM-BM022420.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 27 05:28:30 2020
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.69	152	2782	0.40	ng/ul	0.00
2) Naphthalene-d8	10.46	136	10851	0.40	ng/ul	-0.01
6) Acenaphthene-d10	14.32	164	7037	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.06	188	15752m >	0.40	ng/ul >	0.00
16) Chrysene-d12	21.24	240	16544	0.40	ng/ul	-0.01
20) Perylene-d12	23.44	264	19896	0.40	ng/ul	-0.01

34 03/02/20

System Monitoring Compounds

4) 2-Methylnaphthalene-d10	12.05	152	5906	0.29	ng/ul	-0.01
14) Fluoranthene-d10	19.09	212	15637	0.29	ng/ul	0.00

Target Compounds Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed