

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM022720\
 Data File : BM025115.D
 Acq On : 27 Feb 2020 22:15
 Operator : CG/JU
 Sample : L1582-06
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 DBDJ8

Manual Integrations
 APPROVED

mohammad
 2/28/2020 2:40:49 PM

Quant Time: Feb 28 05:42:31 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\SOM-EPA-SIM-BM022420.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Feb 25 11:03:43 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.69	152	3192	0.40	ng/ul	-0.01
2) Naphthalene-d8	10.46	136	12641	0.40	ng/ul	-0.02
6) Acenaphthene-d10	14.32	164	8187	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.06	188	18313m	0.40	ng/ul	-0.01
16) Chrysene-d12	21.24	240	19626	0.40	ng/ul	-0.01
20) Perylene-d12	23.44	264	22628	0.40	ng/ul	-0.02
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.05	152	6495	0.27	ng/ul	-0.01
14) Fluoranthene-d10	19.09	212	19569	0.31	ng/ul	0.00
Target Compounds						
3) Naphthalene	10.51	128	27642	0.718	ng/ul#	83
5) 2-Methylnaphthalene	12.13	142	2060	0.074	ng/ul	98
8) Acenaphthene	14.38	153	1754	0.055	ng/ul	96
9) Fluorene	15.37	166	3868	0.097	ng/ul	97
12) Phenanthrene	17.10	178	3029	0.047	ng/ul	97
15) Fluoranthene	19.12	202	2590	0.028	ng/ul	94
17) Pyrene	19.48	202	2110	0.024	ng/ul#	88

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM022720\
Data File : BM025115.D
Acq On : 27 Feb 2020 22:15
Operator : CG/JU
Sample : L1582-06
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DBDJ8

Manual Integrations
APPROVED

mohammad
2/28/2020 2:40:49 PM

Quant Time: Feb 28 05:42:31 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\SOM-EPA-SIM-BM022420.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Feb 25 11:03:43 2020
Response via : Initial Calibration

