

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM022820\
 Data File : BM025129.D
 Acq On : 28 Feb 2020 11:11
 Operator : CG/JU
 Sample : L1582-08
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 DBDK0

Manual Integrations
 APPROVED

Sohil
 3/3/2020 8:38:30 AM

Quant Time: Feb 28 12:40:46 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\SOM-EPA-SIM-BM022420.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Feb 25 11:03:43 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.69	152	2027	0.40	ng/ul	-0.01
2) Naphthalene-d8	10.46	136	7909	0.40	ng/ul	-0.02
6) Acenaphthene-d10	14.32	164	5316	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.06	188	12618m	0.40	ng/ul	-0.01
16) Chrysene-d12	21.24	240	13207	0.40	ng/ul	0.00
20) Perylene-d12	23.44	264	14947	0.40	ng/ul	-0.01
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.05	152	4751	0.32	ng/ul	-0.01
14) Fluoranthene-d10	19.09	212	15546	0.36	ng/ul	0.00
Target Compounds				Ovalue		
3) Naphthalene	10.51	128	3410	0.142	ng/ul#	87
5) 2-Methylnaphthalene	12.13	142	368	0.021	ng/ul	96
12) Phenanthrene	17.09	178	1178	0.027	ng/ul#	86

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM022820\
Data File : BM025129.D
Acq On : 28 Feb 2020 11:11
Operator : CG/JU
Sample : L1582-08
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DBDK0

Manual Integrations
APPROVED

Sohil
3/3/2020 8:38:30 AM

Quant Time: Feb 28 12:40:46 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\SOM-EPA-SIM-BM022420.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Feb 25 11:03:43 2020
Response via : Initial Calibration

