

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM030119\
 Data File : BM018991.D
 Acq On : 01 Mar 2019 17:44
 Operator : JU/SJ
 Sample : K1655-10
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 A0C12-2-1.5-2.0

Quant Time: Mar 02 01:57:43 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM021119.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Feb 11 16:02:12 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.68	152	228125	20.00	ng	-0.04
21) Naphthalene-d8	10.47	136	919619	20.00	ng	-0.04
39) Acenaphthene-d10	14.33	164	546103	20.00	ng	-0.03
64) Phenanthrene-d10	17.09	188	1253392	20.00	ng	-0.03
76) Chrysene-d12	21.29	240	1288025	20.00	ng	-0.02
87) Perylene-d12	23.53	264	1142214	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.28	112	2163022	155.36	ng	-0.02
7) Phenol-d6	6.86	99	3173277	161.79	ng	-0.02
23) Nitrobenzene-d5	8.85	82	1952124	98.15	ng	-0.04
42) 2,4,6-Tribromophenol	15.83	330	1292577	164.20	ng	-0.03
45) 2-Fluorobiphenyl	12.95	172	3706991	90.11	ng	-0.03
79) Terphenyl-d14	19.73	244	5846563	93.64	ng	-0.02
Target Compounds						
10) Phenol	6.89	94	42842	2.076	ng	79
50) Dimethylphthalate	13.80	163	281918	6.194	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM030119\
Data File : BM018991.D
Acq On : 01 Mar 2019 17:44
Operator : JU/SJ
Sample : K1655-10
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
A0C12-2-1.5-2.0

Quant Time: Mar 02 01:57:43 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM021119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Feb 11 16:02:12 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.68 min Scan# 781
Delta R.T. -0.04 min
Lab File: BM018991.D
Acq: 01 Mar 2019 17:44

Instrument :
BNA_M
ClientSampleId :
A0C12-2-1.5-2.0

Tot Ion	Ratio	Lower	Upper
152	100		
150	160.3	127.3	190.9
115	63.8	50.8	76.2






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 155.356 ng
RT: 5.28 min Scan# 373
Delta R.T. -0.02 min
Lab File: BM018991.D
Acq: 01 Mar 2019 17:44

Tgt Ion	Ratio	Lower	Upper
112	100		
64	62.1	50.6	75.8
63	31.7	25.7	38.5






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BM0

Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 161.785 ng

RT: 6.86 min Scan# 642

Delta R.T. -0.02 min

Lab File: BM018991.D

Acq: 01 Mar 2019 17:44

Instrument :


BNA_M

ClientSampleId :

A0C12-2-1.5-2.0

Tot Ion: 99 Resp: 3173277

Ion	Ratio	Lower	Upper
99	100		
42	13.7	11.0	16.6
71	37.3	31.3	46.9






Abundance

Ion 99.00 (98.70 to 99.70): BM018991.D (-629) (-)

Ion 42.00 (41.70 to 42.70): BM018991.D (-629) (-)

Ion 71.00 (70.70 to 71.70): BM018991.D (-629) (-)



#10

Phenol

Concen: 2.076 ng

RT: 6.89 min Scan# 646


Delta R.T. -0.03 min

Lab File: BM018991.D

Acq: 01 Mar 2019 17:44

Tgt Ion: 94 Resp: 42842

Ion	Ratio	Lower	Upper
94	100		
65	34.5	9.6	49.6
66	59.0	20.4	60.4






Abundance

Ion 94.00 (93.70 to 94.70): BM018991.D (-634) (-)

Ion 65.00 (64.70 to 65.70): BM018991.D (-634) (-)

Ion 66.00 (65.70 to 66.70): BM018991.D (-634) (-)









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.47 min Scan# 1255
Delta R.T. -0.04 min
Lab File: BM018991.D
Acq: 01 Mar 2019 17:44




Instrument :
BNA_M
ClientSampleId :
A0C12-2-1.5-2.0


Tot Ion:136	Resp:	919619
Ion Ratio	Lower	Upper
136 100		
137 10.6	8.8	13.2
54 6.8	5.0	7.6
68 7.5	5.5	8.3



#23
Nitrobenzene-d5
Concen: 98.153 ng
RT: 8.85 min Scan# 980
Delta R.T. -0.04 min
Lab File: BM018991.D
Acq: 01 Mar 2019 17:44

Tgt Ion: 82	Resp: 1952124
Ion Ratio	Lower Upper
82 100	
128 37.1	29.9 44.9
54 37.1	29.1 43.7









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.33 min Scan# 1912
Delta R.T. -0.03 min
Lab File: BM018991.D
Acq: 01 Mar 2019 17:44




Instrument :
BNA_M
ClientSampleId :
A0C12-2-1.5-2.0


Tot Ion:164 Resp: 546103
Ion Ratio Lower Upper
164 100
162 104.8 83.4 125.0
160 46.7 36.6 55.0



#42
2,4,6-Tribromophenol
Concen: 164.201 ng
RT: 15.83 min Scan# 2167
Delta R.T. -0.03 min
Lab File: BM018991.D
Acq: 01 Mar 2019 17:44

Tgt Ion:330 Resp: 1292577
Ion Ratio Lower Upper
330 100
332 96.4 76.9 115.3
141 33.4 28.7 43.1









#45
2-Fluorobiphenyl
Concen: 90.110 ng
RT: 12.95 min Scan# 1677
Delta R.T. -0.03 min
Lab File: BM018991.D
Acq: 01 Mar 2019 17:44




Instrument :
BNA_M
ClientSampleId :
A0C12-2-1.5-2.0


Tot Ion:172 Resp: 3706991
Ion Ratio Lower Upper
172 100
171 36.0 29.0 43.6
170 23.1 18.6 28.0



#50
Dimethylphthalate
Concen: 6.194 ng
RT: 13.80 min Scan# 1821
Delta R.T. -0.04 min
Lab File: BM018991.D
Acq: 01 Mar 2019 17:44

Tgt Ion:163 Resp: 281918
Ion Ratio Lower Upper
163 100
194 4.0 3.2 4.8
164 10.4 7.8 11.8





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.09 min Scan# 2380

Delta R.T. -0.03 min

Lab File: BM018991.D

Acq: 01 Mar 2019 17:44

Instrument :

BNA_M

ClientSampleId :

A0C12-2-1.5-2.0


Tot Ion:188 Resp: 1253392

Ion Ratio Lower Upper

188 100

94 10.4 8.2 12.2




80 12.9 9.7 14.5



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM

Ion 80.00 (79.70 to 80.70): BM



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.29 min Scan# 3094

Delta R.T. -0.02 min

Lab File: BM018991.D

Acq: 01 Mar 2019 17:44


Tgt Ion:240 Resp: 1288025

Ion Ratio Lower Upper

240 100

120 11.5 8.9 13.3



236 25.8 20.9 31.3




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 93.638 ng

RT: 19.73 min Scan# 2829

Delta R.T. -0.02 min

Lab File: BM018991.D

Acq: 01 Mar 2019 17:44

Instrument :

BNA_M

ClientSampleId :

A0C12-2-1.5-2.0


Tot Ion:244 Resp: 5846563

Ion Ratio Lower Upper

244 100

212 6.8 5.6 8.4




122 10.8 9.3 13.9



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.53 min Scan# 3476

Delta R.T. -0.04 min

Lab File: BM018991.D

Acq: 01 Mar 2019 17:44


Tgt Ion:264 Resp: 1142214

Ion Ratio Lower Upper

264 100

260 23.5 18.9 28.3

265 21.8 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

