


Data Path : Z:\svoasrv\HPCHEM1\BNA M\Data\BM030620\
Data File : BM025338.D
Acq On : 07 Mar 2020 07:30
Operator : CG/JU
Sample : L1612-13
Misc :
ALS Vial : 24 Sample Multiplier: 1

Quant Time: Mar 07 19:48:57 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\SOM-EPA-SIM-BM030320.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Mar 07 19:35:17 2020
Response via : Initial Calibration

Instrument :
BNA_M
ClientSampleId :
DBDL5

Manual Integrations
APPROVED

mohammad
3/9/2020 3:01:06 PM



Data Path : Z:\svoasrv\HPCHEM1\BNA M\Data\BM030620\

Data File : BM025338.D

Acq On : 07 Mar 2020 07:30

Operator : CG/JU

Sample : L1612-13

Misc :

ALS Vial : 24 Sample Multiplier: 1

Quant Time: Mar 07 19:46:25 2020

Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\SOM-EPA-SIM-BM030320.M

Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

QLast Update : Sat Mar 07 19:35:17 2020




Response via : Initial Calibration

Instrument :

BNA_M

ClientSampleId :

DBDL5

Manual Integrations
APPROVEDmohammad
3/9/2020 3:01:06 PM

(10) Phenanthrene-d10 (I)

17.046min (-17.046) 0.00ng/ul

response 0

Ion	Exp%	Act%
188.00	100	0.00
94.00	26.60	0.00#
80.00	22.60	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\svoasrv\HPCHEM1\BNA M\Data\BM030620\
 Data File : BM025338.D
 Acq On : 07 Mar 2020 07:30
 Operator : CG/JU
 Sample : L1612-13
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Quant Time: Mar 07 19:46:25 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\SOM-EPA-SIM-BM030320.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Mar 07 19:35:17 2020
 Response via : Initial Calibration

Instrument :
 BNA_M
 ClientSampleId :
 DBDL5

Manual Integrations
 APPROVED

mohammad
 3/9/2020 3:01:06 PM



(10) Phenanthrene-d10 (I)

17.039min (-0.007) 0.40ng/ul m 300 03/11/20

response 34751

Ion	Exp%	Act%
188.00	100	100
94.00	26.60	7.77#
80.00	22.60	9.29#
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\svoasrv\HPCHEM1\BNA M\Data\BM030620\
 Data File : BM025338.D
 Acq On : 07 Mar 2020 07:30
 Operator : CG/JU
 Sample : L1612-13
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Quant Time: Mar 07 19:47:32 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\SOM-EPA-SIM-BM030320.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Mar 07 19:35:17 2020
 Response via : Initial Calibration

Instrument :
 BNA_M
 ClientSampleId :
 DBDL5

Manual Integrations
 APPROVED

mohammad
 3/9/2020 3:01:06 PM



(21) Benzo(b)fluoranthene
 22.762min (-0.007) 0.05ng/ul
 response 6204

Ion	Exp%	Act%
252.00	100	100
253.00	24.90	39.16
125.00	14.30	24.98
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\svoasrv\HPCHEM1\BNA M\Data\BM030620\
 Data File : BM025338.D
 Acq On : 07 Mar 2020 07:30
 Operator : CG/JU
 Sample : L1612-13
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Quant Time: Mar 07 19:47:32 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\SOM-EPA-SIM-BM030320.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Mar 07 19:35:17 2020
 Response via : Initial Calibration

Instrument :
 BNA_M
 ClientSampleId :
 DBDL5

Manual Integrations
 APPROVED

mohammad
 3/9/2020 3:01:06 PM



TIC: BM025338.D

(21) Benzo(b)fluoranthene

22.762min (-0.007) 0.04ng/ul m > JV 03/11/20

response 4663

Ion	Exp%	Act%
252.00	100	100
253.00	24.90	39.16
125.00	14.30	24.98
0.00	0.00	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA M\Data\BM030620\
 Data File : BM025338.D
 Acq On : 07 Mar 2020 07:30
 Operator : CG/JU
 Sample : L1612-13
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 DBDL5

Quant Time: Mar 07 19:48:57 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\SOM-EPA-SIM-BM030320.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Mar 07 19:35:17 2020
 Response via : Initial Calibration

Manual Integrations
 APPROVED

mohammad
 3/9/2020 3:01:06 PM

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.67	152	4501	0.40	ng/ul	0.00
2) Naphthalene-d8	10.43	136	20197	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.30	164	14845	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.04	188	34751m>	0.40	ng/ul	0.00
16) Chrysene-d12	21.22	240	33292	0.40	ng/ul	0.00
20) Perylene-d12	23.41	264	30636	0.40	ng/ul	0.00

> 0.50 03/11/20

System Monitoring Compounds

4) 2-Methylnaphthalene-d10	12.03	152	9315	0.25	ng/ul	0.00
14) Fluoranthene-d10	19.07	212	26341	0.23	ng/ul	0.00

Target Compounds

13) Anthracene	17.17	178	2777	0.028	ng/ul	Ovalue 98
21) Benzo(b)fluoranthene	22.76	252	4663m>	0.038	ng/ul	

> 0.50 03/11/20

(#) = qualifier out of range (m) = manual integration (+) = signals summed