

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM030819\
 Data File : BM019078.D
 Acq On : 08 Mar 2019 17:54
 Operator : JU/SJ
 Sample : PB117734BL
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB117734BL

Quant Time: Mar 09 00:46:39 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM021119.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 05 03:36:13 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.67	152	155991	20.00	ng	-0.01
21) Naphthalene-d8	10.46	136	553230	20.00	ng	-0.01
39) Acenaphthene-d10	14.32	164	268299	20.00	ng	-0.01
64) Phenanthrene-d10	17.08	188	526351	20.00	ng	0.00
76) Chrysene-d12	21.27	240	513735	20.00	ng	-0.01
87) Perylene-d12	23.51	264	637476	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.27	112	1008156	105.89	ng	0.00
7) Phenol-d6	6.85	99	1320314	98.44	ng	-0.01
23) Nitrobenzene-d5	8.84	82	813597	68.00	ng	-0.01
42) 2,4,6-Tribromophenol	15.82	330	358154	92.61	ng	-0.01
45) 2-Fluorobiphenyl	12.93	172	1472745	72.87	ng	-0.02
79) Terphenyl-d14	19.71	244	1693871	68.02	ng	-0.02


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM030819\
Data File : BM019078.D
Acq On : 08 Mar 2019 17:54
Operator : JU/SJ
Sample : PB117734BL
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB117734BL

Quant Time: Mar 09 00:46:39 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM021119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 05 03:36:13 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.67 min Scan# 779
Delta R.T. -0.01 min
Lab File: BM019078.D
Acq: 08 Mar 2019 17:54

Instrument :
BNA_M
ClientSampleId :
PB117734BL

Tgt Ion:152 Resp: 155991
Ion Ratio Lower Upper
152 100
150 155.1 127.3 190.9
115 60.9 50.8 76.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 105.893 ng
RT: 5.27 min Scan# 371
Delta R.T. -0.01 min
Lab File: BM019078.D
Acq: 08 Mar 2019 17:54

Tgt Ion:112 Resp: 1008156
Ion Ratio Lower Upper
112 100
64 62.8 50.6 75.8
63 31.9 25.7 38.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 98.442 ng

RT: 6.85 min Scan# 639

Delta R.T. -0.01 min

Lab File: BM019078.D

Acq: 08 Mar 2019 17:54

Instrument :

BNA_M

ClientSampled :

PB117734BL


Tgt Ion: 99 Resp: 1320314

Ion Ratio Lower Upper

99 100

42 14.2 11.0 16.6




71 37.4 31.3 46.9



Abundance Ion 99.00 (98.70 to 99.70): BM018755.D (-637) (-)

Ion 42.00 (41.70 to 42.70): BM018755.D (-637) (-)

Ion 71.00 (70.70 to 71.70): BM018755.D (-637) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.46 min Scan# 1253

Delta R.T. -0.01 min

Lab File: BM019078.D

Acq: 08 Mar 2019 17:54

Tgt Ion: 136 Resp: 553230


Ion Ratio Lower Upper

136 100

137 11.1 8.8 13.2

54 6.3 5.0 7.6

68 6.8 5.5 8.3






Abundance Ion 136.00 (135.70 to 136.70): BM018755.D (-1252) (-)

Ion 137.00 (136.70 to 137.70): BM018755.D (-1252) (-)

Ion 54.00 (53.70 to 54.70): BM018755.D (-1252) (-)

Ion 68.00 (67.70 to 68.70): BM018755.D (-1252) (-)









#23
 Nitrobenzene-d5
 Concen: 68.000 ng
 RT: 8.84 min Scan# 978
 Delta R.T. -0.01 min
 Lab File: BM019078.D
 Acq: 08 Mar 2019 17:54




Instrument :
 BNA_M
 ClientSampleId :
 PB117734BL


Tgt Ion	Ratio	Lower	Upper
82	100		
128	38.1	29.9	44.9
54	36.6	29.1	43.7



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.32 min Scan# 1910
 Delta R.T. -0.01 min
 Lab File: BM019078.D
 Acq: 08 Mar 2019 17:54

Tgt Ion	Ratio	Lower	Upper
164	100		
162	102.7	83.4	125.0
160	44.8	36.6	55.0









#42
 2,4,6-Tribromophenol
 Concen: 92.607 ng
 RT: 15.82 min Scan# 2165
 Delta R.T. -0.01 min
 Lab File: BM019078.D
 Acq: 08 Mar 2019 17:54




Instrument :
 BNA_M
 ClientSampleId :
 PB117734BL


Tgt Ion:330 Resp: 358154
 Ion Ratio Lower Upper
 330 100
 332 97.8 76.9 115.3
 141 35.2 28.7 43.1



#45
 2-Fluorobiphenyl
 Concen: 72.868 ng
 RT: 12.93 min Scan# 1674
 Delta R.T. -0.02 min
 Lab File: BM019078.D
 Acq: 08 Mar 2019 17:54

Tgt Ion:172 Resp: 1472745
 Ion Ratio Lower Upper
 172 100
 171 35.9 29.0 43.6
 170 23.3 18.6 28.0









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.08 min Scan# 2379
Delta R.T. -0.01 min
Lab File: BM019078.D
Acq: 08 Mar 2019 17:54




Instrument :
BNA_M
ClientSampleId :
PB117734BL


Tgt Ion:188 Resp: 526351
Ion Ratio Lower Upper
188 100
94 10.0 8.2 12.2
80 11.8 9.7 14.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.27 min Scan# 3092
Delta R.T. -0.01 min
Lab File: BM019078.D
Acq: 08 Mar 2019 17:54

Tgt Ion:240 Resp: 513735
Ion Ratio Lower Upper
240 100
120 11.4 8.9 13.3
236 26.0 20.9 31.3





#79

Terphenyl-d14

Concen: 68.017 ng

RT: 19.71 min Scan# 2826

Delta R.T. -0.02 min

Lab File: BM019078.D

Acq: 08 Mar 2019 17:54

Instrument :

BNA_M

ClientSampleId :

PB117734BL


Tgt Ion:244 Resp: 1693871

Ion Ratio Lower Upper

244 100

212 6.7 5.6 8.4




122 11.4 9.3 13.9



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.51 min Scan# 3473

Delta R.T. -0.02 min

Lab File: BM019078.D

Acq: 08 Mar 2019 17:54


Tgt Ion:264 Resp: 637476

Ion Ratio Lower Upper

264 100

260 23.4 18.9 28.3

265 22.8 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

