

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM031620\
 Data File : BM025604.D
 Acq On : 17 Mar 2020 06:40
 Operator : CG/JU
 Sample : L1840-17 10X
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Mar 17 08:27:36 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM031420MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Mar 17 07:33:38 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.64	152	190529	20.00	ng/ul	0.00
18) Naphthalene-d8	10.40	136	795142	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.27	164	507831	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.03	188	1063003	20.00	ng/ul	0.01
78) Chrysene-d12	21.20	240	1080847	20.00	ng/ul	0.00
86) Perylene-d12	23.38	264	1275012	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	0.00	96	0d	0.00	ng/uL	
5) Phenol-d5	6.86	99	10717	0.71	ng/ul	0.04
7) Bis-(2-Chloroethyl)ether-d	6.98	67	27538	3.21	ng/ul	0.00
9) 2-Chlorophenol-d4	7.19	132	32992	2.70	ng/ul	0.02
13) 4-Methylphenol-d8	8.35	113	22368	1.81	ng/ul	0.00
19) Nitrobenzene-d5	8.78	128	20362	3.45	ng/ul	0.00
22) 2-Nitrophenol-d4	9.49	143	22323	3.55	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.03	165	41885	3.26	ng/ul	0.00
29) 4-Chloroaniline-d4	10.55	131	11441	0.77	ng/ul	0.00
44) Dimethylphthalate-d6	13.69	166	139591	3.62	ng/ul	0.00
47) Acenaphthylene-d8	13.96	160	163614	3.54	ng/ul	0.00
52) 4-Nitrophenol-d4	14.49	143	9954	1.35	ng/ul	0.02
58) Fluorene-d10	15.26	176	116606	3.44	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.39	200	23648m	3.65	ng/ul	0.00
71) Anthracene-d10	17.12	188	180299	3.63	ng/ul	0.01
79) Pyrene-d10	19.40	212	193886	3.73	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.24	264	213481	3.27	ng/ul	0.00

Target Compounds

					Ovalue	
14) Acetophenone	8.45	105	39081	2.051	ng/ul#	44
21) Isophorone	9.35	82	624737	23.496	ng/ul	98
27) 2,4-Dichlorophenol	10.06	162	14818	1.162	ng/ul	91
28) Naphthalene	10.45	128	125551	2.899	ng/ul	99
34) 2-Methylnaphthalene	12.07	142	80424	2.600	ng/ul	97
39) 2,4,6-Trichlorophenol	12.69	196	25326	2.480	ng/ul	95
40) 2,4,5-Trichlorophenol	12.76	196	21579	1.941	ng/ul	93
56) 2,3,4,6-Tetrachlorophenol	14.91	232	3666069	363.906	ng/ul	98
64) 4,6-Dinitro-2-methylphenol	15.41	198	30320	4.275	ng/ul#	94
69) Pentachlorophenol	16.72	266	30180174m	3210.411	ng/ul	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM031620\
Data File : BM025604.D
Acq On : 17 Mar 2020 06:40
Operator : CG/JU
Sample : L1840-17 10X
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Mar 17 08:27:36 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM031420MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Mar 17 07:33:38 2020
Response via : Initial Calibration

