

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM031620\
 Data File : BM025600.D
 Acq On : 17 Mar 2020 04:17
 Operator : CG/JU
 Sample : L1840-11
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 DBES6

Quant Time: Mar 17 08:11:06 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM031420MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Mar 17 07:33:38 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.64	152	176244	20.00	ng/ul	0.00
18) Naphthalene-d8	10.40	136	756172	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.27	164	489367	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.01	188	1074262	20.00	ng/ul	0.00
78) Chrysene-d12	21.20	240	1111179	20.00	ng/ul	0.00
86) Perylene-d12	23.38	264	1280527	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.22	96	20415	4.86	ng/uL	0.00
5) Phenol-d5	6.82	99	107043	7.70	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.98	67	268247	33.79	ng/ul	0.00
9) 2-Chlorophenol-d4	7.17	132	318903	28.25	ng/ul	0.00
13) 4-Methylphenol-d8	8.34	113	202197	17.69	ng/ul	0.00
19) Nitrobenzene-d5	8.78	128	196214	34.91	ng/ul	0.00
22) 2-Nitrophenol-d4	9.49	143	220680	36.93	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.03	165	382855	31.33	ng/ul	0.00
29) 4-Chloroaniline-d4	10.55	131	34420	2.43	ng/ul	0.00
44) Dimethylphthalate-d6	13.69	166	1401193	37.67	ng/ul	0.00
47) Acenaphthylene-d8	13.96	160	1590912	35.70	ng/ul	0.00
52) 4-Nitrophenol-d4	14.47	143	48856	6.90	ng/ul	0.00
58) Fluorene-d10	15.26	176	1233685	37.79	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.39	200	181197	27.65	ng/ul	0.00
71) Anthracene-d10	17.11	188	2057124	41.00	ng/ul	0.00
79) Pyrene-d10	19.41	212	2349394	44.02	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.24	264	2913866	44.45	ng/ul	0.00


Target Compounds					Ovalue	
45) Dimethylphthalate	13.73	163	174867	4.517	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM031620\
Data File : BM025600.D
Acq On : 17 Mar 2020 04:17
Operator : CG/JU
Sample : L1840-11
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DBES6

Quant Time: Mar 17 08:11:06 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM031420MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Mar 17 07:33:38 2020
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 4.517 ng/ul

RT: 13.73 min Scan# 1843

Delta R.T. -0.01 min

Lab File: BM025600.D

Acq: 17 Mar 2020 04:17

Instrument :

BNA_M

ClientSampleId :

DBES6


Tot Ion:163 Resp: 174867

Ion Ratio Lower Upper

163 100

194 3.8 3.5 5.3

164 10.0 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

