

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM031819\
 Data File : BM019218.D
 Acq On : 18 Mar 2019 16:39
 Operator : JU/SJ
 Sample : K1935-01
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SB-17(0.5-1.5)

Quant Time: Mar 19 04:13:18 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM031119.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 11 17:30:46 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.65	152	197147	20.00	ng	-0.02
21) Naphthalene-d8	10.43	136	870910	20.00	ng	-0.02
39) Acenaphthene-d10	14.30	164	536300	20.00	ng	-0.02
64) Phenanthrene-d10	17.06	188	1120892	20.00	ng	-0.02
76) Chrysene-d12	21.26	240	877813	20.00	ng	-0.02
87) Perylene-d12	23.49	264	830703	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.25	112	1254033	103.01	ng	0.00
7) Phenol-d6	6.83	99	1965042	110.36	ng	-0.01
23) Nitrobenzene-d5	8.82	82	1268307	68.84	ng	-0.02
42) 2,4,6-Tribromophenol	15.80	330	704923	89.02	ng	-0.02
45) 2-Fluorobiphenyl	12.92	172	2654036	64.37	ng	-0.02
79) Terphenyl-d14	19.70	244	3325594	75.21	ng	-0.01
Target Compounds						
10) Phenol	6.86	94	75589	3.939	ng	89
50) Dimethylphthalate	13.77	163	227726	4.964	ng	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM031819\
Data File : BM019218.D
Acq On : 18 Mar 2019 16:39
Operator : JU/SJ
Sample : K1935-01
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
SB-17(0.5-1.5)

Quant Time: Mar 19 04:13:18 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM031119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 11 17:30:46 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.65 min Scan# 792
Delta R.T. -0.02 min
Lab File: BM019218.D
Acq: 18 Mar 2019 16:39

Instrument :
BNA_M
ClientSampleId :
SB-17(0.5-1.5)

Tgt Ion	Ratio	Lower	Upper
152	100		
150	153.3	125.3	187.9
115	61.2	49.4	74.0






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 103.013 ng
RT: 5.25 min Scan# 385
Delta R.T. -0.01 min
Lab File: BM019218.D
Acq: 18 Mar 2019 16:39

Tgt Ion	Ratio	Lower	Upper
112	100		
64	61.6	51.4	77.0
63	31.6	26.6	40.0








Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BM0

Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 110.357 ng

RT: 6.83 min Scan# 654

Delta R.T. -0.01 min

Lab File: BM019218.D

Acq: 18 Mar 2019 16:39

Instrument :

BNA_M

ClientSampleId :

SB-17(0.5-1.5)





Tgt Ion: 99 Resp: 1965042

Ion Ratio Lower Upper

99 100

42 13.6 10.9 16.3

71 37.0 30.3 45.5



#10

Phenol

Concen: 3.939 ng

RT: 6.86 min Scan# 658

Delta R.T. -0.01 min

Lab File: BM019218.D

Acq: 18 Mar 2019 16:39


Tgt Ion: 94 Resp: 75589


Ion Ratio Lower Upper

94 100

65 33.1 9.7 49.7

66 47.7 19.2 59.2









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.43 min Scan# 1266
Delta R.T. -0.02 min
Lab File: BM019218.D
Acq: 18 Mar 2019 16:39

Instrument :
BNA_M
ClientSampleId :
SB-17(0.5-1.5)

Tgt Ion:	136	Resp:	870910
Ion	Ratio	Lower	Upper
136	100		
137	11.4	8.6	13.0
54	6.9	5.2	7.8
68	7.2	5.8	8.8




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BM
Ion 68.00 (67.70 to 68.70): BM






#23
Nitrobenzene-d5
Concen: 68.840 ng
RT: 8.82 min Scan# 991
Delta R.T. -0.02 min
Lab File: BM019218.D
Acq: 18 Mar 2019 16:39

Tgt Ion:	82	Resp:	1268307
Ion	Ratio	Lower	Upper
82	100		
128	37.1	29.4	44.2
54	37.7	29.9	44.9



Abundance Ion 82.00 (81.70 to 82.70): BM
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BM






#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.30 min Scan# 1924
 Delta R.T. -0.02 min
 Lab File: BM019218.D
 Acq: 18 Mar 2019 16:39

Instrument :
 BNA_M
 ClientSampleId :
 SB-17(0.5-1.5)

Tgt Ion	Ratio	Lower	Upper
164	100		
162	104.6	83.5	125.3
160	45.8	36.3	54.5






Abundance

Ion 164.00 (163.70 to 164.70): E


Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42
 2,4,6-Tribromophenol
 Concen: 89.025 ng
 RT: 15.80 min Scan# 2179
 Delta R.T. -0.02 min
 Lab File: BM019218.D
 Acq: 18 Mar 2019 16:39

Tgt Ion	Ratio	Lower	Upper
330	100		
332	96.5	76.8	115.2
141	33.6	27.0	40.4






Abundance

Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 64.372 ng
RT: 12.92 min Scan# 1688
Delta R.T. -0.02 min
Lab File: BM019218.D
Acq: 18 Mar 2019 16:39




Instrument :
BNA_M
ClientSampleId :
SB-17(0.5-1.5)


Tgt Ion:172 Resp: 2654036
Ion Ratio Lower Upper
172 100
171 35.5 28.6 42.8
170 23.3 18.6 28.0



#50
Dimethylphthalate
Concen: 4.964 ng
RT: 13.77 min Scan# 1834
Delta R.T. -0.02 min
Lab File: BM019218.D
Acq: 18 Mar 2019 16:39

Tgt Ion:163 Resp: 227726
Ion Ratio Lower Upper
163 100
194 4.2 3.3 4.9
164 9.5 7.7 11.5









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.06 min Scan# 2392
Delta R.T. -0.02 min
Lab File: BM019218.D
Acq: 18 Mar 2019 16:39

Instrument :
BNA_M
ClientSampleId :
SB-17(0.5-1.5)

Tgt Ion:188 Resp: 1120892
Ion Ratio Lower Upper
188 100
94 10.1 8.1 12.1
80 12.2 9.7 14.5




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BM
Ion 80.00 (79.70 to 80.70): BM






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.26 min Scan# 3106
Delta R.T. -0.02 min
Lab File: BM019218.D
Acq: 18 Mar 2019 16:39

Tgt Ion:240 Resp: 877813
Ion Ratio Lower Upper
240 100
120 11.8 8.9 13.3
236 26.4 21.0 31.4



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#79
 Terphenyl-d14
 Concen: 75.210 ng
 RT: 19.70 min Scan# 2841
 Delta R.T. -0.01 min
 Lab File: BM019218.D
 Acq: 18 Mar 2019 16:39

Instrument :
 BNA_M
 ClientSampleId :
 SB-17(0.5-1.5)

Tgt Ion:244 Resp: 3325594
 Ion Ratio Lower Upper
 244 100
 212 6.6 5.4 8.2
 122 10.8 9.4 14.2




Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E



#87
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.49 min Scan# 3486
 Delta R.T. -0.02 min
 Lab File: BM019218.D
 Acq: 18 Mar 2019 16:39

Tgt Ion:264 Resp: 830703
 Ion Ratio Lower Upper
 264 100
 260 23.7 18.6 28.0
 265 22.0 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

