

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM031919\
 Data File : BM019239.D
 Acq On : 19 Mar 2019 16:42
 Operator : JU/SJ
 Sample : K1908-06
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 93-94

Quant Time: Mar 20 05:11:35 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM031119.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 11 17:30:46 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.64	152	152900	20.00	ng	-0.02
21) Naphthalene-d8	10.42	136	616066	20.00	ng	-0.03
39) Acenaphthene-d10	14.29	164	402900	20.00	ng	-0.03
64) Phenanthrene-d10	17.05	188	948756	20.00	ng	-0.02
76) Chrysene-d12	21.25	240	912595	20.00	ng	-0.02
87) Perylene-d12	23.48	264	798782	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.24	112	1259968	133.45	ng	-0.02
7) Phenol-d6	6.82	99	1579124	114.35	ng	-0.02
23) Nitrobenzene-d5	8.81	82	1284899	98.59	ng	-0.02
42) 2,4,6-Tribromophenol	15.80	330	999957	168.10	ng	-0.02
45) 2-Fluorobiphenyl	12.90	172	2918936	94.24	ng	-0.03
79) Terphenyl-d14	19.69	244	5477676	119.16	ng	-0.02


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM031919\
Data File : BM019239.D
Acq On : 19 Mar 2019 16:42
Operator : JU/SJ
Sample : K1908-06
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
93-94

Quant Time: Mar 20 05:11:35 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM031119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 11 17:30:46 2019
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.64 min Scan# 791
Delta R.T. -0.02 min
Lab File: BM019239.D
Acq: 19 Mar 2019 16:42

Instrument :
BNA_M
ClientSampleId :
93-94




Tgt Ion:152 Resp: 152900
Ion Ratio Lower Upper
152 100
150 154.0 125.3 187.9
115 59.6 49.4 74.0



#5

2-Fluorophenol
Concen: 133.453 ng
RT: 5.24 min Scan# 383
Delta R.T. -0.02 min
Lab File: BM019239.D
Acq: 19 Mar 2019 16:42

Tgt Ion:112 Resp: 1259968
Ion Ratio Lower Upper
112 100
64 61.7 51.4 77.0
63 31.4 26.6 40.0





#7

Phenol-d6

Concen: 114.347 ng

RT: 6.82 min Scan# 652

Delta R.T. -0.02 min

Lab File: BM019239.D

Acq: 19 Mar 2019 16:42

Instrument :

BNA_M

ClientSampled :

93-94


Tgt Ion: 99 Resp: 1579124

Ion Ratio Lower Upper

99 100

42 13.6 10.9 16.3




71 36.7 30.3 45.5



Abundance Ion 99.00 (98.70 to 99.70): BM019239.D (-639) (-)

Ion 42.00 (41.70 to 42.70): BM019239.D (-639) (-)

Ion 71.00 (70.70 to 71.70): BM019239.D (-639) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.42 min Scan# 1264

Delta R.T. -0.03 min

Lab File: BM019239.D

Acq: 19 Mar 2019 16:42

Tgt Ion: 136 Resp: 616066


Ion Ratio Lower Upper

136 100

137 10.6 8.6 13.0

54 6.8 5.2 7.8

68 7.0 5.8 8.8





Abundance Ion 136.00 (135.70 to 136.70): BM019239.D (-1252) (-)

Ion 137.00 (136.70 to 137.70): BM019239.D (-1252) (-)

Ion 54.00 (53.70 to 54.70): BM019239.D (-1252) (-)

Ion 68.00 (67.70 to 68.70): BM019239.D (-1252) (-)









#23
Nitrobenzene-d5
Concen: 98.589 ng
RT: 8.81 min Scan# 990
Delta R.T. -0.02 min
Lab File: BM019239.D
Acq: 19 Mar 2019 16:42




Instrument :
BNA_M
ClientSampleId :
93-94


Tgt Ion: 82 Resp: 1284899
Ion Ratio Lower Upper
82 100
128 38.7 29.4 44.2
54 36.8 29.9 44.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.29 min Scan# 1922
Delta R.T. -0.03 min
Lab File: BM019239.D
Acq: 19 Mar 2019 16:42

Tgt Ion: 164 Resp: 402900
Ion Ratio Lower Upper
164 100
162 102.5 83.5 125.3
160 45.8 36.3 54.5









#42
 2,4,6-Tribromophenol
 Concen: 168.097 ng
 RT: 15.80 min Scan# 2178
 Delta R.T. -0.02 min
 Lab File: BM019239.D
 Acq: 19 Mar 2019 16:42

Instrument :
 BNA_M
 ClientSampleId :
 93-94

Tgt Ion:330 Resp: 999957
 Ion Ratio Lower Upper
 330 100
 332 96.4 76.8 115.2
 141 32.0 27.0 40.4




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#45
 2-Fluorobiphenyl
 Concen: 94.238 ng
 RT: 12.90 min Scan# 1686
 Delta R.T. -0.03 min
 Lab File: BM019239.D
 Acq: 19 Mar 2019 16:42

Tgt Ion:172 Resp: 2918936
 Ion Ratio Lower Upper
 172 100
 171 36.0 28.6 42.8
 170 23.7 18.6 28.0



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.05 min Scan# 2391
Delta R.T. -0.02 min
Lab File: BM019239.D
Acq: 19 Mar 2019 16:42




Instrument :
BNA_M
ClientSampleId :
93-94


Tgt Ion:188 Resp: 948756
Ion Ratio Lower Upper
188 100
94 9.7 8.1 12.1
80 11.7 9.7 14.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.25 min Scan# 3105
Delta R.T. -0.02 min
Lab File: BM019239.D
Acq: 19 Mar 2019 16:42

Tgt Ion:240 Resp: 912595
Ion Ratio Lower Upper
240 100
120 11.5 8.9 13.3
236 25.5 21.0 31.4





#79

Terphenyl-d14

Concen: 119.159 ng

RT: 19.69 min Scan# 2840

Delta R.T. -0.02 min

Lab File: BM019239.D

Acq: 19 Mar 2019 16:42

Instrument :

BNA_M

ClientSampleId :

93-94


Tgt Ion:244 Resp: 5477676

Ion Ratio Lower Upper




244 100

212 6.7 5.4 8.2

122 10.9 9.4 14.2



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.48 min Scan# 3484

Delta R.T. -0.03 min

Lab File: BM019239.D

Acq: 19 Mar 2019 16:42


Tgt Ion:264 Resp: 798782

Ion Ratio Lower Upper

264 100

260 23.5 18.6 28.0

265 21.6 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

