

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM031919\
 Data File : BM019244.D
 Acq On : 19 Mar 2019 19:45
 Operator : JU/SJ
 Sample : K1691-10
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 CL-01-031519-A

Quant Time: Mar 20 05:12:17 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM031119.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 11 17:30:46 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.64	152	168273	20.00	ng	-0.02
21) Naphthalene-d8	10.42	136	664073	20.00	ng	-0.03
39) Acenaphthene-d10	14.29	164	437490	20.00	ng	-0.03
64) Phenanthrene-d10	17.05	188	1036916	20.00	ng	-0.02
76) Chrysene-d12	21.25	240	974154	20.00	ng	-0.02
87) Perylene-d12	23.47	264	845144	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.24	112	1472978	141.76	ng	-0.02
7) Phenol-d6	6.82	99	1958904	128.89	ng	-0.02
23) Nitrobenzene-d5	8.81	82	1404929	100.01	ng	-0.02
42) 2,4,6-Tribromophenol	15.80	330	1121983	173.70	ng	-0.02
45) 2-Fluorobiphenyl	12.90	172	3255541	96.79	ng	-0.03
79) Terphenyl-d14	19.69	244	6083654	123.98	ng	-0.02


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM031919\
Data File : BM019244.D
Acq On : 19 Mar 2019 19:45
Operator : JU/SJ
Sample : K1691-10
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
CL-01-031519-A

Quant Time: Mar 20 05:12:17 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM031119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 11 17:30:46 2019
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.64 min Scan# 791
Delta R.T. -0.02 min
Lab File: BM019244.D
Acq: 19 Mar 2019 19:45

Instrument :
BNA_M
ClientSampleId :
CL-01-031519-A




Tgt Ion:152 Resp: 168273
Ion Ratio Lower Upper
152 100
150 153.1 125.3 187.9
115 60.2 49.4 74.0



#5

2-Fluorophenol
Concen: 141.761 ng
RT: 5.24 min Scan# 383
Delta R.T. -0.02 min
Lab File: BM019244.D
Acq: 19 Mar 2019 19:45

Tgt Ion:112 Resp: 1472978
Ion Ratio Lower Upper
112 100
64 61.7 51.4 77.0
63 31.7 26.6 40.0





#7

Phenol-d6

Concen: 128.889 ng

RT: 6.82 min Scan# 652

Delta R.T. -0.02 min

Lab File: BM019244.D

Acq: 19 Mar 2019 19:45

Instrument :

BNA_M

ClientSampleId :

CL-01-031519-A


Tgt Ion: 99 Resp: 1958904

Ion Ratio Lower Upper

99 100

42 13.6 10.9 16.3




71 37.5 30.3 45.5



Abundance Ion 99.00 (98.70 to 99.70): BM019093.D (-630) (-)

Ion 42.00 (41.70 to 42.70): BM019093.D (-630) (-)

Ion 71.00 (70.70 to 71.70): BM019093.D (-630) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.42 min Scan# 1264

Delta R.T. -0.03 min

Lab File: BM019244.D

Acq: 19 Mar 2019 19:45

Tgt Ion: 136 Resp: 664073


Ion Ratio Lower Upper

136 100

137 11.0 8.6 13.0

54 6.7 5.2 7.8

68 7.3 5.8 8.8





Abundance Ion 136.00 (135.70 to 136.70): BM019093.D (-1243) (-)

Ion 137.00 (136.70 to 137.70): BM019093.D (-1243) (-)

Ion 54.00 (53.70 to 54.70): BM019093.D (-1243) (-)

Ion 68.00 (67.70 to 68.70): BM019093.D (-1243) (-)









#23
 Nitrobenzene-d5
 Concen: 100.006 ng
 RT: 8.81 min Scan# 990
 Delta R.T. -0.02 min
 Lab File: BM019244.D
 Acq: 19 Mar 2019 19:45




Instrument :
 BNA_M
 ClientSampleId :
 CL-01-031519-A


Tgt Ion: 82 Resp: 1404929
 Ion Ratio Lower Upper
 82 100
 128 38.1 29.4 44.2
 54 36.4 29.9 44.9



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.29 min Scan# 1922
 Delta R.T. -0.03 min
 Lab File: BM019244.D
 Acq: 19 Mar 2019 19:45

Tgt Ion: 164 Resp: 437490
 Ion Ratio Lower Upper
 164 100
 162 103.7 83.5 125.3
 160 45.8 36.3 54.5









#42
 2,4,6-Tribromophenol
 Concen: 173.698 ng
 RT: 15.80 min Scan# 2178
 Delta R.T. -0.02 min
 Lab File: BM019244.D
 Acq: 19 Mar 2019 19:45

Instrument :
 BNA_M
 ClientSampleId :
 CL-01-031519-A

Tgt Ion:330 Resp: 1121983
 Ion Ratio Lower Upper
 330 100
 332 96.9 76.8 115.2
 141 32.4 27.0 40.4




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#45
 2-Fluorobiphenyl
 Concen: 96.795 ng
 RT: 12.90 min Scan# 1686
 Delta R.T. -0.03 min
 Lab File: BM019244.D
 Acq: 19 Mar 2019 19:45

Tgt Ion:172 Resp: 3255541
 Ion Ratio Lower Upper
 172 100
 171 35.6 28.6 42.8
 170 23.2 18.6 28.0



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.05 min Scan# 2391

Delta R.T. -0.02 min

Lab File: BM019244.D

Acq: 19 Mar 2019 19:45

Instrument :

BNA_M

ClientSampleId :

CL-01-031519-A


Tgt Ion:188 Resp: 1036916

Ion Ratio Lower Upper

188 100

94 9.5 8.1 12.1




80 11.4 9.7 14.5



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM

Ion 80.00 (79.70 to 80.70): BM



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.25 min Scan# 3105

Delta R.T. -0.02 min

Lab File: BM019244.D

Acq: 19 Mar 2019 19:45


Tgt Ion:240 Resp: 974154

Ion Ratio Lower Upper

240 100

120 10.7 8.9 13.3



236 25.3 21.0 31.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 123.978 ng

RT: 19.69 min Scan# 2840

Delta R.T. -0.02 min

Lab File: BM019244.D

Acq: 19 Mar 2019 19:45

Instrument :

BNA_M

ClientSampleId :

CL-01-031519-A


Tgt Ion:244 Resp: 6083654

Ion Ratio Lower Upper




244 100

212 6.8 5.4 8.2

122 10.8 9.4 14.2



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.47 min Scan# 3483

Delta R.T. -0.04 min

Lab File: BM019244.D

Acq: 19 Mar 2019 19:45


Tgt Ion:264 Resp: 845144

Ion Ratio Lower Upper

264 100

260 23.2 18.6 28.0

265 22.2 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

