

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM031919\
 Data File : BM019250.D
 Acq On : 20 Mar 2019 02:51
 Operator : JU/SJ
 Sample : K1961-18
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 CL-01-031519-E

Quant Time: Mar 20 05:13:17 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM031119.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 11 17:30:46 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.64	152	171615	20.00	ng	-0.02
21) Naphthalene-d8	10.42	136	687697	20.00	ng	-0.03
39) Acenaphthene-d10	14.29	164	448655	20.00	ng	-0.03
64) Phenanthrene-d10	17.05	188	1072319	20.00	ng	-0.02
76) Chrysene-d12	21.25	240	1055947	20.00	ng	-0.02
87) Perylene-d12	23.48	264	934396	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.24	112	1449764	136.81	ng	-0.02
7) Phenol-d6	6.82	99	1846455	119.12	ng	-0.02
23) Nitrobenzene-d5	8.81	82	1419752	97.59	ng	-0.02
42) 2,4,6-Tribromophenol	15.80	330	1127509	170.21	ng	-0.02
45) 2-Fluorobiphenyl	12.90	172	3168983	91.88	ng	-0.03
79) Terphenyl-d14	19.69	244	6210396	116.76	ng	-0.02


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM031919\
Data File : BM019250.D
Acq On : 20 Mar 2019 02:51
Operator : JU/SJ
Sample : K1961-18
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
CL-01-031519-E

Quant Time: Mar 20 05:13:17 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM031119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 11 17:30:46 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.64 min Scan# 791
 Delta R.T. -0.02 min
 Lab File: BM019250.D
 Acq: 20 Mar 2019 02:51

Instrument :
 BNA_M
 ClientSampleId :
 CL-01-031519-E

Tgt Ion	Ratio	Lower	Upper
152	100		
150	156.2	125.3	187.9
115	62.1	49.4	74.0




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 136.810 ng
 RT: 5.24 min Scan# 383
 Delta R.T. -0.02 min
 Lab File: BM019250.D
 Acq: 20 Mar 2019 02:51

Tgt Ion	Ratio	Lower	Upper
112	100		
64	61.8	51.4	77.0
63	31.1	26.6	40.0



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BM0
 Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 119.124 ng

RT: 6.82 min Scan# 652

Delta R.T. -0.02 min

Lab File: BM019250.D

Acq: 20 Mar 2019 02:51

Instrument :

BNA_M

ClientSampleId :

CL-01-031519-E


Tgt Ion: 99 Resp: 1846455

Ion Ratio Lower Upper

99 100

42 13.1 10.9 16.3




71 36.8 30.3 45.5



Abundance Ion 99.00 (98.70 to 99.70): BM019250.D (-639) (-)

Ion 42.00 (41.70 to 42.70): BM019250.D (-639) (-)

Ion 71.00 (70.70 to 71.70): BM019250.D (-639) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.42 min Scan# 1264

Delta R.T. -0.03 min

Lab File: BM019250.D

Acq: 20 Mar 2019 02:51

Tgt Ion: 136 Resp: 687697


Ion Ratio Lower Upper

136 100

137 11.1 8.6 13.0

54 6.2 5.2 7.8

68 6.9 5.8 8.8





Abundance Ion 136.00 (135.70 to 136.70): BM019250.D (-1252) (-)

Ion 137.00 (136.70 to 137.70): BM019250.D (-1252) (-)

Ion 54.00 (53.70 to 54.70): BM019250.D (-1252) (-)

Ion 68.00 (67.70 to 68.70): BM019250.D (-1252) (-)









#23
 Nitrobenzene-d5
 Concen: 97.589 ng
 RT: 8.81 min Scan# 990
 Delta R.T. -0.02 min
 Lab File: BM019250.D
 Acq: 20 Mar 2019 02:51




Instrument :
 BNA_M
 ClientSampleId :
 CL-01-031519-E


Tgt Ion: 82 Resp: 1419752
 Ion Ratio Lower Upper
 82 100
 128 39.0 29.4 44.2
 54 36.9 29.9 44.9



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.29 min Scan# 1922
 Delta R.T. -0.03 min
 Lab File: BM019250.D
 Acq: 20 Mar 2019 02:51

Tgt Ion: 164 Resp: 448655
 Ion Ratio Lower Upper
 164 100
 162 102.7 83.5 125.3
 160 45.3 36.3 54.5









#42
 2,4,6-Tribromophenol
 Concen: 170.210 ng
 RT: 15.80 min Scan# 2178
 Delta R.T. -0.02 min
 Lab File: BM019250.D
 Acq: 20 Mar 2019 02:51

Instrument :
 BNA_M
 ClientSampleId :
 CL-01-031519-E

Tgt Ion:330 Resp: 1127509
 Ion Ratio Lower Upper
 330 100
 332 96.9 76.8 115.2
 141 31.8 27.0 40.4




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#45
 2-Fluorobiphenyl
 Concen: 91.877 ng
 RT: 12.90 min Scan# 1686
 Delta R.T. -0.03 min
 Lab File: BM019250.D
 Acq: 20 Mar 2019 02:51

Tgt Ion:172 Resp: 3168983
 Ion Ratio Lower Upper
 172 100
 171 35.6 28.6 42.8
 170 23.4 18.6 28.0



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.05 min Scan# 2391
Delta R.T. -0.02 min
Lab File: BM019250.D
Acq: 20 Mar 2019 02:51




Instrument :
BNA_M
ClientSampleId :
CL-01-031519-E

Tgt Ion:188 Resp: 1072319
Ion Ratio Lower Upper
188 100
94 9.9 8.1 12.1
80 11.7 9.7 14.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.25 min Scan# 3105
Delta R.T. -0.02 min
Lab File: BM019250.D
Acq: 20 Mar 2019 02:51

Tgt Ion:240 Resp: 1055947
Ion Ratio Lower Upper
240 100
120 11.2 8.9 13.3
236 25.6 21.0 31.4





#79

Terphenyl-d14

Concen: 116.758 ng

RT: 19.69 min Scan# 2840

Delta R.T. -0.02 min

Lab File: BM019250.D

Acq: 20 Mar 2019 02:51

Instrument :

BNA_M

ClientSampleId :

CL-01-031519-E


Tgt Ion:244 Resp: 6210396

Ion Ratio Lower Upper




244 100

212 6.7 5.4 8.2

122 10.8 9.4 14.2



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.48 min Scan# 3484

Delta R.T. -0.03 min

Lab File: BM019250.D

Acq: 20 Mar 2019 02:51


Tgt Ion:264 Resp: 934396

Ion Ratio Lower Upper

264 100

260 23.3 18.6 28.0

265 22.3 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

