

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM031919\
 Data File : BM019242.D
 Acq On : 19 Mar 2019 18:31
 Operator : JU/SJ
 Sample : K1958-06
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 TP-3

Quant Time: Mar 20 05:12:00 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM031119.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 11 17:30:46 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.64	152	166177	20.00	ng	-0.02
21) Naphthalene-d8	10.42	136	658752	20.00	ng	-0.03
39) Acenaphthene-d10	14.29	164	429656	20.00	ng	-0.03
64) Phenanthrene-d10	17.05	188	1010237	20.00	ng	-0.02
76) Chrysene-d12	21.25	240	960564	20.00	ng	-0.02
87) Perylene-d12	23.48	264	837179	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.24	112	1451173	141.42	ng	-0.02
7) Phenol-d6	6.82	99	1918332	127.81	ng	-0.02
23) Nitrobenzene-d5	8.81	82	1390449	99.77	ng	-0.02
42) 2,4,6-Tribromophenol	15.80	330	1076665	169.72	ng	-0.02
45) 2-Fluorobiphenyl	12.90	172	3167596	95.90	ng	-0.03
79) Terphenyl-d14	19.69	244	5876535	121.45	ng	-0.02


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM031919\
Data File : BM019242.D
Acq On : 19 Mar 2019 18:31
Operator : JU/SJ
Sample : K1958-06
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
TP-3

Quant Time: Mar 20 05:12:00 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM031119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 11 17:30:46 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.64 min Scan# 791
Delta R.T. -0.02 min
Lab File: BM019242.D
Acq: 19 Mar 2019 18:31

Instrument :
BNA_M
ClientSampled :
TP-3

Tgt Ion:152 Resp: 166177
Ion Ratio Lower Upper
152 100
150 157.7 125.3 187.9
115 61.2 49.4 74.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 141.424 ng
RT: 5.24 min Scan# 383
Delta R.T. -0.02 min
Lab File: BM019242.D
Acq: 19 Mar 2019 18:31

Tgt Ion:112 Resp: 1451173
Ion Ratio Lower Upper
112 100
64 62.6 51.4 77.0
63 31.7 26.6 40.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 127.812 ng

RT: 6.82 min Scan# 652

Delta R.T. -0.02 min

Lab File: BM019242.D

Acq: 19 Mar 2019 18:31

Instrument :

BNA_M

ClientSampleId :

TP-3





Tgt Ion: 99 Resp: 1918332

Ion Ratio Lower Upper

99 100

42 13.4 10.9 16.3

71 37.4 30.3 45.5



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.42 min Scan# 1264

Delta R.T. -0.03 min

Lab File: BM019242.D

Acq: 19 Mar 2019 18:31

Tgt Ion: 136 Resp: 658752




Ion Ratio Lower Upper


136 100

137 10.8 8.6 13.0

54 7.0 5.2 7.8

68 7.3 5.8 8.8









#23
 Nitrobenzene-d5
 Concen: 99.775 ng
 RT: 8.81 min Scan# 990
 Delta R.T. -0.02 min
 Lab File: BM019242.D
 Acq: 19 Mar 2019 18:31




Instrument :
 BNA_M
 ClientSampled :
 TP-3


Tgt Ion: 82 Resp: 1390449
 Ion Ratio Lower Upper
 82 100
 128 38.5 29.4 44.2
 54 36.8 29.9 44.9



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.29 min Scan# 1922
 Delta R.T. -0.03 min
 Lab File: BM019242.D
 Acq: 19 Mar 2019 18:31

Tgt Ion: 164 Resp: 429656
 Ion Ratio Lower Upper
 164 100
 162 104.1 83.5 125.3
 160 46.1 36.3 54.5









#42
 2,4,6-Tribromophenol
 Concen: 169.721 ng
 RT: 15.80 min Scan# 2178
 Delta R.T. -0.02 min
 Lab File: BM019242.D
 Acq: 19 Mar 2019 18:31




Instrument :
 BNA_M
 ClientSampled :
 TP-3


Tgt Ion:330 Resp: 1076665
 Ion Ratio Lower Upper
 330 100
 332 96.5 76.8 115.2
 141 32.1 27.0 40.4



#45
 2-Fluorobiphenyl
 Concen: 95.897 ng
 RT: 12.90 min Scan# 1686
 Delta R.T. -0.03 min
 Lab File: BM019242.D
 Acq: 19 Mar 2019 18:31

Tgt Ion:172 Resp: 3167596
 Ion Ratio Lower Upper
 172 100
 171 36.0 28.6 42.8
 170 23.0 18.6 28.0









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.05 min Scan# 2391
Delta R.T. -0.02 min
Lab File: BM019242.D
Acq: 19 Mar 2019 18:31




Instrument :
BNA_M
ClientSampleId :
TP-3


Tgt Ion:188 Resp: 1010237
Ion Ratio Lower Upper
188 100
94 9.7 8.1 12.1
80 11.4 9.7 14.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.25 min Scan# 3105
Delta R.T. -0.02 min
Lab File: BM019242.D
Acq: 19 Mar 2019 18:31

Tgt Ion:240 Resp: 960564
Ion Ratio Lower Upper
240 100
120 11.1 8.9 13.3
236 25.4 21.0 31.4









#79
 Terphenyl-d14
 Concen: 121.452 ng
 RT: 19.69 min Scan# 2840
 Delta R.T. -0.02 min
 Lab File: BM019242.D
 Acq: 19 Mar 2019 18:31

Instrument :
 BNA_M
 ClientSampleId :
 TP-3

Tgt Ion:244 Resp: 5876535
 Ion Ratio Lower Upper
 244 100
 212 6.8 5.4 8.2
 122 11.2 9.4 14.2



#87
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.48 min Scan# 3484
 Delta R.T. -0.03 min
 Lab File: BM019242.D
 Acq: 19 Mar 2019 18:31

Tgt Ion:264 Resp: 837179
 Ion Ratio Lower Upper
 264 100
 260 23.5 18.6 28.0
 265 22.0 17.3 25.9

