

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM032019\
 Data File : BM019269.D
 Acq On : 20 Mar 2019 19:33
 Operator : JU/SJ
 Sample : K1987-02
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 20190144-COMPOSITE-C

Quant Time: Mar 21 17:14:49 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM031119.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 21 17:06:23 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.63	152	171366	20.00	ng	0.00
21) Naphthalene-d8	10.42	136	729129	20.00	ng	0.00
39) Acenaphthene-d10	14.29	164	486917	20.00	ng	0.00
64) Phenanthrene-d10	17.04	188	1110908	20.00	ng	0.00
76) Chrysene-d12	21.24	240	950298	20.00	ng	0.00
87) Perylene-d12	23.47	264	836367	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.23	112	1543373	145.85	ng	0.00
7) Phenol-d6	6.82	99	2312135	149.38	ng	0.00
23) Nitrobenzene-d5	8.80	82	1346879	87.32	ng	0.00
42) 2,4,6-Tribromophenol	15.79	330	1086015	151.06	ng	0.00
45) 2-Fluorobiphenyl	12.90	172	3009986	80.41	ng	0.00
79) Terphenyl-d14	19.69	244	4652875	97.20	ng	0.00
Target Compounds						
10) Phenol	6.85	94	67845	4.067	ng	95
50) Dimethylphthalate	13.76	163	197994	4.753	ng	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM032019\
Data File : BM019269.D
Acq On : 20 Mar 2019 19:33
Operator : JU/SJ
Sample : K1987-02
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
20190144-COMPOSITE-C

Quant Time: Mar 21 17:14:49 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM031119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 21 17:06:23 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.63 min Scan# 790
Delta R.T. 0.00 min
Lab File: BM019269.D
Acq: 20 Mar 2019 19:33

Instrument :
BNA_M
ClientSampleId :
20190144-COMPOSITE-C

Tot Ion:152 Resp: 171366
Ion Ratio Lower Upper
152 100
150 158.4 123.8 185.6
115 62.0 48.9 73.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 145.855 ng
RT: 5.23 min Scan# 382
Delta R.T. 0.00 min
Lab File: BM019269.D
Acq: 20 Mar 2019 19:33

Tgt Ion:112 Resp: 1543373
Ion Ratio Lower Upper
112 100
64 63.3 50.6 75.8
63 31.8 25.8 38.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 149.385 ng

RT: 6.82 min Scan# 651

Delta R.T. 0.00 min

Lab File: BM019269.D

Acq: 20 Mar 2019 19:33

Instrument :

BNA_M

ClientSampleId :

20190144-COMPOSITE-C


Tot Ion: 99 Resp: 2312135

Ion Ratio Lower Upper

99 100

42 13.8 11.0 16.6



71 37.6 30.1 45.1



Abundance Ion 99.00 (98.70 to 99.70): BM019093.D (-630) (-)

Ion 42.00 (41.70 to 42.70): BM019093.D (-630) (-)

Ion 71.00 (70.70 to 71.70): BM019093.D (-630) (-)



#10

Phenol

Concen: 4.067 ng

RT: 6.85 min Scan# 656

Delta R.T. 0.00 min

Lab File: BM019269.D

Acq: 20 Mar 2019 19:33



Tgt Ion: 94 Resp: 67845

Ion Ratio Lower Upper

94 100

65 30.3 9.2 49.2



66 41.7 17.7 57.7



Abundance Ion 94.00 (93.70 to 94.70): BM019093.D (-635) (-)

Ion 65.00 (64.70 to 65.70): BM019093.D (-635) (-)

Ion 66.00 (65.70 to 66.70): BM019093.D (-635) (-)









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.42 min Scan# 1263
Delta R.T. 0.00 min
Lab File: BM019269.D
Acq: 20 Mar 2019 19:33

Instrument :
BNA_M
ClientSampleId :
20190144-COMPOSITE-C

Tot Ion:136	Resp:	729129
Ion Ratio	Lower	Upper
136 100		
137 11.1	8.6	12.8
54 6.7	5.5	8.3
68 7.3	6.0	9.0




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BM
Ion 68.00 (67.70 to 68.70): BM






#23
Nitrobenzene-d5
Concen: 87.319 ng
RT: 8.80 min Scan# 989
Delta R.T. 0.00 min
Lab File: BM019269.D
Acq: 20 Mar 2019 19:33

Tgt Ion: 82	Resp: 1346879
Ion Ratio	Lower Upper
82 100	
128 37.8	30.2 45.4
54 36.7	30.2 45.2



Abundance Ion 82.00 (81.70 to 82.70): BM
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BM





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.29 min Scan# 1922

Delta R.T. 0.00 min

Lab File: BM019269.D

Acq: 20 Mar 2019 19:33

Instrument :


BNA_M

ClientSampleId :

20190144-COMPOSITE-C

Tot Ion:164 Resp: 486917

Ion	Ratio	Lower	Upper
164	100		
162	104.3	84.1	126.1
160	46.3	36.5	54.7





Abundance

Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E

Time-->



#42

2,4,6-Tribromophenol

Concen: 151.063 ng

RT: 15.79 min Scan# 2177


Delta R.T. 0.00 min

Lab File: BM019269.D

Acq: 20 Mar 2019 19:33

Tgt Ion:330 Resp: 1086015

Ion	Ratio	Lower	Upper
330	100		
332	96.7	77.6	116.4
141	31.9	25.7	38.5




Abundance

Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E

Time-->









#45
2-Fluorobiphenyl
Concen: 80.409 ng
RT: 12.90 min Scan# 1686
Delta R.T. 0.00 min
Lab File: BM019269.D
Acq: 20 Mar 2019 19:33




Instrument :
BNA_M
ClientSampleId :
20190144-COMPOSITE-C

Tot Ion:172 Resp: 3009986
Ion Ratio Lower Upper
172 100
171 35.7 29.0 43.4
170 22.9 18.9 28.3



#50
Dimethylphthalate
Concen: 4.753 ng
RT: 13.76 min Scan# 1831
Delta R.T. -0.01 min
Lab File: BM019269.D
Acq: 20 Mar 2019 19:33

Tgt Ion:163 Resp: 197994
Ion Ratio Lower Upper
163 100
194 3.8 3.2 4.8
164 10.2 8.2 12.2









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.04 min Scan# 2390
Delta R.T. 0.00 min
Lab File: BM019269.D
Acq: 20 Mar 2019 19:33




Instrument :
BNA_M
ClientSampleId :
20190144-COMPOSITE-C


Tot Ion:188 Resp: 1110908
Ion Ratio Lower Upper
188 100
94 10.1 8.7 13.1
80 12.7 9.8 14.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.24 min Scan# 3104
Delta R.T. -0.01 min
Lab File: BM019269.D
Acq: 20 Mar 2019 19:33

Tgt Ion:240 Resp: 950298
Ion Ratio Lower Upper
240 100
120 11.6 9.2 13.8
236 25.8 20.3 30.5





#79

Terphenyl-d14

Concen: 97.201 ng

RT: 19.69 min Scan# 2839

Delta R.T. 0.00 min

Lab File: BM019269.D

Acq: 20 Mar 2019 19:33

Instrument :

BNA_M

ClientSampleId :

20190144-COMPOSITE-C


Tot Ion:244 Resp: 4652875

Ion Ratio Lower Upper




244 100

212 6.7 5.4 8.2

122 11.2 9.6 14.4



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.47 min Scan# 3483

Delta R.T. 0.00 min

Lab File: BM019269.D

Acq: 20 Mar 2019 19:33


Tgt Ion:264 Resp: 836367

Ion Ratio Lower Upper

264 100

260 23.3 19.0 28.4

265 22.1 17.6 26.4



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

