

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM032019\
 Data File : BM019278.D
 Acq On : 21 Mar 2019 01:01
 Operator : JU/SJ
 Sample : PB118092BL
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB118092BL

Quant Time: Mar 21 17:17:11 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM031119.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 21 17:06:23 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.63	152	185891	20.00	ng	0.00
21) Naphthalene-d8	10.42	136	751061	20.00	ng	0.00
39) Acenaphthene-d10	14.29	164	486532	20.00	ng	0.00
64) Phenanthrene-d10	17.04	188	1056008	20.00	ng	0.00
76) Chrysene-d12	21.24	240	874358	20.00	ng	0.00
87) Perylene-d12	23.47	264	808905	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.23	112	1308838	114.03	ng	0.00
7) Phenol-d6	6.82	99	1866561	111.17	ng	0.00
23) Nitrobenzene-d5	8.80	82	1081925	68.09	ng	0.00
42) 2,4,6-Tribromophenol	15.79	330	754362	105.01	ng	0.00
45) 2-Fluorobiphenyl	12.90	172	2520835	67.40	ng	0.00
79) Terphenyl-d14	19.69	244	3790765	86.07	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM032019\
Data File : BM019278.D
Acq On : 21 Mar 2019 01:01
Operator : JU/SJ
Sample : PB118092BL
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB118092BL

Quant Time: Mar 21 17:17:11 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM031119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 21 17:06:23 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.63 min Scan# 790
Delta R.T. 0.00 min
Lab File: BM019278.D
Acq: 21 Mar 2019 01:01

Instrument :
BNA_M
ClientSampleId :
PB118092BL

Tot Ion:152 Resp: 185891
Ion Ratio Lower Upper
152 100
150 155.5 123.8 185.6
115 61.6 48.9 73.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 114.026 ng
RT: 5.23 min Scan# 382
Delta R.T. 0.00 min
Lab File: BM019278.D
Acq: 21 Mar 2019 01:01

Tgt Ion:112 Resp: 1308838
Ion Ratio Lower Upper
112 100
64 63.3 50.6 75.8
63 31.9 25.8 38.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 111.174 ng

RT: 6.82 min Scan# 651

Delta R.T. 0.00 min

Lab File: BM019278.D

Acq: 21 Mar 2019 01:01

Instrument :

BNA_M

ClientSampleId :

PB118092BL


Tot Ion: 99 Resp: 1866561

Ion Ratio Lower Upper

99 100

42 13.9 11.0 16.6




71 37.0 30.1 45.1



Abundance Ion 99.00 (98.70 to 99.70): BM019093.D (-630) (-)

Ion 42.00 (41.70 to 42.70): BM019093.D (-630) (-)

Ion 71.00 (70.70 to 71.70): BM019093.D (-630) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.42 min Scan# 1263

Delta R.T. 0.00 min

Lab File: BM019278.D

Acq: 21 Mar 2019 01:01

Tgt Ion: 136 Resp: 751061


Ion Ratio Lower Upper

136 100

137 11.2 8.6 12.8

54 6.8 5.5 8.3

68 7.6 6.0 9.0






Abundance Ion 136.00 (135.70 to 136.70): BM019093.D (-1243) (-)

Ion 137.00 (136.70 to 137.70): BM019093.D (-1243) (-)

Ion 54.00 (53.70 to 54.70): BM019093.D (-1243) (-)

Ion 68.00 (67.70 to 68.70): BM019093.D (-1243) (-)









#23
Nitrobenzene-d5
Concen: 68.094 ng
RT: 8.80 min Scan# 989
Delta R.T. 0.00 min
Lab File: BM019278.D
Acq: 21 Mar 2019 01:01




Instrument :
BNA_M
ClientSampleId :
PB118092BL


Tot Ion: 82 Resp: 1081925
Ion Ratio Lower Upper
82 100
128 37.5 30.2 45.4
54 37.6 30.2 45.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.29 min Scan# 1922
Delta R.T. 0.00 min
Lab File: BM019278.D
Acq: 21 Mar 2019 01:01

Tgt Ion:164 Resp: 486532
Ion Ratio Lower Upper
164 100
162 103.7 84.1 126.1
160 45.2 36.5 54.7









#42
 2,4,6-Tribromophenol
 Concen: 105.014 ng
 RT: 15.79 min Scan# 2177
 Delta R.T. 0.00 min
 Lab File: BM019278.D
 Acq: 21 Mar 2019 01:01

Instrument :
 BNA_M
 ClientSampleId :
 PB118092BL

Tot Ion:330 Resp: 754362
 Ion Ratio Lower Upper
 330 100
 332 97.0 77.6 116.4
 141 33.1 25.7 38.5




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 67.395 ng
 RT: 12.90 min Scan# 1686
 Delta R.T. 0.00 min
 Lab File: BM019278.D
 Acq: 21 Mar 2019 01:01

Tgt Ion:172 Resp: 2520835
 Ion Ratio Lower Upper
 172 100
 171 36.3 29.0 43.4
 170 23.8 18.9 28.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.04 min Scan# 2390
Delta R.T. 0.00 min
Lab File: BM019278.D
Acq: 21 Mar 2019 01:01




Instrument :
BNA_M
ClientSampleId :
PB118092BL


Tot Ion:188 Resp: 1056008
Ion Ratio Lower Upper
188 100
94 10.6 8.7 13.1
80 12.6 9.8 14.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.24 min Scan# 3104
Delta R.T. -0.01 min
Lab File: BM019278.D
Acq: 21 Mar 2019 01:01

Tgt Ion:240 Resp: 874358
Ion Ratio Lower Upper
240 100
120 11.7 9.2 13.8
236 25.9 20.3 30.5





#79

Terphenyl-d14

Concen: 86.069 ng

RT: 19.69 min Scan# 2839

Delta R.T. 0.00 min

Lab File: BM019278.D

Acq: 21 Mar 2019 01:01

Instrument :

BNA_M

ClientSampleId :

PB118092BL


Tot Ion:244 Resp: 3790765

Ion Ratio Lower Upper

244 100

212 6.8 5.4 8.2




122 10.9 9.6 14.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.47 min Scan# 3483

Delta R.T. 0.00 min

Lab File: BM019278.D

Acq: 21 Mar 2019 01:01


Tgt Ion:264 Resp: 808905

Ion Ratio Lower Upper

264 100

260 24.4 19.0 28.4

265 21.9 17.6 26.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

