

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM032122\
 Data File : BM034286.D
 Acq On : 21 Mar 2022 12:35
 Operator : CG/JU
 Sample : N1870-06
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PT-ACIDS-WP

Quant Time: Mar 21 17:54:39 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM031522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 16 02:38:26 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.943	152	170734	20.000	ng	0.00
21) Naphthalene-d8	10.754	136	694347	20.000	ng	-0.01
39) Acenaphthene-d10	14.583	164	442259	20.000	ng	0.00
64) Phenanthrene-d10	17.324	188	888803	20.000	ng	0.00
76) Chrysene-d12	21.495	240	837548	20.000	ng	0.00
86) Perylene-d12	23.906	264	835579	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.496	112	1411756	148.338	ng	0.00
7) Phenol-d6	7.107	99	1871567	137.349	ng	0.00
23) Nitrobenzene-d5	9.107	82	1249747	87.631	ng	0.00
42) 2,4,6-Tribromophenol	16.066	330	820093	137.574	ng	0.00
45) 2-Fluorobiphenyl	13.213	172	2853726	88.174	ng	0.00
79) Terphenyl-d14	19.942	244	4623938	95.930	ng	0.00
Target Compounds						
						Qvalue
8) 2-Chlorophenol	7.501	128	359596	32.304	ng	97
10) Phenol	7.131	94	1653020	121.973	ng	98
20) 3+4-Methylphenols	8.707	107	850796	64.813	ng	90
26) 2-Nitrophenol	9.866	139	838113	141.939	ng	99
27) 2,4-Dimethylphenol	9.925	122	840373	90.891	ng	99
29) 2,4-Dichlorophenol	10.401	162	1328936	123.706	ng	99
36) 4-Chloro-3-methylphenol	12.036	107	1877942	152.542	ng	100
43) 2,4,6-Trichlorophenol	13.025	196	704748	76.484	ng	98
44) 2,4,5-Trichlorophenol	13.089	196	1614549	163.244	ng	97
54) 2,4-Dinitrophenol	14.689	184	632904	163.617	ng	99
56) 4-Nitrophenol	14.783	139	493578	87.897	ng	98
65) 4,6-Dinitro-2-methylph...	15.701	198	236069	40.847	ng	99
70) Pentachlorophenol	16.977	266	1029462	141.257	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM032122\
Data File : BM034286.D
Acq On : 21 Mar 2022 12:35
Operator : CG/JU
Sample : N1870-06
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PT-ACIDS-WP

Quant Time: Mar 21 17:54:39 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM031522.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 16 02:38:26 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.943 min Scan# 801
Delta R.T. -0.005 min
Lab File: BM034286.D
Acq: 21 Mar 2022 12:35




Instrument :
BNA_M
ClientSampleId :
PT-ACIDS-WP


Tgt Ion:152 Resp: 170734
Ion Ratio Lower Upper
152 100
150 150.6 125.4 188.2
115 60.2 50.1 75.1



#5
2-Fluorophenol
Concen: 148.338 ng
RT: 5.496 min Scan# 384
Delta R.T. -0.006 min
Lab File: BM034286.D
Acq: 21 Mar 2022 12:35

Tgt Ion:112 Resp: 1411756
Ion Ratio Lower Upper
112 100
64 61.5 47.9 71.9
63 34.3 27.1 40.7









#7
Phenol-d6
Concen: 137.349 ng
RT: 7.107 min Scan# 61
Delta R.T. 0.000 min
Lab File: BM034286.D
Acq: 21 Mar 2022 12:35




Instrument :
BNA_M
ClientSampleId :
PT-ACIDS-WP


Tgt Ion: 99 Resp: 1871567
Ion Ratio Lower Upper
99 100
42 20.2 15.6 23.4
71 39.1 30.6 46.0



#8
2-Chlorophenol
Concen: 32.304 ng
RT: 7.501 min Scan# 725
Delta R.T. -0.012 min
Lab File: BM034286.D
Acq: 21 Mar 2022 12:35

Tgt Ion:128 Resp: 359596
Ion Ratio Lower Upper
128 100
130 34.1 12.3 52.3
64 50.5 28.1 68.1









#10
Phenol
Concen: 121.973 ng
RT: 7.131 min Scan# 60
Delta R.T. -0.006 min
Lab File: BM034286.D
Acq: 21 Mar 2022 12:35




Instrument :
BNA_M
ClientSampleId :
PT-ACIDS-WP


Tgt Ion: 94 Resp: 1653020
Ion Ratio Lower Upper
94 100
65 31.7 10.9 50.9
66 43.5 22.0 62.0



#20
3+4-Methylphenols
Concen: 64.813 ng
RT: 8.707 min Scan# 930
Delta R.T. -0.017 min
Lab File: BM034286.D
Acq: 21 Mar 2022 12:35

Tgt Ion:107 Resp: 850796
Ion Ratio Lower Upper
107 100
108 79.9 69.2 109.2
77 34.5 16.5 56.5
79 23.4 12.5 52.5









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.754 min Scan# 11
Delta R.T. -0.012 min
Lab File: BM034286.D
Acq: 21 Mar 2022 12:35




Instrument :
BNA_M
ClientSampleId :
PT-ACIDS-WP


Tgt Ion:	136	Resp:	694347
Ion	Ratio	Lower	Upper
136	100		
137	11.1	8.6	13.0
54	8.4	6.2	9.4
68	5.4	4.3	6.5



#23
Nitrobenzene-d5
Concen: 87.631 ng
RT: 9.107 min Scan# 998
Delta R.T. -0.006 min
Lab File: BM034286.D
Acq: 21 Mar 2022 12:35

Tgt Ion:	82	Resp:	1249747
Ion	Ratio	Lower	Upper
82	100		
128	39.3	31.9	47.9
54	51.6	40.6	61.0









#26
2-Nitrophenol
Concen: 141.939 ng
RT: 9.866 min Scan# 1127
Delta R.T. -0.006 min
Lab File: BM034286.D
Acq: 21 Mar 2022 12:35




Instrument :
BNA_M
ClientSampleId :
PT-ACIDS-WP


Tgt Ion:139 Resp: 838113
Ion Ratio Lower Upper
139 100
109 35.0 28.1 42.1
65 57.3 44.6 67.0



#27
2,4-Dimethylphenol
Concen: 90.891 ng
RT: 9.925 min Scan# 1137
Delta R.T. -0.006 min
Lab File: BM034286.D
Acq: 21 Mar 2022 12:35

Tgt Ion:122 Resp: 840373
Ion Ratio Lower Upper
122 100
107 122.5 99.0 148.6
121 59.9 47.7 71.5





#29

2,4-Dichlorophenol

Concen: 123.706 ng

RT: 10.401 min Scan# 1

Delta R.T. -0.006 min

Lab File: BM034286.D

Acq: 21 Mar 2022 12:35

Instrument :

BNA_M

ClientSampleId :

PT-ACIDS-WP





Tgt Ion:162 Resp: 1328936

Ion Ratio Lower Upper

162 100

164 65.2 43.9 83.9

98 38.0 17.6 57.6



#36

4-Chloro-3-methylphenol

Concen: 152.542 ng

RT: 12.036 min Scan# 1496

Delta R.T. -0.006 min

Lab File: BM034286.D

Acq: 21 Mar 2022 12:35




Tgt Ion:107 Resp: 1877942


Ion Ratio Lower Upper

107 100

144 25.5 20.8 31.2

142 78.2 62.7 94.1









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.583 min Scan# 1929
Delta R.T. -0.006 min
Lab File: BM034286.D
Acq: 21 Mar 2022 12:35




Instrument :
BNA_M
ClientSampleId :
PT-ACIDS-WP


Tgt Ion:164 Resp: 442259
Ion Ratio Lower Upper
164 100
162 101.2 81.6 122.4
160 44.3 35.6 53.4



#42
2,4,6-Tribromophenol
Concen: 137.574 ng
RT: 16.066 min Scan# 2181
Delta R.T. -0.006 min
Lab File: BM034286.D
Acq: 21 Mar 2022 12:35

Tgt Ion:330 Resp: 820093
Ion Ratio Lower Upper
330 100
332 96.5 78.2 117.4
141 38.7 30.6 45.8









#43
2,4,6-Trichlorophenol
Concen: 76.484 ng
RT: 13.025 min Scan# 1
Delta R.T. 0.000 min
Lab File: BM034286.D
Acq: 21 Mar 2022 12:35




Instrument :
BNA_M
ClientSampleId :
PT-ACIDS-WP


Tgt Ion:196 Resp: 704748
Ion Ratio Lower Upper
196 100
198 97.4 76.1 114.1
200 31.0 24.9 37.3



#44
2,4,5-Trichlorophenol
Concen: 163.244 ng
RT: 13.089 min Scan# 1675
Delta R.T. -0.006 min
Lab File: BM034286.D
Acq: 21 Mar 2022 12:35

Tgt Ion:196 Resp: 1614549
Ion Ratio Lower Upper
196 100
198 96.5 75.9 113.9
97 56.6 43.2 64.8
132 28.6 21.5 32.3









#45
2-Fluorobiphenyl
Concen: 88.174 ng
RT: 13.213 min Scan# 1
Delta R.T. -0.006 min
Lab File: BM034286.D
Acq: 21 Mar 2022 12:35




Instrument :
BNA_M
ClientSampleId :
PT-ACIDS-WP


Tgt Ion:172 Resp: 2853726
Ion Ratio Lower Upper
172 100
171 35.1 28.0 42.0
170 23.3 18.6 28.0



#54
2,4-Dinitrophenol
Concen: 163.617 ng
RT: 14.689 min Scan# 1947
Delta R.T. 0.000 min
Lab File: BM034286.D
Acq: 21 Mar 2022 12:35

Tgt Ion:184 Resp: 632904
Ion Ratio Lower Upper
184 100
63 74.3 58.3 87.5
154 65.0 52.6 78.8









#56
4-Nitrophenol
Concen: 87.897 ng
RT: 14.783 min Scan# 1963
Delta R.T. -0.006 min
Lab File: BM034286.D
Acq: 21 Mar 2022 12:35




Instrument :
BNA_M
ClientSampleId :
PT-ACIDS-WP


Tgt Ion:139 Resp: 493578
Ion Ratio Lower Upper
139 100
109 88.6 66.3 106.3
65 107.4 85.5 125.5



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.324 min Scan# 2395
Delta R.T. -0.006 min
Lab File: BM034286.D
Acq: 21 Mar 2022 12:35

Tgt Ion:188 Resp: 888803
Ion Ratio Lower Upper
188 100
94 8.1 6.6 9.8
80 9.8 7.8 11.8









#65
4,6-Dinitro-2-methylphenol
Concen: 40.847 ng
RT: 15.701 min Scan# 2120
Delta R.T. -0.006 min
Lab File: BM034286.D
Acq: 21 Mar 2022 12:35




Instrument :
BNA_M
ClientSampleId :
PT-ACIDS-WP


Tgt Ion:198 Resp: 236069
Ion Ratio Lower Upper
198 100
51 50.4 29.0 69.0
105 44.9 25.3 65.3



#70
Pentachlorophenol
Concen: 141.257 ng
RT: 16.977 min Scan# 2336
Delta R.T. 0.000 min
Lab File: BM034286.D
Acq: 21 Mar 2022 12:35

Tgt Ion:266 Resp: 1029462
Ion Ratio Lower Upper
266 100
268 63.6 49.8 74.8
264 62.1 50.3 75.5









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.495 min Scan# 3105
Delta R.T. -0.006 min
Lab File: BM034286.D
Acq: 21 Mar 2022 12:35




Instrument :
BNA_M
ClientSampleId :
PT-ACIDS-WP


Tgt Ion:240 Resp: 837548
Ion Ratio Lower Upper
240 100
120 8.9 7.3 10.9
236 24.8 20.2 30.2



#79
Terphenyl-d14
Concen: 95.930 ng
RT: 19.942 min Scan# 2840
Delta R.T. -0.006 min
Lab File: BM034286.D
Acq: 21 Mar 2022 12:35

Tgt Ion:244 Resp: 4623938
Ion Ratio Lower Upper
244 100
212 7.5 5.9 8.9
122 10.5 7.8 11.8





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.906 min Scan# 31
 Delta R.T. -0.006 min
 Lab File: BM034286.D
 Acq: 21 Mar 2022 12:35

Instrument :
 BNA_M
 ClientSampleId :
 PT-ACIDS-WP

Tgt Ion:264 Resp: 835579
 Ion Ratio Lower Upper
 264 100
 260 23.9 18.6 28.0
 265 21.3 17.6 26.4

