

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM032223\
 Data File : BM039098.D
 Acq On : 22 Mar 2023 18:48
 Operator : CG/JU
 Sample : 02001-02
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 IRV-1

Quant Time: Mar 23 04:25:30 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM030823.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 22 03:36:20 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.963	152	247433	20.000	ng	0.00
21) Naphthalene-d8	10.781	136	922269	20.000	ng	0.00
39) Acenaphthene-d10	14.604	164	512530	20.000	ng	0.00
64) Phenanthrene-d10	17.351	188	1059495	20.000	ng	0.00
76) Chrysene-d12	21.527	240	994458	20.000	ng	0.00
86) Perylene-d12	23.962	264	1125657	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.522	112	983926	60.415	ng	0.00
7) Phenol-d6	7.128	99	1157156	54.701	ng	0.00
23) Nitrobenzene-d5	9.134	82	716305	38.151	ng	0.00
42) 2,4,6-Tribromophenol	16.092	330	354477	59.785	ng	0.00
45) 2-Fluorobiphenyl	13.233	172	1483668	37.684	ng	0.00
79) Terphenyl-d14	19.968	244	2268935	41.715	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM032223\
Data File : BM039098.D
Acq On : 22 Mar 2023 18:48
Operator : CG/JU
Sample : 02001-02
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
IRV-1

Quant Time: Mar 23 04:25:30 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM030823.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 22 03:36:20 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.963 min Scan# 79
Delta R.T. -0.006 min
Lab File: BM039098.D
Acq: 22 Mar 2023 18:48




Instrument :
BNA_M
ClientSampleId :
IRV-1


Tgt Ion:152 Resp: 247433
Ion Ratio Lower Upper
152 100
150 158.2 125.1 187.7
115 62.3 49.6 74.4



#5
2-Fluorophenol
Concen: 60.415 ng
RT: 5.522 min Scan# 380
Delta R.T. 0.000 min
Lab File: BM039098.D
Acq: 22 Mar 2023 18:48

Tgt Ion:112 Resp: 983926
Ion Ratio Lower Upper
112 100
64 54.9 45.9 68.9
63 28.2 23.8 35.8









#7
Phenol-d6
Concen: 54.701 ng
RT: 7.128 min Scan# 61
Delta R.T. 0.000 min
Lab File: BM039098.D
Acq: 22 Mar 2023 18:48




Instrument :
BNA_M
ClientSampleId :
IRV-1


Tgt Ion: 99 Resp: 1157156
Ion Ratio Lower Upper
99 100
42 16.4 13.5 20.3
71 31.2 25.6 38.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.781 min Scan# 1274
Delta R.T. 0.000 min
Lab File: BM039098.D
Acq: 22 Mar 2023 18:48

Tgt Ion: 136 Resp: 922269
Ion Ratio Lower Upper
136 100
137 10.7 8.7 13.1
54 7.6 6.3 9.5
68 6.2 5.0 7.6









#23
Nitrobenzene-d5
Concen: 38.151 ng
RT: 9.134 min Scan# 999
Delta R.T. -0.006 min
Lab File: BM039098.D
Acq: 22 Mar 2023 18:48




Instrument :
BNA_M
ClientSampleId :
IRV-1


Tgt Ion: 82 Resp: 716305
Ion Ratio Lower Upper
82 100
128 44.7 34.4 51.6
54 47.5 38.8 58.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.604 min Scan# 1924
Delta R.T. -0.006 min
Lab File: BM039098.D
Acq: 22 Mar 2023 18:48

Tgt Ion: 164 Resp: 512530
Ion Ratio Lower Upper
164 100
162 98.4 79.2 118.8
160 44.4 35.5 53.3





#42

2,4,6-Tribromophenol

Concen: 59.785 ng

RT: 16.092 min Scan# 21

Delta R.T. -0.006 min

Lab File: BM039098.D

Acq: 22 Mar 2023 18:48

Instrument :

BNA_M

ClientSampleId :

IRV-1





Tgt Ion:330 Resp: 354477

Ion Ratio Lower Upper

330 100

332 95.9 77.4 116.0

141 39.5 32.2 48.4



#45

2-Fluorobiphenyl

Concen: 37.684 ng

RT: 13.233 min Scan# 1691

Delta R.T. 0.000 min

Lab File: BM039098.D

Acq: 22 Mar 2023 18:48




Tgt Ion:172 Resp: 1483668


Ion Ratio Lower Upper

172 100

171 33.9 28.2 42.2

170 23.1 19.1 28.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.351 min Scan# 2391
Delta R.T. 0.000 min
Lab File: BM039098.D
Acq: 22 Mar 2023 18:48




Instrument :
BNA_M
ClientSampleId :
IRV-1


Tgt Ion:188 Resp: 1059495
Ion Ratio Lower Upper
188 100
94 10.2 7.9 11.9
80 11.2 8.5 12.7



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.527 min Scan# 3101
Delta R.T. -0.006 min
Lab File: BM039098.D
Acq: 22 Mar 2023 18:48

Tgt Ion:240 Resp: 994458
Ion Ratio Lower Upper
240 100
120 13.1 9.2 13.8
236 25.9 20.8 31.2





#79

Terphenyl-d14

Concen: 41.715 ng

RT: 19.968 min Scan# 21

Delta R.T. 0.000 min

Lab File: BM039098.D

Acq: 22 Mar 2023 18:48

Instrument :

BNA_M

ClientSampleId :

IRV-1





Tgt Ion:244 Resp: 2268935

Ion Ratio Lower Upper

244 100

212 6.9 5.5 8.3

122 12.0 9.0 13.4



#86

Perylene-d12

Concen: 20.000 ng

RT: 23.962 min Scan# 3515

Delta R.T. 0.000 min

Lab File: BM039098.D

Acq: 22 Mar 2023 18:48

Tgt Ion:264 Resp: 1125657

Ion Ratio Lower Upper

264 100

260 23.4 18.7 28.1

265 21.8 17.9 26.9

