

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM032319\
 Data File : BM019349.D
 Acq On : 23 Mar 2019 13:21
 Operator : JU/SJ
 Sample : K2027-04
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 C09E6

Manual Integrations
 APPROVED

Sohil
 3/26/2019 6:25:28 PM

Quant Time: Mar 24 05:32:41 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM032219MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sun Mar 24 04:53:47 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.62	152	121744	20.00	ng/ul	0.00
18) Naphthalene-d8	10.39	136	498252	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.27	164	282070	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.03	188	630440	20.00	ng/ul	0.00
78) Chrysene-d12	21.23	240	686612	20.00	ng/ul	0.00
86) Perylene-d12	23.45	264	785439	20.00	ng/ul	-0.01

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.15	96	12565	4.04	ng/uL	0.00
5) Phenol-d5	6.80	99	55708	5.14	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.96	67	171644	23.65	ng/ul	0.00
9) 2-Chlorophenol-d4	7.15	132	174826	21.28	ng/ul	0.00
13) 4-Methylphenol-d8	8.33	113	104121	12.79	ng/ul	0.00
19) Nitrobenzene-d5	8.79	128	95543	26.88	ng/ul	0.00
22) 2-Nitrophenol-d4	9.50	143	105800	26.75	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.03	165	171276	22.95	ng/ul	0.00
29) 4-Chloroaniline-d4	10.62	131	12468m	1.39	ng/ul	0.06
44) Dimethylphthalate-d6	13.69	166	736461	32.36	ng/ul	0.00
47) Acenaphthylene-d8	13.96	160	854630	30.03	ng/ul	0.00
52) 4-Nitrophenol-d4	14.55	143	11813m	3.31	ng/ul	0.04
58) Fluorene-d10	15.27	176	647162	33.00	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.42	200	103130	24.74	ng/ul	0.00
71) Anthracene-d10	17.13	188	1090437	36.04	ng/ul	0.00
79) Pyrene-d10	19.43	212	1190887	37.55	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.31	264	1410518	33.87	ng/ul	-0.01

Target Compounds	Ovalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM032319\
Data File : BM019349.D
Acq On : 23 Mar 2019 13:21
Operator : JU/SJ
Sample : K2027-04
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
C09E6

Manual Integrations
APPROVED

Sohil
3/26/2019 6:25:28 PM

Quant Time: Mar 24 05:32:41 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM032219MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Sun Mar 24 04:53:47 2019
Response via : Initial Calibration

