

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM032419\
 Data File : BM019404.D
 Acq On : 24 Mar 2019 22:25
 Operator : JU/SJ
 Sample : K2044-08
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BF5T8

Manual Integrations
 APPROVED

Sohil
 3/26/2019 6:29:26 PM

Quant Time: Mar 25 04:48:22 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM032219MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Mar 25 02:03:45 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.60	152	127546	20.00	ng/ul	-0.01
18) Naphthalene-d8	10.39	136	541925	20.00	ng/ul	-0.01
36) Acenaphthene-d10	14.26	164	311220	20.00	ng/ul	-0.01
62) Phenanthrene-d10	17.02	188	704119	20.00	ng/ul	-0.01
78) Chrysene-d12	21.23	240	780991	20.00	ng/ul	-0.01
86) Perylene-d12	23.44	264	852479	20.00	ng/ul	-0.02

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.15	96	18301	5.62	ng/uL	0.00
5) Phenol-d5	6.79	99	147744	13.01	ng/ul	-0.01
7) Bis-(2-Chloroethyl)ether-d	6.96	67	99797	13.12	ng/ul	-0.01
9) 2-Chlorophenol-d4	7.14	132	122312	14.21	ng/ul	-0.01
13) 4-Methylphenol-d8	8.32	113	120932	14.18	ng/ul	0.00
19) Nitrobenzene-d5	8.78	128	54234	14.03	ng/ul	0.00
22) 2-Nitrophenol-d4	9.49	143	60561	14.08	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.03	165	104025	12.81	ng/ul	0.00
29) 4-Chloroaniline-d4	10.56	131	136622	14.01	ng/ul	0.00
44) Dimethylphthalate-d6	13.69	166	402023	16.01	ng/ul	0.00
47) Acenaphthylene-d8	13.96	160	450730	14.35	ng/ul	-0.01
52) 4-Nitrophenol-d4	14.52	143	37079m	9.42	ng/ul	0.01
58) Fluorene-d10	15.26	176	341745	15.80	ng/ul	-0.01
63) 4,6-Dinitro-2-methylphenol	15.41	200	37506	8.05	ng/ul	0.00
71) Anthracene-d10	17.12	188	525221	15.54	ng/ul	-0.01
79) Pyrene-d10	19.43	212	578488	16.04	ng/ul	-0.01
90) Benzo(a)pyrene-d12	23.30	264	642497	14.22	ng/ul	-0.02

Target Compounds

					Ovalue
6) Phenol	6.82	94	15493	1.307 ng/ul	93
45) Dimethylphthalate	13.73	163	72534	2.879 ng/ul#	97
76) Di-n-butylphthalate	17.99	149	49131	1.213 ng/ul	99
81) Butylbenzylphthalate	20.36	149	257576	13.846 ng/ul	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM032419\
Data File : BM019404.D
Acq On : 24 Mar 2019 22:25
Operator : JU/SJ
Sample : K2044-08
Misc :
ALS Vial : 18 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
BF5T8

Quant Time: Mar 25 04:48:22 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM032219MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Mar 25 02:03:45 2019
Response via : Initial Calibration

Manual Integrations
APPROVED

Sohil
3/26/2019 6:29:26 PM





#6

Phenol

Concen: 1.307 ng/ul

RT: 6.82 min Scan# 652

Delta R.T. 0.00 min

Lab File: BM019404.D

Acq: 24 Mar 2019 22:25

Instrument :

BNA_M





ClientSampled :

BF5T8

Tot Ion:	94	Resp:	15493
Ion	Ratio	Lower	Upper
94	100		
65	25.4	23.0	34.6
66	42.3	30.4	45.6

Manual Integrations
APPROVED

Sohil
3/26/2019 6:29:26 PM



#45

Dimethylphthalate

Concen: 2.879 ng/ul




RT: 13.73 min Scan# 1827


Delta R.T. -0.01 min

Lab File: BM019404.D

Acq: 24 Mar 2019 22:25

Tgt Ion:	163	Resp:	72534
Ion	Ratio	Lower	Upper
163	100		
194	3.2	4.0	6.0#
164	9.6	8.4	12.6






#76
Di-n-butylphthalate
Concen: 1.213 ng/ul
RT: 17.99 min Scan# 2551
Delta R.T. -0.01 min
Lab File: BM019404.D
Acq: 24 Mar 2019 22:25

Instrument :
BNA_M
ClientSampled :
BF5T8




Tot Ion:	149	Resp:	49131
Ion Ratio	Lower	Upper	
149	100		
150	9.7	7.5	11.3
104	5.3	4.1	6.1

Manual Integrations
APPROVED

Sohil
3/26/2019 6:29:26 PM




Abundance Ion 149.00 (148.70 to 149.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 104.00 (103.70 to 104.70): E



#81
Butylbenzylphthalate
Concen: 13.846 ng/ul
RT: 20.36 min Scan# 2954
Delta R.T. -0.01 min
Lab File: BM019404.D
Acq: 24 Mar 2019 22:25

Tgt Ion:	149	Resp:	257576
Ion Ratio	Lower	Upper	
149	100		
91	73.7	53.4	80.0
206	20.3	19.3	28.9



Abundance Ion 149.00 (148.70 to 149.70): E
Ion 91.00 (90.70 to 91.70): BM0
Ion 206.00 (205.70 to 206.70): E

