

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM032919\
 Data File : BM019607.D
 Acq On : 30 Mar 2019 07:43
 Operator : JU/SJ
 Sample : K2122-04
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Mar 30 20:56:30 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM032219MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Mar 29 14:33:17 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.57	152	133216	20.00	ng/ul	0.00
18) Naphthalene-d8	10.36	136	595535	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.23	164	337303	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.99	188	756892	20.00	ng/ul	0.00
78) Chrysene-d12	21.20	240	923465	20.00	ng/ul	0.00
86) Perylene-d12	23.40	264	1141087	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.13	96	21352	6.28	ng/uL	0.00
5) Phenol-d5	6.76	99	259834	21.90	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.93	67	178086	22.42	ng/ul	0.00
9) 2-Chlorophenol-d4	7.11	132	210020	23.36	ng/ul	0.00
13) 4-Methylphenol-d8	8.29	113	196419	22.06	ng/ul	0.00
19) Nitrobenzene-d5	8.75	128	96193	22.64	ng/ul	0.00
22) 2-Nitrophenol-d4	9.46	143	108272	22.90	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.99	165	194547	21.81	ng/ul	0.00
29) 4-Chloroaniline-d4	10.52	131	252139	23.53	ng/ul	0.00
44) Dimethylphthalate-d6	13.66	166	646334	23.75	ng/ul	0.00
47) Acenaphthylene-d8	13.93	160	809089	23.77	ng/ul	0.00
52) 4-Nitrophenol-d4	14.49	143	76849	18.01	ng/ul	0.01
58) Fluorene-d10	15.23	176	561596	23.95	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.38	200	76762	15.34	ng/ul	0.00
71) Anthracene-d10	17.09	188	888911	24.47	ng/ul	0.00
79) Pyrene-d10	19.40	212	1015000	23.80	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.26	264	1358421	22.46	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
45) Dimethylphthalate	13.70	163	89992	3.296	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM032919\
Data File : BM019607.D
Acq On : 30 Mar 2019 07:43
Operator : JU/SJ
Sample : K2122-04
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Mar 30 20:56:30 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM032219MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Mar 29 14:33:17 2019
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 3.296 ng/ul

RT: 13.70 min Scan# 1822

Delta R.T. -0.01 min

Lab File: BM019607.D

Acq: 30 Mar 2019 07:43

Instrument :

BNA_M

ClientSampleId :


Tot Ion:163 Resp: 89992

Ion Ratio Lower Upper

163 100

194 4.3 4.0 6.0

164 9.6 8.4 12.6



Abundance

Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

