

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM033019\
 Data File : BM019615.D
 Acq On : 30 Mar 2019 12:33
 Operator : JU/SJ
 Sample : K2065-06
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BF5K0

Quant Time: Mar 30 21:31:18 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM032219MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Mar 29 14:33:17 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	0.00	152	0	0.00	ng/ul	-7.58
18) Naphthalene-d8	0.00	136	0	0.00	ng/ul	-10.36
36) Acenaphthene-d10	14.24	164	1100	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.00	188	1326	20.00	ng/ul	0.00
78) Chrysene-d12	21.20	240	2341	20.00	ng/ul	0.00
86) Perylene-d12	23.27	264	865242	20.00	ng/ul	-0.14

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.13	96	14128	0.00	ng/uL	0.00
5) Phenol-d5	6.76	99	139953	0.00	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.93	67	103318	0.00	ng/ul	0.00
9) 2-Chlorophenol-d4	7.11	132	114197	0.00	ng/ul	0.00
13) 4-Methylphenol-d8	8.30	113	75046	0.00	ng/ul	0.00
19) Nitrobenzene-d5	8.75	128	52632	0.00	ng/ul	0.00
22) 2-Nitrophenol-d4	9.46	143	45293	0.00	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.00	165	88864	0.00	ng/ul	0.00
29) 4-Chloroaniline-d4	10.53	131	119237	0.00	ng/ul	0.00
44) Dimethylphthalate-d6	13.66	166	379373	4274.30	ng/ul	0.00
47) Acenaphthylene-d8	13.93	160	477680	4304.06	ng/ul	0.00
52) 4-Nitrophenol-d4	14.47	143	228	16.39	ng/ul	0.00
58) Fluorene-d10	15.23	176	344806	4509.00	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.39	200	8051	918.14	ng/ul	0.00
71) Anthracene-d10	17.09	188	538571	8463.82	ng/ul	0.00
79) Pyrene-d10	19.40	212	645239	5967.16	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.27	264	862055	18.79	ng/ul	0.00

Target Compounds

					Qvalue	
39) 2,4,6-Trichlorophenol	12.65	196	119	5.449	ng/ul#	12
41) 1,1'-Biphenyl	13.06	154	1007	10.748	ng/ul#	77
42) 2-Chloronaphthalene	12.94	162	914	12.739	ng/ul#	45
43) 2-Nitroaniline	13.36	65	211	10.709	ng/ul#	24
45) Dimethylphthalate	13.70	163	63994	718.604	ng/ul	99
46) 2,6-Dinitrotoluene	13.84	165	222	13.579	ng/ul#	1
48) Acenaphthylene	13.96	152	5974	54.310	ng/ul#	63
49) 3-Nitroaniline	14.17	138	1128	70.511	ng/ul#	54
50) Acenaphthene	14.30	153	2721	35.123	ng/ul#	85
53) 4-Nitrophenol	14.47	109	718	65.938	ng/ul#	18
54) Dibenzofuran	14.65	168	2332	21.555	ng/ul#	1
55) 2,4-Dinitrotoluene	14.63	165	1531	63.241	ng/ul#	92
57) Diethylphthalate	15.07	149	1717	19.602	ng/ul#	60
59) Fluorene	15.29	166	1820	21.229	ng/ul#	50
60) 4-Chlorophenyl-phenylether	15.29	204	336	7.856	ng/ul#	1
61) 4-Nitroaniline	15.36	138	499	28.575	ng/ul#	12
64) 4,6-Dinitro-2-methylphenol	15.31	198	2077	223.728	ng/ul#	1
65) N-Nitrosodiphenylamine	15.48	169	11802	286.084	ng/ul#	62
68) Atrazine	16.47	200	978	67.743	ng/ul#	25
70) Phenanthrene	17.04	178	67169	893.419	ng/ul	98
72) Anthracene	17.04	178	67541	880.577	ng/ul	99
75) Carbazole	17.43	167	6291	91.455	ng/ul#	48
76) Di-n-butylphthalate	17.99	149	563	7.384	ng/ul#	28

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM033019\
Data File : BM019615.D
Acq On : 30 Mar 2019 12:33
Operator : JU/SJ
Sample : K2065-06
Misc :
ALS Vial : 4 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
BF5K0

Quant Time: Mar 30 21:31:18 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM032219MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Mar 29 14:33:17 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
77) Fluoranthene	19.06	202	119649	1388.850	ng/ul#	85
80) Pyrene	19.43	202	113565	806.359	ng/ul#	81
81) Butylbenzylphthalate	20.34	149	9871	177.015	ng/ul#	57
82) 3,3'-Dichlorobenzidine	21.13	252	549	10.795	ng/ul#	40
83) Benzo(a)anthracene	21.19	228	58431	414.689	ng/ul#	90
84) Bis(2-ethylhexyl)phthalate	21.11	149	12660	156.631	ng/ul	96
85) Chrysene	21.24	228	70689	522.846	ng/ul#	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed





```
Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM033019\  
Data File : BM019615.D  
Acq On    : 30 Mar 2019  12:33  
Operator  : JU/SJ  
Sample    : K2065-06  
Misc      :  
ALS Vial  : 4      Sample Multiplier: 1
```



#39
 2,4,6-Trichlorophenol
 Concen: 5.449 ng/ul
 RT: 12.65 min Scan# 1642
 Delta R.T. -0.02 min
 Lab File: BM019615.D
 Acq: 30 Mar 2019 12:33




Instrument :
 BNA_M
 ClientSampleId :
 BF5K0


Tgt Ion:196 Resp: 119
 Ion Ratio Lower Upper
 196 100
 198 0.0 75.9 113.9#
 200 0.0 25.8 38.6#



#41
 1,1'-Biphenyl
 Concen: 10.748 ng/ul
 RT: 13.06 min Scan# 1713
 Delta R.T. 0.00 min
 Lab File: BM019615.D
 Acq: 30 Mar 2019 12:33

Tgt Ion:154 Resp: 1007
 Ion Ratio Lower Upper
 154 100
 153 56.4 34.0 51.0#
 76 0.0 8.4 12.6#





#42

2-Chloronaphthalene

Concen: 12.739 ng/ul

RT: 12.94 min Scan# 1692

Delta R.T. -0.16 min

Lab File: BM019615.D

Acq: 30 Mar 2019 12:33

Instrument :

BNA_M

ClientSampleId :

BF5K0


Tgt Ion: 162 Resp: 914

Ion Ratio Lower Upper

162 100

164 0.0 26.2 39.4#




127 68.4 29.5 44.3#



Abundance Ion 162.00 (161.70 to 162.70): E

Ion 164.00 (163.70 to 164.70): E

Ion 127.00 (126.70 to 127.70): E



#43

2-Nitroaniline

Concen: 10.709 ng/ul

RT: 13.36 min Scan# 1763

Delta R.T. 0.02 min

Lab File: BM019615.D

Acq: 30 Mar 2019 12:33


Tgt Ion: 65 Resp: 211

Ion Ratio Lower Upper

65 100

92 130.0 57.0 85.4#



138 26.3 87.2 130.8#




Abundance Ion 65.00 (64.70 to 65.70): BM0

Ion 92.00 (91.70 to 92.70): BM0

Ion 138.00 (137.70 to 138.70): E





#45

Dimethylphthalate

Concen: 718.604 ng/ul

RT: 13.70 min Scan# 1822

Delta R.T. -0.01 min

Lab File: BM019615.D

Acq: 30 Mar 2019 12:33

Instrument :

BNA_M

ClientSampleId :

BF5K0


Tgt Ion:163 Resp: 63994

Ion Ratio Lower Upper

163 100

194 4.5 4.0 6.0




164 10.5 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#46

2,6-Dinitrotoluene

Concen: 13.579 ng/ul

RT: 13.84 min Scan# 1845

Delta R.T. -0.01 min

Lab File: BM019615.D

Acq: 30 Mar 2019 12:33


Tgt Ion:165 Resp: 222

Ion Ratio Lower Upper

165 100

89 0.0 43.8 65.8#



121 98.2 17.8 26.6#




Abundance Ion 165.00 (164.70 to 165.70): E

Ion 89.00 (88.70 to 89.70): BM0

Ion 121.00 (120.70 to 121.70): E





#48

Acenaphthylene

Concen: 54.310 ng/ul

RT: 13.96 min Scan# 1866

Delta R.T. 0.00 min

Lab File: BM019615.D

Acq: 30 Mar 2019 12:33

Instrument :

BNA_M

ClientSampled :

BF5K0


Tgt Ion:152 Resp: 5974

Ion Ratio Lower Upper

152 100

151 38.0 16.1 24.1#




153 27.4 10.8 16.2#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 151.00 (150.70 to 151.70): E

Ion 153.00 (152.70 to 153.70): E



#49

3-Nitroaniline

Concen: 70.511 ng/ul

RT: 14.17 min Scan# 1902

Delta R.T. -0.01 min

Lab File: BM019615.D

Acq: 30 Mar 2019 12:33


Tgt Ion:138 Resp: 1128

Ion Ratio Lower Upper

138 100

108 63.7 7.6 11.4#



92 75.6 94.2 141.2#




Abundance Ion 138.00 (137.70 to 138.70): E

Ion 108.00 (107.70 to 108.70): E

Ion 92.00 (91.70 to 92.70): BM





#50

Acenaphthene

Concen: 35.123 ng/ul

RT: 14.30 min Scan# 1923

Delta R.T. -0.01 min

Lab File: BM019615.D

Acq: 30 Mar 2019 12:33

Instrument :

BNA_M

ClientSampleId :

BF5K0


Tgt Ion:153 Resp: 2721

Ion Ratio Lower Upper

153 100

152 70.3 37.9 56.9#




154 82.4 69.8 104.6



Abundance Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E

Ion 154.00 (153.70 to 154.70): E



#53

4-Nitrophenol

Concen: 65.938 ng/ul

RT: 14.47 min Scan# 1953

Delta R.T. -0.02 min

Lab File: BM019615.D

Acq: 30 Mar 2019 12:33


Tgt Ion:109 Resp: 718

Ion Ratio Lower Upper

109 100

139 19.2 91.2 136.8#



65 32.0 92.6 139.0#




Abundance Ion 109.00 (108.70 to 109.70): E

Ion 139.00 (138.70 to 139.70): E

Ion 65.00 (64.70 to 65.70): BM0





#54

Dibenzenofuran

Concen: 21.555 ng/ul

RT: 14.65 min Scan# 1982

Delta R.T. 0.00 min

Lab File: BM019615.D

Acq: 30 Mar 2019 12:33

Instrument :

BNA_M

ClientSampleId :





BF5K0

Tgt Ion:168 Resp: 2332

Ion Ratio Lower Upper

168 100

139 103.9 31.0 46.4#



#55

2,4-Dinitrotoluene

Concen: 63.241 ng/ul

RT: 14.63 min Scan# 1980

Delta R.T. -0.01 min

Lab File: BM019615.D

Acq: 30 Mar 2019 12:33




Tgt Ion:165 Resp: 1531


Ion Ratio Lower Upper

165 100

63 41.4 31.4 47.0

182 22.7 2.7 4.1#









#57
Diethylphthalate
Concen: 19.602 ng/ul
RT: 15.07 min Scan# 2054
Delta R.T. -0.01 min
Lab File: BM019615.D
Acq: 30 Mar 2019 12:33




Instrument :
BNA_M
ClientSampleId :
BF5K0


Tgt Ion:149 Resp: 1717
Ion Ratio Lower Upper
149 100
177 40.3 19.3 28.9#
150 34.5 10.6 15.8#



#59
Fluorene
Concen: 21.229 ng/ul
RT: 15.29 min Scan# 2092
Delta R.T. -0.01 min
Lab File: BM019615.D
Acq: 30 Mar 2019 12:33

Tgt Ion:166 Resp: 1820
Ion Ratio Lower Upper
166 100
165 142.8 78.4 117.6#
167 48.9 11.1 16.7#









#60
4-Chlorophenyl-phenylether
Concen: 7.856 ng/ul
RT: 15.29 min Scan# 2092
Delta R.T. 0.00 min
Lab File: BM019615.D
Acq: 30 Mar 2019 12:33

Instrument :
BNA_M
ClientSampled :
BF5K0

Tgt Ion:204 Resp: 336
Ion Ratio Lower Upper
204 100
206 56.2 26.6 40.0#
141 193.8 40.7 61.1#




Abundance Ion 204.00 (203.70 to 204.70): E
Ion 206.00 (205.70 to 206.70): E
Ion 141.00 (140.70 to 141.70): E






#61
4-Nitroaniline
Concen: 28.575 ng/ul
RT: 15.36 min Scan# 2103
Delta R.T. 0.01 min
Lab File: BM019615.D
Acq: 30 Mar 2019 12:33

Tgt Ion:138 Resp: 499
Ion Ratio Lower Upper
138 100
92 187.7 38.2 57.4#
108 66.2 70.0 105.0#



Abundance Ion 138.00 (137.70 to 138.70): E
Ion 92.00 (91.70 to 92.70): BM0
Ion 108.00 (107.70 to 108.70): E





#64

4,6-Dinitro-2-methylphenol

Concen: 223.728 ng/ul

RT: 15.31 min Scan# 2095

Delta R.T. -0.09 min

Lab File: BM019615.D

Acq: 30 Mar 2019 12:33

Instrument :

BNA_M

ClientSampleId :

BF5K0


Tgt Ion:198 Resp: 2077

Ion Ratio Lower Upper

198 100

182 57.6 3.5 5.3#




77 237.0 18.2 27.4#



Abundance Ion 198.00 (197.70 to 198.70): E

Ion 182.00 (181.70 to 182.70): E

Ion 77.00 (76.70 to 77.70): B



#65

N-Nitrosodiphenylamine

Concen: 286.084 ng/ul

RT: 15.48 min Scan# 2124

Delta R.T. -0.04 min

Lab File: BM019615.D

Acq: 30 Mar 2019 12:33


Tgt Ion:169 Resp: 11802

Ion Ratio Lower Upper

169 100

168 40.9 53.8 80.8#



167 9.3 29.5 44.3#




Abundance Ion 169.00 (168.70 to 169.70): E

Ion 168.00 (167.70 to 168.70): E

Ion 167.00 (166.70 to 167.70): E





#68

Atrazine

Concen: 67.743 ng/ul

RT: 16.47 min Scan# 2292

Delta R.T. -0.01 min

Lab File: BM019615.D

Acq: 30 Mar 2019 12:33

Instrument :

BNA_M

ClientSampleId :

BF5K0


Tgt Ion:200 Resp: 978

Ion Ratio Lower Upper

200 100

173 108.4 20.6 31.0#




215 29.2 39.8 59.6#



Abundance Ion 200.00 (199.70 to 200.70): E

Ion 173.00 (172.70 to 173.70): E

Ion 215.00 (214.70 to 215.70): E



#70

Phenanthrene

Concen: 893.419 ng/ul

RT: 17.04 min Scan# 2389

Delta R.T. 0.00 min

Lab File: BM019615.D

Acq: 30 Mar 2019 12:33


Tgt Ion:178 Resp: 67169

Ion Ratio Lower Upper

178 100

179 16.6 12.3 18.5



176 19.7 15.4 23.0




Abundance Ion 178.00 (177.70 to 178.70): E

Ion 179.00 (178.70 to 179.70): E

Ion 176.00 (175.70 to 176.70): E





#72

Anthracene

Concen: 880.577 ng/ul

RT: 17.04 min Scan# 2389

Delta R.T. -0.09 min

Lab File: BM019615.D

Acq: 30 Mar 2019 12:33

Instrument :

BNA_M

ClientSampleId :

BF5K0


Tgt Ion:178 Resp: 67541

Ion Ratio Lower Upper

178 100

179 16.6 13.4 20.2




176 19.7 15.4 23.0



Abundance Ion 178.00 (177.70 to 178.70): E

Ion 179.00 (178.70 to 179.70): E

Ion 176.00 (175.70 to 176.70): E



#75

Carbazole

Concen: 91.455 ng/ul

RT: 17.43 min Scan# 2455

Delta R.T. 0.01 min

Lab File: BM019615.D

Acq: 30 Mar 2019 12:33


Tgt Ion:167 Resp: 6291

Ion Ratio Lower Upper

167 100

166 33.9 17.0 25.4#



139 48.5 9.1 13.7#




Abundance Ion 167.00 (166.70 to 167.70): E

Ion 166.00 (165.70 to 166.70): E

Ion 139.00 (138.70 to 139.70): E









#76
Di-n-butylphthalate
Concen: 7.384 ng/ul
RT: 17.99 min Scan# 2550
Delta R.T. 0.02 min
Lab File: BM019615.D
Acq: 30 Mar 2019 12:33




Instrument :
BNA_M
ClientSampled :
BF5K0


Tgt Ion:149 Resp: 563
Ion Ratio Lower Upper
149 100
150 37.6 7.5 11.3#
104 26.0 4.1 6.1#



#77
Fluoranthene
Concen: 1388.850 ng/ul
RT: 19.06 min Scan# 2733
Delta R.T. -0.01 min
Lab File: BM019615.D
Acq: 30 Mar 2019 12:33

Tgt Ion:202 Resp: 119649
Ion Ratio Lower Upper
202 100
101 13.4 6.1 9.1#
100 10.0 4.6 7.0#





#80

Pyrene

Concen: 806.359 ng/ul

RT: 19.43 min Scan# 2796

Delta R.T. 0.00 min

Lab File: BM019615.D

Acq: 30 Mar 2019 12:33

Instrument :

BNA_M

ClientSampleId :

BF5K0


Tgt Ion:202 Resp: 113565

Ion Ratio Lower Upper

202 100

101 16.1 6.9 10.3#




100 13.0 5.6 8.4#



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 100.00 (99.70 to 100.70): B



#81

Butylbenzylphthalate

Concen: 177.015 ng/ul

RT: 20.34 min Scan# 2950

Delta R.T. 0.00 min

Lab File: BM019615.D

Acq: 30 Mar 2019 12:33


Tgt Ion:149 Resp: 9871

Ion Ratio Lower Upper

149 100

91 110.2 53.4 80.0#



206 18.7 19.3 28.9#




Abundance Ion 149.00 (148.70 to 149.70): E

Ion 91.00 (90.70 to 91.70): BM

Ion 206.00 (205.70 to 206.70): E









#82
 3,3'-Dichlorobenzidine
 Concen: 10.795 ng/ul
 RT: 21.13 min Scan# 3085
 Delta R.T. 0.00 min
 Lab File: BM019615.D
 Acq: 30 Mar 2019 12:33




Instrument :
 BNA_M
 ClientSampleId :
 BF5K0


Tgt Ion:252 Resp: 549
 Ion Ratio Lower Upper
 252 100
 254 68.9 52.8 79.2
 126 184.0 6.9 10.3#



#83
 Benzo(a)anthracene
 Concen: 414.689 ng/ul
 RT: 21.19 min Scan# 3094
 Delta R.T. 0.00 min
 Lab File: BM019615.D
 Acq: 30 Mar 2019 12:33

Tgt Ion:228 Resp: 58431
 Ion Ratio Lower Upper
 228 100
 229 27.9 16.0 24.0#
 226 30.0 21.8 32.8





#84

Bis(2-ethylhexyl)phthalate

Concen: 156.631 ng/ul

RT: 21.11 min Scan# 3081

Delta R.T. 0.00 min

Lab File: BM019615.D

Acq: 30 Mar 2019 12:33

Instrument :

BNA_M

ClientSampleId :

BF5K0


Tgt Ion:149 Resp: 12660

Ion Ratio Lower Upper

149 100

167 26.4 23.0 34.6




279 5.5 4.3 6.5



Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E



#85

Chrysene

Concen: 522.846 ng/ul

RT: 21.24 min Scan# 3103

Delta R.T. 0.00 min

Lab File: BM019615.D

Acq: 30 Mar 2019 12:33


Tgt Ion:228 Resp: 70689

Ion Ratio Lower Upper

228 100

226 31.2 24.1 36.1

229 24.7 16.0 24.0#



Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E

