

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM040119\
 Data File : BM019666.D
 Acq On : 01 Apr 2019 21:46
 Operator : JU/SJ
 Sample : K2119-18
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BF5B4

Quant Time: Apr 02 07:11:15 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM032219MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Apr 02 07:07:56 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.57	152	188038	20.00	ng/ul	-0.01
18) Naphthalene-d8	10.35	136	855387	20.00	ng/ul	-0.01
36) Acenaphthene-d10	14.23	164	491201	20.00	ng/ul	-0.01
62) Phenanthrene-d10	16.99	188	1069564	20.00	ng/ul	-0.01
78) Chrysene-d12	21.20	240	934650	20.00	ng/ul	0.00
86) Perylene-d12	23.40	264	852948	20.00	ng/ul	-0.01

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.12	96	21816	4.54	ng/uL	0.00
5) Phenol-d5	6.76	99	181340	10.83	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.92	67	129399	11.54	ng/ul	-0.01
9) 2-Chlorophenol-d4	7.10	132	150674	11.87	ng/ul	0.00
13) 4-Methylphenol-d8	8.29	113	152909	12.17	ng/ul	0.00
19) Nitrobenzene-d5	8.74	128	70254	11.51	ng/ul	-0.01
22) 2-Nitrophenol-d4	9.45	143	80328	11.83	ng/ul	-0.01
26) 2,4-Dichlorophenol-d3	9.99	165	137402	10.72	ng/ul	0.00
29) 4-Chloroaniline-d4	10.52	131	174332	11.33	ng/ul	0.00
44) Dimethylphthalate-d6	13.65	166	515576	13.01	ng/ul	-0.01
47) Acenaphthylene-d8	13.92	160	579975	11.70	ng/ul	-0.01
52) 4-Nitrophenol-d4	14.49	143	37264	6.00	ng/ul	0.01
58) Fluorene-d10	15.23	176	425307	12.45	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.38	200	58327	8.25	ng/ul	0.00
71) Anthracene-d10	17.09	188	667221	13.00	ng/ul	-0.01
79) Pyrene-d10	19.40	212	676075	15.66	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.26	264	545678	12.07	ng/ul	-0.01


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
45) Dimethylphthalate	13.70	163	57770	1.453	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM040119\
Data File : BM019666.D
Acq On : 01 Apr 2019 21:46
Operator : JU/SJ
Sample : K2119-18
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BF5B4

Quant Time: Apr 02 07:11:15 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM032219MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Apr 02 07:07:56 2019
Response via : Initial Calibration





#45
 Dimethylphthalate
 Concen: 1.453 ng/ul
 RT: 13.70 min Scan# 1821
 Delta R.T. -0.01 min
 Lab File: BM019666.D
 Acq: 01 Apr 2019 21:46

Instrument :
 BNA_M
 ClientSampleId :
 BF5B4

Tgt Ion:	163	Resp:	57770
Ion	Ratio	Lower	Upper
163	100		
194	4.2	4.0	6.0
164	10.4	8.4	12.6

