

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM040219\
 Data File : BM019716.D
 Acq On : 03 Apr 2019 06:18
 Operator : JU/SJ
 Sample : K2168-14
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BF639

Quant Time: Apr 03 07:06:53 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM032219MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Apr 03 07:04:07 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.57	152	163649	20.00	ng/ul	-0.01
18) Naphthalene-d8	10.35	136	757024	20.00	ng/ul	-0.01
36) Acenaphthene-d10	14.23	164	460684	20.00	ng/ul	-0.01
62) Phenanthrene-d10	16.99	188	1035621	20.00	ng/ul	0.00
78) Chrysene-d12	21.20	240	1170333	20.00	ng/ul	0.00
86) Perylene-d12	23.40	264	1250231	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.12	96	22025	5.27	ng/uL	0.00
5) Phenol-d5	6.76	99	230235	15.80	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.92	67	166578	17.07	ng/ul	-0.01
9) 2-Chlorophenol-d4	7.10	132	191250	17.32	ng/ul	0.00
13) 4-Methylphenol-d8	8.29	113	193291	17.67	ng/ul	0.00
19) Nitrobenzene-d5	8.74	128	95362	17.66	ng/ul	-0.01
22) 2-Nitrophenol-d4	9.45	143	111106	18.49	ng/ul	-0.01
26) 2,4-Dichlorophenol-d3	9.99	165	177717	15.67	ng/ul	0.00
29) 4-Chloroaniline-d4	10.52	131	257285	18.89	ng/ul	0.00
44) Dimethylphthalate-d6	13.65	166	692260	18.62	ng/ul	-0.01
47) Acenaphthylene-d8	13.92	160	783248	16.85	ng/ul	-0.01
52) 4-Nitrophenol-d4	14.49	143	78593	13.49	ng/ul	0.01
58) Fluorene-d10	15.23	176	563336	17.59	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.38	200	92996	13.58	ng/ul	0.00
71) Anthracene-d10	17.09	188	860640	17.32	ng/ul	-0.01
79) Pyrene-d10	19.40	212	898689	16.62	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.26	264	974521	14.70	ng/ul	0.00


Target Compounds					Qvalue	
45) Dimethylphthalate	13.70	163	128237	3.438	ng/ul#	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM040219\
Data File : BM019716.D
Acq On : 03 Apr 2019 06:18
Operator : JU/SJ
Sample : K2168-14
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BF639

Quant Time: Apr 03 07:06:53 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM032219MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Apr 03 07:04:07 2019
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 3.438 ng/ul

RT: 13.70 min Scan# 1821

Delta R.T. -0.01 min

Lab File: BM019716.D

Acq: 03 Apr 2019 06:18

Instrument :

BNA_M

ClientSampleId :

BF639


Tgt Ion:163 Resp: 128237

Ion Ratio Lower Upper

163 100

194 3.8 4.0 6.0#

164 10.1 8.4 12.6



Abundance

Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

